1.6X0.8mm SMD CHIP LED LAMP

Part Number: KPT-1608SGC Super Bri

Super Bright Green


Features

- 1.6mmX0.8mm SMT LED, 0.75mm thickness.
- Low power consumption.
- Wide viewing angle.
- Ideal for backlight and indicator.
- Various colors and lens types available.
- Package: 2000pcs / reel .
- Moisture sensitivity level : level 3.
- RoHS compliant.

Description

The Super Bright Green source color devices are made with Gallium Phosphide Green Light Emitting Diode.

Package Dimensions



REV NO: V.24B CHECKED: Allen Liu DATE: FEB/29/2012 DRAWN: C.H.Han PAGE: 1 OF 5 ERP: 1203001741

Selection Guide

Part No.	Dice	Lens Type	lv (mcd) [2] @ 20mA		Viewing Angle [1]
			Min.	Тур.	201/2
KPT-1608SGC	Super Bright Green (GaP)	Water Clear	5	12	120°

Notes:

1. 01/2 is the angle from optical centerline where the luminous intensity is 1/2 of the optical peak value.
Luminous intensity/ luminous Flux: +/-15%.

3. Luminous intensity value is traceable to the CIE127-2007 compliant national standards.

Electrical / Optical Characteristics at TA=25°C

Symbol	Parameter	Device	Тур.	Max.	Units	Test Conditions
λpeak	Peak Wavelength	Super Bright Green	565		nm	I⊧=20mA
λD [1]	Dominant Wavelength	Super Bright Green	568		nm	I⊧=20mA
Δλ1/2	Spectral Line Half-width	Super Bright Green	30		nm	I⊧=20mA
С	Capacitance	Super Bright Green	15		pF	VF=0V;f=1MHz
Vf [2]	Forward Voltage	Super Bright Green	2.2	2.5	V	I⊧=20mA
lr	Reverse Current	Super Bright Green		10	uA	VR=5V

Notes:


1.Wavelength: +/-1nm. 2. Forward Voltage: +/-0.1V.

3. Wavelength value is traceable to the CIE127-2007 compliant national standards.

Absolute Maximum Ratings at TA=25°C


Parameter	Super Bright Green	Units	
Power dissipation	62.5	mW	
DC Forward Current	25	mA	
Peak Forward Current [1]	140	mA	
Reverse Voltage	5	V	
Operating Temperature	-40°C To +85°C		
Storage Temperature	-40°C To +85°C		

Note: 1. 1/10 Duty Cycle, 0.1ms Pulse Width.



KPT-1608SGC

Reflow soldering is recommended and the soldering profile is shown below. Other soldering methods are not recommended as they might cause damage to the product.



DATE: FEB/29/2012 DRAWN: C.H.Han

