

Product Specifications

File No:E-SPE-23071715

Ver: 1.0

Page: 1/10 Date: 2023-07-17

Product Specifications

Type: <u>LiFePo4 Battery</u>

Model: <u>LFP496768-2S</u>

Specification: <u>6.4V/2000mAh</u>

Prepared By/Date	Checked By/Date	Approved By/Date
Echo Wang 2023/07/17	Weixin Wang 2023/07/17	Weixin Wang 2023/07/17

Sign/Date:

Tel: +86-755 23460581 Fax: +86-755 23460503 Http://www.dtpbattery.com E-mail: info@dtpbattery.com

Customer confirmation:



File.No:E-SPE-23071715 Ver:1.0

Page: 2 /10

Product Specifications

Date: 2023-07-17

Revise the history

Revision Num	Date	Revise the items	
1.0	2023-07-17	Publishes for the first time	



Product Specifications

File.No:E-SPE-23071715

Ver:1.0

Page: 3 /10

Date: 2023-07-17

Con	tents		
1	Scope	3	4
2	Produ	nct Type and Product Model	4
	2.1	Type	4
	2.2	Model	4
3		Product Characteristics	4
	3.1	Rated Capacity	4
	3.2	Minimum Capacity	4
	3.3	Nominal Voltage	4
	3.4	Charge Limited Voltage	4
	3.5	Discharge Cut-off Voltage	4
	3.6	End-of-charge Current.	4
	3.7	Standard Charge	4
	3.8	Standard Discharge	4
	3.9	Maximum Continuous Charge Current	4
	3.10	Maximum Continuous Discharge Current	4
	3.11	Operating And Storage Temperature Range	4
	3.12	Operating And Storage Humidity Range	4
	3.13	Weight	4
4		nal Dimension	4
5		de Appearance	5
6		Electrical Characteristics	5
	6.1	Open Circuit Voltage	5
	6.2	Internal Impedance	5
	6.3	Rated Capacity (0.2C ₅ A)	5
	6.4	1C ₅ A Capacity	5
	6.5	Temperature Characteristics	5
	6.6	Storage Characteristics	5
7	6.7	Cycle Life (20°C)	5
7	5a1ety	y Characteristics	5 5
	7.1	Over-discharge Characteristics	6
	7.2	Short-circuit Characteristics	-
	7.3 7.4	Hot Oven Characteristics.	6
	7. 4 7.5	Heavy Collision	6
8		bility Characteristics	6
o	8.1	Static Humidity and Temperature Characteristics	6
	8.2	Vibration Characteristics	6
	8.3	Bump Characteristics	7
	8.4	Free Drop Characteristics	7
0		•	_
9		hbling Request	7
	9.1	List of Parameter	7
	9.2	Parts list	8
	9.3	Application Circuit.	8 9
10	9.4 Guar	External Dimension Drawingantee Period of Quality	9
11		ers needing attention	9
11	State		7



Product Specifications

File.No:E-SPE-23071715

Ver:1.0 Page: 4 /10

Date: 2023-07-17

1. Scope

This specification shall be applied to the batteries from Shenzhen Data Power Technology Limited's product.

2. Product Type and Product Model


2.1 Type: LiFePo4 Battery **2.2 Model:** LFP496768-2S

3. Product Basic Characteristics

No	Item	Characteristics
3.1	Rated Capacity	2000mAh
3.2	Minimum Capacity	2000mAh
3.3	Nominal Voltage	6.40V
3.4	Charge Limited Voltage	7.30V
3.5	Discharge Cut-off Voltage	5.00V
3.6	End-of-charge Current	0.01C
3.7	Standard Charge	Charge with 0.2C(400mA) up to Limited Voltage, Charge with
3.7	Standard Charge	limited Voltage up to end-of-charge current.
3.8	Standard Discharge	Using 0.2C(400mA) constant current discharge to the Discharge Cut-off
3.6	Standard Discharge	Voltage.
3.9	Maximum Continuous Charge Current	0.5C (1000mA)
3.10	Maximum Continuous Discharge Current	1C (2000mA)
	Operating Temperature Range	Charge $0 \sim 45$ °C
3.11		Discharge $-20 \sim 60 ^{\circ}\text{C}$
	Storage Temperature Range	-20 ~ 60℃
3.12	Operating And Storage Humidity Range	≤90% RH
3.13	13 Weight Less than 120g	

4. Cell Dimension

Item	Dimension (mm)
Т	Max 4.90
W	Max 67.0
L	Max 68.0
L1	Max 64.0
L2	Max 68.3
L3	6.0±1.0
М	33.0±2.0
N	4.0±0.5





Product Specifications

File.No:E-SPE-23071715

Ver:1.0 Page: 5 /10 Date: 2023-07-17

5.Appearance

It shall be free from any defects such as remarkable scratches, breaks, cracks, discoloration, leakage, or middle deformation

6. Basic Electrical Characteristics

No.	Items	Criteria	Test Method
6.1	Open Circuit Voltage	6.4V~7.0V	Measure with voltmeter.
6.2	Internal Impedance	≤160mΩ	Measure cells using an alternate current impedance meter at 1kHz.
6.3	Rated Capacity (0.2C ₅ A)	≥2000mAh	Discharged after the standard charged cells rest 10min at 23±2°C, test can be discontinued when more than Rated capacity. Three cycles are permitted
6.4	1C ₅ A.discharge capacity	≥2000×90%	Discharged after the standard charged cells rest 10min at 23±2°C, test can be discontinued when more than 90%*rated capacity. Three cycles are permitted.
6.5	Temperature Characteristics	 Appearance: No deformation ruptures nor leakage. Discharge Capacity: ℃:≥85%×initial capacity; -10°C≥70%×initial capacity 	Measured the $0.2C_5A$ capacity at $23\pm2^{\circ}C$ as the initial capacity. Stored the rechargeable batteries for 16-20hrs at $-10\pm2^{\circ}C$; 2h for $55\pm2^{\circ}C$, and then $0.2C_5A$ discharged at this temperature, Checked the batteries' appearance after rest for 2 hrs at room temperature.
6.6	Storage Characteristics	Retention Capacity: ≥85% ×initial capacity	Measured the $0.2C_5A$ capacity at $(20\pm5)^{\circ}C$ as the initial capacity. Stored the recharged cells for 6 days at $20\pm5^{\circ}C$ and then rest for 2 hrs at room temperature, $0.2C_5A$ discharged after checked the cells' appearance.
6.7	Cycle Life (20°C)	Capacity≥initial capacity×80%	0.5C discharged after 0.5C ₅ A full charges at 20± 5°C.Carry out 1000 cycles

Remark 1 Standard charge: $0.2C_5A$ charge up to charge limited voltage at $(20\pm5)^{\circ}C$. Charge with limited voltage up to end of current. It is the same to the next content

7. Safety Characteristics

	No.	Items	Criteria	Test Method
-	7.1	_	Appearance: No rupture, fire,	When the battery is fully charged, go on loading for 8h with a twice rating voltage, 2.0C ₅ A out put current, it starts the over charge protection function.



Ver:1.0 Page: 6 /10

Date: 2023-07-17

File.No:E-SPE-23071715

Product Specifications

7.2	Over-discharge	Appearance: No rupture,	The battery is discharged at 0.2C ₅ A in the constant current till it reaches over discharge protection voltage at (20±5) °C, connected
'	Characteristics	fire, smoke, nor leakage.	
			with a 30Ω lead and discharged for 24h
		OCV >6 2V:	As the battery has completed charging, short circuit the positive and
7.3	Short-circuit	OCV $\geq 6.2V$;	negative contacts with 0.1Ω resistor for 1h for appearance check, then
1.3	Characteristics	Appearance: No rupture, fire, smoke, nor leakage.	disconnect the resistor between the contacts, the battery shall be
		ine, smoke, nor leakage.	charged at 1.0C ₅ A mA in the constant current for 5S
			The battery is to be heated in a gravity convection or circulating air
7.4	Hot Oven	Appearance:.No	oven after standard charged at 23±2°C, the temperature of the oven is
/	Characteristics	explode.No fire.	to be raised at a rate of 5±2°C/min. The oven is to remain for 30
			minutes at 400±2°C before the test is discontinued.
7.5	Heavy	Appearance:.No	Putting the battery on the platform, using 10KG heavy hammer free
7.3	Collision	explode.No fire.	drop from 1M height onto the fixed battery.

Remark 2 All safety characteristics are carried out by specialized personnel familiar with Li-ion knowledge or under instruction of our technical personnel after detailed consultation.

8. Reliability Characteristics

No.	Items	Criteria	Test Method
8.1	Static Humidity and Temperature Characteristics	Appearance: No leakage,	Measured the $1C_5A$ capacity at $23\pm2^{\circ}C$ as the initial capacity. Stored the rechargeable batteries for 2 days at $40\pm2^{\circ}C$ and 90% - 95% RH, then rest for 2 hrs at room temperature. $0.2C_5A$ discharged after checked the batteries appearance. Measured recoverabl $1C_5A$ discharge capacity with 3 cycles.
8.2	Vibration Characteristics	OCV ≥6.2V; Appearance: No fire, leakage, explode, rupture	After fully charging, fixing the battery onto the vibration platform with amplitude 0.38mm circularly scanning vibrating in the frequency of 10HZ-55HZ from three directions X 、 Y 、 Z for 30min respectively in its scanning frequency velocity 10CT/min.



File.No:E-SPE-23071715

Ver:1.0 Page: 7 /10

Date: 2023-07-17

Product Specifications

8.3	Bump Characteristics	OCV ≥6.2V; Appearance: No fire, leakage, explode, rupture	After vibration testing, use a clip or directly fix the battery on to the platform in the direction of $X \setminus Y \setminus Z$ vertical complementary axis, then adjust its acceleration and pulse duration as below to have a bump test. Pulse peak acceleration $100 \text{m/s} 2$. Bumps per minute $40\text{-}80$.Pulse duration 16ms . Bump times 1000 ± 10 .
8.4	Free Drop Characteristics		After bump testing, the battery shall be immediately dropped from the height of 1000mm (minimum height) onto a $18\text{mm} \sim 20\text{mm}$ hard board on the cement floor. Free drop one time respectively from X \ Y \ Z positive and negative axis(six directions). After that, the battery is discharged at $1C_5A$ to its final voltage.

9. Assembling Request

9.1 List of Parameter

	Item	Parameter Value	Unit
Overc	charge detection voltage	3.625-3.650-3.675	V
Overcharge protection delay		700-1000-1300	mS
Over	charge release voltage	3.400-3.450-3.500	V
Over-di	scharge detection voltage	1.920-2.000-2.080	V
Over-c	lischarge detection delay	70-110-150	mS
Over-di	scharge discharge voltage	2.400-2.500-2.600	V
Over-o	current detection voltage	170-200-230	mV
Over-current detection delay		6-10-14	mS
Over-c	current protection current	7-10-13	A
Over-curren	t protection release conditions	Disconnect the load	/
Short	circuit detection delay	150-250-400	uS
Short circui	t protection release conditions	Disconnect the load	
Main cir	cuit conduction resistance	≤65	mΩ
	Working power consumption	≤9.0	uA
Self-consumption	Sleep power consumption	≤0.1	uA
O ₁	perating temperature	-40~+85	$^{\circ}$ C



Ver:1.0

Ver:1.0 Page: 8 /10

Date: 2023-07-17


File.No:E-SPE-23071715

Product Specifications

9.2 Part Lists

NO.	Description	Symbol	Model/Spec	Q'ty
1	Resistance	R1 R2	300Ω/0603/±5 %	1
2	Resistance	R3	2KΩ/0603/±5 %	1
3	Capacitance	C1 C2	0.1uF/0402/-20~+80 % /16V	1
4	IC	U1	HY2122AB1A/SOT-23-6	1
5	MOS	U2 U3	8205A/TSSOP-8	2
6	PCB			1

9.3 Application Circuit






Product Specifications

File.No:E-SPE-23071715

Ver:1.0 Page: 9 /10 Date: 2023-07-17

9.4 External Dimension Drawing



10. Guarantee Period of Quality

Guarantee period of quality is 12 months after sold.

11. Matters needing attention

Strictly observes the following needing attention. Data Power will not be responsible for any accident occurred by handling outside of the precautions in this specification.

! Danger

- Strictly prohibits heat or throw cell into fire.
- Strictly prohibits throw and wet cell in liquid such as water, gasoline or drink etc.
- Strictly prohibits use leave cell close to fire or inside of a car where temperature may be above 60°C. Also do not charge / discharge in such conditions.
- Strictly prohibits put batteries in your pockets or a bag together with metal objects such as necklaces. Hairpins, coins, or screws. Do not store or transportation batteries with such objects.
- Strictly prohibits short circuit the (+) and (-) terminals with other metals.
- Do not place Cell in a device with the (+) and (-) in the wrong way around.
- Strictly prohibits pierce Cell with a sharp object such as a needle.
- Strictly prohibits disassemble or modify the cell.



Product Specifications

File.No:E-SPE-23071715

Ver:1.0 Page: 10 /10 Date: 2023-07-17

- Strictly prohibits welding a cell directly.
- Do not use a Cell with serious scar or deformation.
- Thoroughly read the user's manual before use, inaccurate handling of lithium ion rechargeable cell may cause leakage, heat, smoke, an explosion, or fire, capacity decreasing.

! Warning

- Strictly prohibits put cell into a microware oven, dryer, or high-pressure container.
- Strictly prohibits use cell with dry cells and other primary batteries, or new and old battery or batteries of a different package, type, or brand.
- Stop charging the Cell if charging is not completed within the specified time.
- Stop using the Cell if abnormal heat, odor, discoloration, deformation or abnormal condition is detected during use, charge, or storage.
- Keep away from fire immediately when leakage or foul odor is detected.
- If liquid leaks onto your skin or clothes, wash well with fresh water immediately.
- If liquid leaking from the Cell gets into your eyes, do not rub your eyes. Wash them well with clean edible oil and go to see a doctor immediately.

! Caution

- Before using the Cell, be sure to read the user's manual and cautions on handling thoroughly.
- Charging with specific charger according to product specification. Charge with CC/CV method. Strictly prohibits revered charging. Connect cell reverse will not charge the cell. At the same time, it will reduce the charge-discharge characteristics and safety characteristics, this will lead to product heat and leakage.
- Store batteries out of reach of children so that they are not accidentally swallowed.
- If younger children use the Cell, their guardians should explain the proper handling.
- Before using the Cell, be sure to read the user's manual and cautions on handling thoroughly.
- Batteries have life cycles. If the time that the Cell powers equipment becomes much shorter than usual, the Cell life is at an end. Replace the Cell with a new same one.
- When not using Cell for an extended period, remove it from the equipment and store in a place with low humidity and low temperature.
- While the Cell pack is charged, used and stored, keep it away from objects or materials with static electric charges
- If the terminals of the Cell become dirty, wipe with a dry clothe before using the Cell.
- Storage the cells in storage temperature range as the specifications, After full discharged, we suggest that charging to $6.8V\sim7.0V$ with no using for a long time.
- Do not exceed these ranges of the following temperature ranges.

Charge temperature range : 0° C to 45° C; Discharge temperature range : -20° C to 60° C.(When using equipment)

12.Statement

If our specifications material, product process or product control system has changed, the information will be transmitted to consumer by way of written with quality and reliability data.