

## **Product Specifications**

File No:E-SPE-23071711

Ver: 1.0

Page: 1/10 Date: 2023-07-17

## **Product Specifications**

Type: <u>LiFePo4 Battery</u>

Model: <u>LFP503035-2S</u>

Specification: <u>6.4V/300mAh</u>

Prepared By/Date	Checked By/Date	Approved By/Date
Echo Wang 2023/07/17	Weixin Wang 2023/07/17	Weixin Wang 2023/07/17

ĺ	Sign/Date:

Tel: +86-755 23460581 Fax: +86-755 23460503 Http://www.dtpbattery.com E-mail: info@dtpbattery.com

Customer confirmation:



File.No:E-SPE-23071711 Ver:1.0

Ver: 1.0 Page: 2 /10

Date: 2023-07-17

## **Product Specifications**

### Revise the history

Date	Revise the items	
2023-07-17	Publishes for the first time	



**Product Specifications** 

File.No:E-SPE-23071711

Ver:1.0

Page: 3 /10

Date: 2023-07-17

Con	tents		
1	Scope	e	4
2	Produ	uct Type and Product Model	4
	2.1	Туре	4
_	2.2	Model	4
3		Product Characteristics	4
	3.1	Rated Capacity	4
	3.2	Minimum Capacity	4
	3.3	Nominal Voltage	4
	3.4	Charge Limited Voltage.	4
	3.5	Discharge Cut-off Voltage	4
	3.6	End-of-charge Current	4
	3.7	Standard Charge	4
	3.8	Standard Discharge	4
	3.9	Maximum Continuous Charge Current	4
	3.10	Maximum Continuous Discharge Current	4
	3.11	Operating And Storage Temperature Range	4
	3.12	Operating And Storage Humidity Range	4
	3.13	Weight	4
4		nal Dimension	4
5		de Appearance	5
6		Electrical Characteristics.	5
	6.1	Open Circuit Voltage	5
	6.2	Internal Impedance	5
	6.3	Rated Capacity (0.2C <sub>5</sub> A)	5
	6.4	1C <sub>5</sub> A Capacity	5
	6.5	Temperature Characteristics.	5
	6.6	Storage Characteristics	5
7	6.7	Cycle Life (20°C)y Characteristics	5 5
,	7.1	Overcharge Characteristics	5
	7.2	Over-discharge Characteristics	6
	7.3	Short-circuit Characteristics.	6
	7.3 7.4	Hot Oven Characteristics.	6
	7.5	Heavy Collision	6
8		bility Characteristics	6
Ū	8.1	Static Humidity and Temperature Characteristics	6
	8.2	Vibration Characteristics	6
	8.3	Bump Characteristics	7
	8.4	Free Drop Characteristics.	7
9		nbling Request	7
,	9.1	List of Parameter	7
	9.1	Parts list	8
	9.2	Application Circuit	8
	9.3 9.4	External Dimension Drawing.	8 9
10		antee Period of Quality	9
11		ers needing attention	9
11	64.4.		,



**Product Specifications** 

File.No:E-SPE-23071711

Ver:1.0 Page: 4 /10 Date: 2023-07-17

### 1. Scope

This specification shall be applied to the batteries from Shenzhen Data Power Technology Limited's product.

### 2. Product Type and Product Model


**2.1 Type:** LiFePo4 Battery **2.2 Model:** LFP503035-2S

### 3. Product Basic Characteristics

No	Item	Characteristics
3.1	Rated Capacity	300mAh
3.2	Minimum Capacity	300mAh
3.3	Nominal Voltage	6.40V
3.4	Charge Limited Voltage	7.30V
3.5	Discharge Cut-off Voltage	5.00V
3.6	End-of-charge Current	0.01C
3.7	Standard Charge	Charge with 0.2C(60mA) up to Limited Voltage, Charge with limited
3.7	Standard Charge	Voltage up to end-of-charge current.
3.8	Standard Discharge	Using 0.2C(60mA) constant current discharge to the Discharge Cut-off
3.0	Standard Discharge	Voltage.
3.9	Maximum Continuous Charge Current	0.5C (150mA)
3.10	Maximum Continuous Discharge Current	1C (300mA)
	On and in a Transport on Brown	Charge 0 ~ 45 °C
3.11	Operating Temperature Range	Discharge −20 ~ 60 °C
	Storage Temperature Range	-20 ~ 60°C
3.12	Operating And Storage Humidity Range	≤90% RH
3.13	Weight	Less than 20g

### 4. Cell Dimension

Item	Dimension (mm)	
Т	Max 5.00	
W	Max 30.0	
L	Max 35.0	
L1	Max 31.0	
L2	Max 35.3	
L3	6.0±1.0	
М	15.0±1.0	
N	2.0±0.5	





**Product Specifications** 

File.No:E-SPE-23071711

Ver:1.0 Page: 5 /10 Date: 2023-07-17

#### 5.Appearance

It shall be free from any defects such as remarkable scratches, breaks, cracks, discoloration, leakage, or middle deformation

#### **6. Basic Electrical Characteristics**

No.	Items	Criteria	Test Method
6.1	Open Circuit Voltage	6.4V~7.0V	Measure with voltmeter.
6.2	Internal Impedance	≤200mΩ	Measure cells using an alternate current impedance meter at 1kHz.
6.3	Rated Capacity (0.2CcA) ≥300mAh		Discharged after the standard charged cells rest 10min at 23±2°C, test can be discontinued when more than Rated capacity. Three cycles are permitted
6.4	1C <sub>5</sub> A.discharge capacity	≥300×90%	Discharged after the standard charged cells rest 10min at 23±2°C, test can be discontinued when more than 90%*rated capacity. Three cycles are permitted.
6.5	Temperature Characteristics	<ol> <li>Appearance:</li> <li>No deformation ruptures nor leakage.</li> <li>Discharge Capacity:</li> <li>℃:≥85%×initial capacity;</li> <li>-10°C≥70%×initial capacity</li> </ol>	Measured the $0.2C_5A$ capacity at $23\pm2^{\circ}C$ as the initial capacity. Stored the rechargeable batteries for 16-20hrs at $-10\pm2^{\circ}C$ ; 2h for $55\pm2^{\circ}C$ , and then $0.2C_5A$ discharged at this temperature, Checked the batteries' appearance after rest for 2 hrs at room temperature.
6.6	Storage Characteristics	Retention Capacity: ≥85% ×initial capacity	Measured the $0.2C_5A$ capacity at $(20\pm5)^{\circ}C$ as the initial capacity. Stored the recharged cells for 6 days at $20\pm5^{\circ}C$ and then rest for 2 hrs at room temperature, $0.2C_5A$ discharged after checked the cells' appearance.
6.7	Cycle Life (20°C)	Capacity≥initial capacity×80%	0.5C discharged after $0.5C_5A$ full charges at $20\pm5^{\circ}C$ .Carry out 1000 cycles

# Remark 1 Standard charge: $0.2C_5A$ charge up to charge limited voltage at $(20\pm5)^{\circ}C$ . Charge with limited voltage up to end of current. It is the same to the next content

### 7. Safety Characteristics

N	o. Items	Criteria	Test Method
7.	I	Appearance: No rupture, fire,	When the battery is fully charged, go on loading for 8h with a twice rating voltage, 2.0C <sub>5</sub> A out put current, it starts the over charge protection function.



File.No:E-SPE-23071711 Ver:1.0

Page: 6/10

## **Product Specifications**Date: 2023-07-17

	Over_discharge	discharge Appearance: No rupture, acteristics fire, smoke, nor leakage.	The battery is discharged at 0.2C <sub>5</sub> A in the constant current till it
7.2	Characteristics		reaches over discharge protection voltage at (20±5) °C, connected
	Characteristics		with a $30\Omega$ lead and discharged for 24h
		OCV >6.2W.	As the battery has completed charging, short circuit the positive and
7.3	Short-circuit	OCV ≥6.2V; Appearance: No rupture,	negative contacts with $0.1\Omega$ resistor for 1h for appearance check, then
7.5	Characteristics 1	fire, smoke, nor leakage.	disconnect the resistor between the contacts, the battery shall be
		ine, smoke, nor leakage.	charged at 1.0C <sub>5</sub> A mA in the constant current for 5S
			The battery is to be heated in a gravity convection or circulating air
7.4	Hot Oven	Appearance:.No	oven after standard charged at 23±2°C, the temperature of the oven is
/.4	Characteristics	explode.No fire.	to be raised at a rate of 5±2°C/min. The oven is to remain for 30
			minutes at 400±2°C before the test is discontinued.
7.5	Heavy	Appearance:.No	Putting the battery on the platform, using 10KG heavy hammer free
7.3	Collision	explode.No fire.	drop from 1M height onto the fixed battery.

# Remark 2 All safety characteristics are carried out by specialized personnel familiar with Li-ion knowledge or under instruction of our technical personnel after detailed consultation.

### 8. Reliability Characteristics

No.	Items	Criteria	Test Method
8.1	Static Humidity and Temperature Characteristics	Appearance: No leakage,	Measured the $1C_5A$ capacity at $23\pm2^{\circ}C$ as the initial capacity. Stored the rechargeable batteries for 2 days at $40\pm2^{\circ}C$ and $90\%$ - $95\%$ RH, then rest for 2 hrs at room temperature. $0.2C_5A$ discharged after checked the batteries appearance. Measured recoverabl $1C_5A$ discharge capacity with 3 cycles.
8.2	Vibration Characteristics	OCV ≥6.2V; Appearance: No fire, leakage, explode, rupture	After fully charging, fixing the battery onto the vibration platform with amplitude 0.38mm circularly scanning vibrating in the frequency of 10HZ-55HZ from three directions X 、 Y 、 Z for 30min respectively in its scanning frequency velocity 10CT/min.



File.No:E-SPE-23071711

Ver:1.0 Page: 7 /10

Date: 2023-07-17

## **Product Specifications**

		OCV ≥6.2V; Appearance: No fire, leakage.	After vibration testing, use a clip or directly fix the
			battery on to the platform in the direction of X , Y , Z
8.3	Bump		vertical complementary axis, then adjust its acceleration
8.3	Characteristics		and pulse duration as below to have a bump test. Pulse
		explode, rupture	peak acceleration 100m/s2. Bumps per minute
			40-80. Pulse duration 16ms. Bump times 1000±10.
			After bump testing, the battery shall be immediately
		Retention Capacity:	dropped from the height of 1000mm (minimum height)
8.4	Tree Brop	≥85% ×nominal capacity.	onto a $18$ mm $\sim 20$ mm hard board on the cement floor.
0.4		Appearance: No fire, leakage,	Free drop one time respectively from X,Y,Z positive and
		explode, rupture	negative axis(six directions). After that, the battery is
			discharged at 1C <sub>5</sub> A to its final voltage.

### 9. Assembling Request

### 9.1 List of Parameter

	Item	Parameter Value	Unit
Overcharge detection voltage		3.625-3.650-3.675	V
Over	charge protection delay	700-1000-1300	mS
Over	charge release voltage	3.400-3.450-3.500	V
Over-di	scharge detection voltage	1.920-2.000-2.080	V
Over-c	lischarge detection delay	70-110-150	mS
Over-di	scharge discharge voltage	2.400-2.500-2.600	V
Over-o	current detection voltage	170-200-230	mV
Over-current detection delay		6-10-14	mS
Over-current protection current		2.5-4.5-6.5	A
Over-current protection release conditions		Disconnect the load	/
Short	circuit detection delay	150-250-400	uS
Short circui	t protection release conditions	Disconnect the load	
Main circuit conduction resistance		≤65	mΩ
	Working power consumption	≤9.0	uA
Self-consumption	Sleep power consumption	≤0.1	uA
O <sub>1</sub>	perating temperature	-40~+85	℃



Ver:1.0

Page: 8 /10

Date: 2023-07-17


File.No:E-SPE-23071711

## **Product Specifications**

### 9.2 Part Lists

NO.	Description	Symbol	Model/Spec	Q'ty
1	Resistance	R1 R2	300Ω/0603/±5 %	1
2	Resistance	R3	2KΩ/0603/±5 %	1
3	Capacitance	C1 C2	0.1uF/0402/-20~+80 % /16V	1
4	IC	U1	HY2122AB1A/SOT-23-6	1
5	MOS	U2	8205A/TSSOP-8	1
6	PCB			1

### 9.3 Application Circuit






## **Product Specifications**

File.No:E-SPE-23071711

Ver:1.0 Page: 9 /10

Date: 2023-07-17

### 9.4 External Dimension Drawing



#### 10. Guarantee Period of Quality

Guarantee period of quality is 12 months after sold.

#### 11. Matters needing attention

Strictly observes the following needing attention. Data Power will not be responsible for any accident occurred by handling outside of the precautions in this specification.

#### ! Danger

- Strictly prohibits heat or throw cell into fire.
- Strictly prohibits throw and wet cell in liquid such as water, gasoline or drink etc.
- Strictly prohibits use leave cell close to fire or inside of a car where temperature may be above 60°C. Also do not charge / discharge in such conditions.
- Strictly prohibits put batteries in your pockets or a bag together with metal objects such as necklaces. Hairpins, coins, or screws. Do not store or transportation batteries with such objects.
- Strictly prohibits short circuit the (+) and (-) terminals with other metals.
- Do not place Cell in a device with the (+) and (-) in the wrong way around.
- Strictly prohibits pierce Cell with a sharp object such as a needle.
- Strictly prohibits disassemble or modify the cell.



## SHENZHEN DATA POWER TECHNOLOGY

## LIMITED

## **Product Specifications**

File.No:E-SPE-23071711

Ver:1.0 Page: 10 /10

Date: 2023-07-17

- Strictly prohibits welding a cell directly.
- Do not use a Cell with serious scar or deformation.
- Thoroughly read the user's manual before use, inaccurate handling of lithium ion rechargeable cell may cause leakage, heat, smoke, an explosion, or fire, capacity decreasing.

#### ! Warning

- Strictly prohibits put cell into a microware oven, dryer, or high-pressure container.
- Strictly prohibits use cell with dry cells and other primary batteries, or new and old battery or batteries of a different package, type, or brand.
- Stop charging the Cell if charging is not completed within the specified time.
- Stop using the Cell if abnormal heat, odor, discoloration, deformation or abnormal condition is detected during use, charge, or storage.
- Keep away from fire immediately when leakage or foul odor is detected.
- If liquid leaks onto your skin or clothes, wash well with fresh water immediately.
- If liquid leaking from the Cell gets into your eyes, do not rub your eyes. Wash them well with clean edible oil and go to see a doctor immediately.

#### ! Caution

- Before using the Cell, be sure to read the user's manual and cautions on handling thoroughly.
- Charging with specific charger according to product specification. Charge with CC/CV method. Strictly prohibits revered charging. Connect cell reverse will not charge the cell. At the same time, it will reduce the charge-discharge characteristics and safety characteristics, this will lead to product heat and leakage.
- Store batteries out of reach of children so that they are not accidentally swallowed.
- If younger children use the Cell, their guardians should explain the proper handling.
- Before using the Cell, be sure to read the user's manual and cautions on handling thoroughly.
- Batteries have life cycles. If the time that the Cell powers equipment becomes much shorter than usual, the Cell life is at an end. Replace the Cell with a new same one.
- When not using Cell for an extended period, remove it from the equipment and store in a place with low humidity and low temperature.
- While the Cell pack is charged, used and stored, keep it away from objects or materials with static electric charges
- If the terminals of the Cell become dirty, wipe with a dry clothe before using the Cell.
- Storage the cells in storage temperature range as the specifications, After full discharged, we suggest that charging to  $6.8V\sim7.0V$  with no using for a long time.
- Do not exceed these ranges of the following temperature ranges.

Charge temperature range :  $0^{\circ}$ C to  $45^{\circ}$ C; Discharge temperature range :  $-20^{\circ}$ C to  $60^{\circ}$ C.(When using equipment)

#### 12.Statement

If our specifications material, product process or product control system has changed, the information will be transmitted to consumer by way of written with quality and reliability data.