## 1658621-1 Product Details

	Ribbon Cable Connectors (AMP-LATCH)	Quick Links
Statistics of the second s	Always EU RoHS/ELV Compliant (Statement of Compliance)	<ul> <li>Check Pricing &amp; Availability</li> <li>Search for Tooling</li> <li>View Mating Products (78)</li> <li>Product Feature Selector</li> </ul>
-	Product Highlights:	Contact Us About This Product
1658621-1	<ul> <li>Connector Type = NOVO</li> <li>Number of Positions = 10</li> </ul>	
Active	<ul> <li>Receptacle</li> <li>Mating Polarization Method = Center &amp; Military</li> <li>With Mating Polarization</li> </ul>	
	View all Features	

<ul> <li>Product Drawings:</li> <li>RECEPTACLE ASSY, CENTER &amp; MILITARY POLARIZATION, LEA (PDF, English)</li> </ul>	Additional Information: • Product Line Information
Catalog Pages/Data Sheets:     None Available	Related Products: • Tooling
	<ul> <li>Mating Products (78)</li> </ul>
Product Specifications: Connector, Flat Cable Round Conductor, AMP-LATCH Nov (PDF, English)	
Application Specifications: • <u>AMP-LATCH Novo Receptacles for Ribbon Cable with Con</u> (PDF, English)	
Instruction Sheets: <ul> <li><u>Connector-Specific Kit f/AMP-LATCH Standard and Novo</u> (PDF, English)</li> </ul>	
CAD Files: (CAD Format & Compression Information)	
• <u>3D Model</u> (IGES, Version B2)	
• <u>2D Drawing</u> (DXF, Version B2)	
List all Documen	<u>ts</u>

Product Features (Please use the Product Drawing for all design activity)

## Product Type Features: Housing Related Features: • <u>Connector Type</u> = NOVO • <u>Housing Color</u> = Black • <u>Number of Positions</u> = 10 • Housing Material = Thermoplastic • Housing Flammability Rating = UL 94V-0 ٠ Gender = Receptacle • Mating Polarization Method = Center & Military **Configuration Related Features:** • <u>Mating Polarization</u> = With • Cable Stop = Without • <u>Mounting Ears</u> = Without • PCB Retention Feature = No Industry Standards: • Mating Connector Lock = Without • <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant Strain Relief = Without • • Lead Free Solder Processes = Not relevant for lead free proces With Cover Preassembled = Yes • • RoHS/ELV Compliance History = Always was RoHS compliant **Termination Related Features:** Conditions for Usage: • <u>Terminate To</u> = Ribbon Cable • <u>Solder Tail Contact Plating</u> = Tin Body Related Features: Other: • Brand = AMP • Centerline, Matrix (mm [in]) = 2.54 x 2.54 [.100 x .100] **Contact Related Features:** • <u>Contact Mating Area Plating</u> = Gold (15) • Contact Material = Phosphor Bronze