

# **FEATURES**

- Excellent electrical connection
- Reduces short circuits
- Tin plated copper tube for excellent conductivity
- Crimped terminal can be repeatedly inserted and removed without degrading end of the wire

# RS PRO Crimp Bootlace Ferrule, 10mm Pin Length, 2mm Pin Diameter, 1.5mm<sup>2</sup> Wire Size

**RS Stock No.: 211-4280** 



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



#### **Product Description**

From RS PRO a range of high-quality French colour coded bootlace ferrules (also known as cord end terminals) for providing a clean end termination to multi-stranded wires. These reliable wire ferrules ensure that you have a positive connection when connecting wires to terminal blocks and captive terminals

## Suitable Crimping Tools

For ferrules with a wire size range of 0.25 to 6 mm<sup>2</sup> use crimping tool frame stock number  $\frac{848}{391}$  with crimping die  $\frac{848}{420}$ 

## **General Specifications**

Г			
Number of Entries	1		
Insulation	Uninsulated		
Contact Material	Copper		
Contact Plating	Tin		
Terminal Material	Copper tube		
Surface Treatment	Tin plate		
Ferrule Type	French		
Pack Quantity	10		
Application	Bootlace ferrules are used on multi-stranded wires that are being inserted into screw terminals and terminal blocks. Applications include consumer units, circuit		

#### **Electrical Specifications**

Current Rating	9A
Voltage Rating	600V




Mechanical Specifications					
Maximum Wire Size (mm2)	1.5				
Maximum Wire Size (AWG)	16				
Pin Diameter	2mm				
Pin Length	10mm				
Overall Length	10mm				
Weight	0.0520kg				

<b>Operation Environment Specifications</b>	
Maximum Temperature	105°C

Approvals	
Compliance/Certifications	CE / UR / cUR







L (mm)	D (mm)	C (mm)	W (mm)
10	2.0	1.7	2.5