

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION .1995
 © COPYRIGHT 1995 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
P	LTR	DESCRIPTION	ECH	DATE	DWN	APVD			
/	0	作図 (DRAWN)	FJ00-3206-95	31Oct'95	E.T	I.H			
/	A	変更 (REVISED)	ECR-08-027468	29OCT08	M.S	S.M			



注記:

1. 適用電線被覆外径範囲 $\phi 6.0 \sim \phi 7.5$
2. 使用ネジ 十字穴付きなべ子ねじ M2.6 L10
3. 使用ナット 六角ナット M2.6
4. 取付対象ハウジング □-172169-□

NOTE:

1. INSULATION DIA RANGE $\phi 6.0 \sim \phi 7.5$
2. SCREWS; CROSS-RECESSED HEAD MACHINE SCREWS M2.6 L10
3. NUTS; HEXAGON NUTS M2.6
4. MATING HOUSING □-172169-□

- 1 : 本図
 (- 1 : AS SHOWN)

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN E. TAKEMASA 4/SEP/95	WIRE RANGE 適合電線断面積	INSULATION DIA 被覆外径
DIMENSIONS: 単位: mm		CHK I. HASEGAWA 31Oct'95	Tyco Electronics Tyco Electronics Corporation Kawasaki, Japan	
TOLERANCES UNLESS OTHERWISE SPECIFIED		APVD I. Hasegawa 31Oct'95	NAME 名称 MINI UMNL PLUG CABLE CLAMP	
MATERIAL 66NYLON V-0 W/G 20%		PRODUCT SPEC	ミニユニバーサルメイトンロック	
FINISH 仕上		APPLICATION SPEC	プラグ ケーブル クランプ	
WEIGHT		SIZE A3	CAGE CODE 00779	DRAWING NO 316454
CUSTOMER DRAWING		SCALE 2:1		SHEET 1 OF 1
				REV A