



型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R0.05-0.3	0.05	0.1	0.065	0.3	0.085	10	50	4
AC40-TLNBE2R0.05-0.5	0.05	0.1	0.065	0.5	0.085	10	50	4
AC40-TLNBE2R0.1-0.3	0.1	0.2	0.16	0.3	0.18	10	50	4
AC40-TLNBE2R0.1-0.5	0.1	0.2	0.16	0.5	0.18	10	50	4
AC40-TLNBE2R0.1-0.75	0.1	0.2	0.16	0.75	0.18	10	50	4
AC40-TLNBE2R0.1-1	0.1	0.2	0.16	1	0.18	10	50	4
AC40-TLNBE2R0.1-1.25	0.1	0.2	0.16	1.25	0.18	10	50	4
AC40-TLNBE2R0.1-1.5	0.1	0.2	0.16	1.5	0.18	10	50	4
AC40-TLNBE2R0.1-2	0.1	0.2	0.16	2	0.18	10	50	4
AC40-TLNBE2R0.1-2.5	0.1	0.2	0.16	2.5	0.18	10	50	4
AC40-TLNBE2R0.1-3	0.1	0.2	0.16	3	0.18	10	50	4
AC40-TLNBE2R0.15-0.5	0.15	0.3	0.2	0.5	0.28	10	50	4
AC40-TLNBE2R0.15-0.6	0.15	0.3	0.2	0.6	0.28	10	50	4
AC40-TLNBE2R0.15-1	0.15	0.3	0.2	1	0.28	10	50	4
AC40-TLNBE2R0.15-1-6	0.15	0.3	0.2	1	0.28	15	50	6
AC40-TLNBE2R0.15-1.5	0.15	0.3	0.2	1.5	0.28	10	50	4
AC40-TLNBE2R0.15-2	0.15	0.3	0.2	2	0.28	10	50	4
AC40-TLNBE2R0.15-2.5	0.15	0.3	0.2	2.5	0.28	10	50	4
AC40-TLNBE2R0.15-3	0.15	0.3	0.2	3	0.28	10	50	4
AC40-TLNBE2R0.15-4	0.15	0.3	0.2	4	0.28	10	50	4
AC40-TLNBE2R0.15-5	0.15	0.3	0.2	5	0.28	10	50	4
AC40-TLNBE2R0.2-0.5	0.2	0.4	0.3	0.5	0.37	10	50	4
AC40-TLNBE2R0.2-0.75	0.2	0.4	0.3	0.75	0.37	10	50	4

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-------------------	-----------------------------	-------------------------




型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R0.2-1	0.2	0.4	0.3	1	0.37	10	50	4
AC40-TLNBE2R0.2-1-6	0.2	0.4	0.3	1	0.37	15	50	6
AC40-TLNBE2R0.2-1.5	0.2	0.4	0.3	1.5	0.37	10	50	4
AC40-TLNBE2R0.2-2	0.2	0.4	0.3	2	0.37	10	50	4
AC40-TLNBE2R0.2-2.5	0.2	0.4	0.3	2.5	0.37	10	50	4
AC40-TLNBE2R0.2-2-6	0.2	0.4	0.3	2	0.37	15	50	6
AC40-TLNBE2R0.2-3	0.2	0.4	0.3	3	0.37	10	50	4
AC40-TLNBE2R0.2-3.5	0.2	0.4	0.3	3.5	0.37	10	50	4
AC40-TLNBE2R0.2-4	0.2	0.4	0.3	4	0.37	10	50	4
AC40-TLNBE2R0.2-4.5	0.2	0.4	0.3	4.5	0.37	10	50	4
AC40-TLNBE2R0.2-5	0.2	0.4	0.3	5	0.37	10	50	4
AC40-TLNBE2R0.2-6	0.2	0.4	0.3	6	0.37	10	50	4
AC40-TLNBE2R0.25-1	0.25	0.5	0.35	1	0.46	10	50	4
AC40-TLNBE2R0.25-1.5	0.25	0.5	0.35	1.5	0.46	10	50	4
AC40-TLNBE2R0.25-1.5-6	0.25	0.5	0.35	1.5	0.46	15	50	6
AC40-TLNBE2R0.25-2	0.25	0.5	0.35	2	0.46	10	50	4
AC40-TLNBE2R0.25-2.5	0.25	0.5	0.35	2.5	0.46	10	50	4
AC40-TLNBE2R0.25-3	0.25	0.5	0.35	3	0.46	10	50	4
AC40-TLNBE2R0.25-4	0.25	0.5	0.35	4	0.46	10	50	4
AC40-TLNBE2R0.25-5	0.25	0.5	0.35	5	0.46	10	50	4
AC40-TLNBE2R0.25-6	0.25	0.5	0.35	6	0.46	10	50	4
AC40-TLNBE2R0.25-7	0.25	0.5	0.35	7	0.46	10	50	4
AC40-TLNBE2R0.25-8	0.25	0.5	0.35	8	0.46	10	50	4

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-------------------	-----------------------------	-------------------------




型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R0.25-10	0.25	0.5	0.35	10	0.46	10	50	4
AC40-TLNBE2R0.3-1	0.3	0.6	0.45	1	0.56	10	50	4
AC40-TLNBE2R0.3-1.5	0.3	0.6	0.45	1.5	0.56	10	50	4
AC40-TLNBE2R0.3-2	0.3	0.6	0.45	2	0.56	10	50	4
AC40-TLNBE2R0.3-2-6	0.3	0.6	0.45	2	0.56	15	50	6
AC40-TLNBE2R0.3-2.5	0.3	0.6	0.45	2.5	0.56	10	50	4
AC40-TLNBE2R0.3-3	0.3	0.6	0.45	3	0.56	10	50	4
AC40-TLNBE2R0.3-3-6	0.3	0.6	0.45	3	0.56	15	50	6
AC40-TLNBE2R0.3-3.5	0.3	0.6	0.45	3.5	0.56	10	50	4
AC40-TLNBE2R0.3-4	0.3	0.6	0.45	4	0.56	10	50	4
AC40-TLNBE2R0.3-4.5	0.3	0.6	0.45	4.5	0.56	10	50	4
AC40-TLNBE2R0.3-5	0.3	0.6	0.45	5	0.56	10	50	4
AC40-TLNBE2R0.3-6	0.3	0.6	0.45	6	0.56	10	50	4
AC40-TLNBE2R0.3-6-6	0.3	0.6	0.45	6	0.56	15	50	6
AC40-TLNBE2R0.3-6.5	0.3	0.6	0.45	6.5	0.56	10	50	4
AC40-TLNBE2R0.3-7	0.3	0.6	0.45	7	0.56	10	50	4
AC40-TLNBE2R0.3-8	0.3	0.6	0.45	8	0.56	10	50	4
AC40-TLNBE2R0.3-9	0.3	0.6	0.45	9	0.56	10	50	4
AC40-TLNBE2R0.3-10	0.3	0.6	0.45	10	0.56	10	50	4
AC40-TLNBE2R0.3-11	0.3	0.6	0.45	11	0.56	10	50	4
AC40-TLNBE2R0.3-12	0.3	0.6	0.45	12	0.56	10	50	4
AC40-TLNBE2R0.4-2	0.4	0.8	0.6	2	0.76	10	50	4
AC40-TLNBE2R0.4-3	0.4	0.8	0.6	3	0.76	10	50	4

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-------------------	-----------------------------	-------------------------




型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R0.4-4	0.4	0.8	0.6	4	0.76	10	50	4
AC40-TLNBE2R0.4-5	0.4	0.8	0.6	5	0.76	10	50	4
AC40-TLNBE2R0.4-6	0.4	0.8	0.6	6	0.76	10	50	4
AC40-TLNBE2R0.4-7	0.4	0.8	0.6	7	0.76	10	50	4
AC40-TLNBE2R0.4-8	0.4	0.8	0.6	8	0.76	10	50	4
AC40-TLNBE2R0.4-9	0.4	0.8	0.6	9	0.76	10	50	4
AC40-TLNBE2R0.4-10	0.4	0.8	0.6	10	0.76	10	50	4
AC40-TLNBE2R0.4-12	0.4	0.8	0.6	12	0.76	10	50	4
AC40-TLNBE2R0.5-2.5	0.5	1	0.74	2.5	0.95	10	50	4
AC40-TLNBE2R0.5-3	0.5	1	0.74	3	0.95	10	50	4
AC40-TLNBE2R0.5-3-6	0.5	1	0.74	3	0.95	15	50	6
AC40-TLNBE2R0.5-4	0.5	1	0.74	4	0.95	10	50	4
AC40-TLNBE2R0.5-4-6	0.5	1	0.74	4	0.95	15	50	6
AC40-TLNBE2R0.5-5	0.5	1	0.74	5	0.95	10	50	4
AC40-TLNBE2R0.5-5-6	0.5	1	0.74	5	0.95	15	50	6
AC40-TLNBE2R0.5-6	0.5	1	0.74	6	0.95	10	50	4
AC40-TLNBE2R0.5-6-6	0.5	1	0.74	6	0.95	15	50	6
AC40-TLNBE2R0.5-7	0.5	1	0.74	7	0.95	10	50	4
AC40-TLNBE2R0.5-8	0.5	1	0.74	8	0.95	10	50	4
AC40-TLNBE2R0.5-8-6	0.5	1	0.74	8	0.95	15	50	6
AC40-TLNBE2R0.5-9	0.5	1	0.74	9	0.95	10	50	4
AC40-TLNBE2R0.5-10	0.5	1	0.74	10	0.95	10	50	4
AC40-TLNBE2R0.5-10-6	0.5	1	0.74	10	0.95	15	50	6

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-------------------	-----------------------------	-------------------------



型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R0.5-12	0.5	1	0.74	12	0.95	10	50	4
AC40-TLNBE2R0.5-12-6	0.5	1	0.74	12	0.95	15	50	6
AC40-TLNBE2R0.5-14	0.5	1	0.74	14	0.95	10	50	4
AC40-TLNBE2R0.5-16	0.5	1	0.74	16	0.95	10	50	4
AC40-TLNBE2R0.5-16-6	0.5	1	0.74	16	0.95	15	70	6
AC40-TLNBE2R0.5-18	0.5	1	0.74	18	0.95	10	70	4
AC40-TLNBE2R0.5-20	0.5	1	0.74	20	0.95	10	70	4
AC40-TLNBE2R0.5-20-6	0.5	1	0.74	20	0.95	15	70	6
AC40-TLNBE2R0.5-22	0.5	1	0.74	22	0.95	10	70	4
AC40-TLNBE2R0.6-4	0.6	1.2	0.9	4	1.15	10	50	4
AC40-TLNBE2R0.6-6	0.6	1.2	0.9	6	1.15	10	50	4
AC40-TLNBE2R0.6-6-6	0.6	1.2	0.9	6	1.15	15	50	6
AC40-TLNBE2R0.6-8	0.6	1.2	0.9	8	1.15	10	50	4
AC40-TLNBE2R0.6-10	0.6	1.2	0.9	10	1.15	10	50	4
AC40-TLNBE2R0.6-10-6	0.6	1.2	0.9	10	1.15	15	50	6
AC40-TLNBE2R0.6-12	0.6	1.2	0.9	12	1.15	10	50	4
AC40-TLNBE2R0.6-16	0.6	1.2	0.9	16	1.15	10	50	4
AC40-TLNBE2R0.6-20	0.6	1.2	0.9	20	1.15	10	70	4
AC40-TLNBE2R0.6-24	0.6	1.2	0.9	24	1.15	10	70	4
AC40-TLNBE2R0.7-6	0.7	1.4	1	6	1.35	10	50	4
AC40-TLNBE2R0.7-8	0.7	1.4	1	8	1.35	10	50	4
AC40-TLNBE2R0.7-12	0.7	1.4	1	12	1.35	10	50	4
AC40-TLNBE2R0.7-16	0.7	1.4	1	16	1.35	10	50	4


作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-------------------	-----------------------------	-------------------------



型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R0.75-3	0.75	1.5	1.1	3	1.45	10	50	4
AC40-TLNBE2R0.75-4	0.75	1.5	1.1	4	1.45	10	50	4
AC40-TLNBE2R0.75-6	0.75	1.5	1.1	6	1.45	10	50	4
AC40-TLNBE2R0.75-6-6	0.75	1.5	1.1	6	1.45	15	50	6
AC40-TLNBE2R0.75-8	0.75	1.5	1.1	8	1.45	10	50	4
AC40-TLNBE2R0.75-10	0.75	1.5	1.1	10	1.45	10	50	4
AC40-TLNBE2R0.75-10-6	0.75	1.5	1.1	10	1.45	15	50	6
AC40-TLNBE2R0.75-12	0.75	1.5	1.1	12	1.45	10	50	4
AC40-TLNBE2R0.75-14	0.75	1.5	1.1	14	1.45	10	50	4
AC40-TLNBE2R0.75-16	0.75	1.5	1.1	16	1.45	10	50	4
AC40-TLNBE2R0.75-16-6	0.75	1.5	1.1	16	1.45	15	70	6
AC40-TLNBE2R0.75-18	0.75	1.5	1.1	18	1.45	10	70	4
AC40-TLNBE2R0.75-20	0.75	1.5	1.1	20	1.45	10	70	4
AC40-TLNBE2R0.75-22	0.75	1.5	1.1	22	1.45	10	70	4
AC40-TLNBE2R0.75-30	0.75	1.5	1.1	30	1.45	10	70	4
AC40-TLNBE2R0.8-8	0.8	1.6	1.2	8	1.55	10	50	4
AC40-TLNBE2R0.8-12	0.8	1.6	1.2	12	1.55	10	50	4
AC40-TLNBE2R0.8-16	0.8	1.6	1.2	16	1.55	10	50	4
AC40-TLNBE2R0.8-20	0.8	1.6	1.2	20	1.55	10	50	4
AC40-TLNBE2R0.9-8	0.9	1.8	1.3	8	1.75	10	50	4
AC40-TLNBE2R0.9-12	0.9	1.8	1.3	12	1.75	10	50	4
AC40-TLNBE2R0.9-16	0.9	1.8	1.3	16	1.75	10	50	4
AC40-TLNBE2R0.9-20	0.9	1.8	1.3	20	1.75	10	50	4


作成日 2022/12/20	作成者 中田	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-----------------------------	-------------------------

TRUSCO トラスコ中山株式会社




型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R1-3	1	2	1.45	3	1.95	10	50	4
AC40-TLNBE2R1-4	1	2	1.45	4	1.95	10	50	4
AC40-TLNBE2R1-4-6	1	2	1.45	4	1.95	15	50	6
AC40-TLNBE2R1-6	1	2	1.45	6	1.95	10	50	4
AC40-TLNBE2R1-6-6	1	2	1.45	6	1.95	15	50	6
AC40-TLNBE2R1-8	1	2	1.45	8	1.95	10	50	4
AC40-TLNBE2R1-8-6	1	2	1.45	8	1.95	15	50	6
AC40-TLNBE2R1-10	1	2	1.45	10	1.95	10	50	4
AC40-TLNBE2R1-10-6	1	2	1.45	10	1.95	15	50	6
AC40-TLNBE2R1-12	1	2	1.45	12	1.95	10	50	4
AC40-TLNBE2R1-12-6	1	2	1.45	12	1.95	15	50	6
AC40-TLNBE2R1-14	1	2	1.45	14	1.95	10	50	4
AC40-TLNBE2R1-16	1	2	1.45	16	1.95	10	50	4
AC40-TLNBE2R1-16-6	1	2	1.45	16	1.95	15	70	6
AC40-TLNBE2R1-18	1	2	1.45	18	1.95	10	70	4
AC40-TLNBE2R1-20	1	2	1.45	20	1.95	10	70	4
AC40-TLNBE2R1-20-6	1	2	1.45	20	1.95	15	70	6
AC40-TLNBE2R1-22	1	2	1.45	22	1.95	10	70	4
AC40-TLNBE2R1-25	1	2	1.45	25	1.95	10	70	4
AC40-TLNBE2R1-25-6	1	2	1.45	25	1.95	15	110	6
AC40-TLNBE2R1-30	1	2	1.45	30	1.95	10	70	4
AC40-TLNBE2R1-30-6	1	2	1.45	30	1.95	15	110	6
AC40-TLNBE2R1-35	1	2	1.45	35	1.95	10	110	4

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R○○-○○
-------------------	-----------	-------------------	-----------------------------	-------------------------




型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R1-35-6	1	2	1.45	35	1.95	15	110	6
AC40-TLNBE2R1-40	1	2	1.45	40	1.95	10	110	4
AC40-TLNBE2R1-40-6	1	2	1.45	40	1.95	15	110	6
AC40-TLNBE2R1-45	1	2	1.45	45	1.95	10	110	4
AC40-TLNBE2R1-45-6	1	2	1.45	45	1.95	15	110	6
AC40-TLNBE2R1-50	1	2	1.45	50	1.95	10	110	4
AC40-TLNBE2R1-50-6	1	2	1.45	50	1.95	15	110	6
AC40-TLNBE2R1.25-8	1.25	2.5	2.2	8	2.4	10	50	4
AC40-TLNBE2R1.25-10	1.25	2.5	2.2	10	2.4	10	50	4
AC40-TLNBE2R1.25-15	1.25	2.5	2.2	15	2.4	10	50	4
AC40-TLNBE2R1.25-20	1.25	2.5	2.2	20	2.4	10	70	4
AC40-TLNBE2R1.25-25	1.25	2.5	2.2	25	2.4	10	70	4
AC40-TLNBE2R1.25-30	1.25	2.5	2.2	30	2.4	10	70	4
AC40-TLNBE2R1.25-35	1.25	2.5	2.2	35	2.4	10	70	4
AC40-TLNBE2R1.5-6-3	1.5	3	2.4	6	2.9	-	50	3
AC40-TLNBE2R1.5-6-4	1.5	3	2.4	6	2.9	10	50	4
AC40-TLNBE2R1.5-6	1.5	3	2.4	6	2.9	10	50	6
AC40-TLNBE2R1.5-8	1.5	3	2.4	8	2.9	10	50	6
AC40-TLNBE2R1.5-10	1.5	3	2.4	10	2.9	10	50	6
AC40-TLNBE2R1.5-12	1.5	3	2.4	12	2.9	10	50	6
AC40-TLNBE2R1.5-14	1.5	3	2.4	14	2.9	10	50	6
AC40-TLNBE2R1.5-15	1.5	3	2.4	15	2.9	10	50	6
AC40-TLNBE2R1.5-16	1.5	3	2.4	16	2.9	10	70	6

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-------------------	-----------------------------	-------------------------



型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R1.5-20	1.5	3	2.4	20	2.9	10	70	6
AC40-TLNBE2R1.5-25	1.5	3	2.4	25	2.9	10	70	6
AC40-TLNBE2R1.5-30	1.5	3	2.4	30	2.9	10	70	6
AC40-TLNBE2R1.5-35	1.5	3	2.4	35	2.9	10	70	6
AC40-TLNBE2R1.5-40	1.5	3	2.4	40	2.9	10	110	6
AC40-TLNBE2R1.5-45	1.5	3	2.4	45	2.9	10	110	6
AC40-TLNBE2R1.5-50	1.5	3	2.4	50	2.9	10	110	6
AC40-TLNBE2R1.75-10	1.75	3.5	2.8	10	3.35	10	50	6
AC40-TLNBE2R1.75-15	1.75	3.5	2.8	15	3.35	10	50	6
AC40-TLNBE2R1.75-20	1.75	3.5	2.8	20	3.35	10	70	6
AC40-TLNBE2R1.75-25	1.75	3.5	2.8	25	3.35	10	70	6
AC40-TLNBE2R1.75-30	1.75	3.5	2.8	30	3.35	10	70	6
AC40-TLNBE2R1.75-35	1.75	3.5	2.8	35	3.35	10	70	6
AC40-TLNBE2R1.75-40	1.75	3.5	2.8	40	3.35	10	110	6
AC40-TLNBE2R1.75-45	1.75	3.5	2.8	45	3.35	10	110	6
AC40-TLNBE2R2-8-4	2	4	3	8	3.85	-	50	4
AC40-TLNBE2R2-8	2	4	3	8	3.85	10	50	6
AC40-TLNBE2R2-10	2	4	3	10	3.85	10	50	6
AC40-TLNBE2R2-12	2	4	3	12	3.85	10	50	6
AC40-TLNBE2R2-14	2	4	3	14	3.85	10	50	6
AC40-TLNBE2R2-15	2	4	3	15	3.85	10	50	6
AC40-TLNBE2R2-16	2	4	3	16	3.85	10	50	6
AC40-TLNBE2R2-20	2	4	3	20	3.85	10	70	6

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R〇〇-〇〇
-------------------	-----------	-------------------	-----------------------------	-------------------------



型番	R (ボール半径)	Dc (刃径)	L1 (刃長)	L2 (首下長)	d (首下径)	θ	L3 (全長)	Ds (シャンク径)
AC40-TLNBE2R2-25	2	4	3	25	3.85	10	70	6
AC40-TLNBE2R2-30	2	4	3	30	3.85	10	70	6
AC40-TLNBE2R2-35	2	4	3	35	3.85	10	110	6
AC40-TLNBE2R2-40	2	4	3	40	3.85	10	110	6
AC40-TLNBE2R2-45	2	4	3	45	3.85	10	110	6
AC40-TLNBE2R2-50	2	4	3	50	3.85	10	110	6
AC40-TLNBE2R2-60	2	4	3	60	3.85	10	110	6
AC40-TLNBE2R2.5-10	2.5	5	5	10	4.85	10	70	6
AC40-TLNBE2R2.5-15	2.5	5	5	15	4.85	10	70	6
AC40-TLNBE2R2.5-20	2.5	5	5	20	4.85	10	70	6
AC40-TLNBE2R2.5-25	2.5	5	5	25	4.85	10	70	6
AC40-TLNBE2R2.5-30	2.5	5	5	30	4.85	10	70	6
AC40-TLNBE2R2.5-35	2.5	5	5	35	4.85	10	110	6
AC40-TLNBE2R2.5-40	2.5	5	5	40	4.85	10	110	6
AC40-TLNBE2R2.5-45	2.5	5	5	45	4.85	10	110	6
AC40-TLNBE2R2.5-50	2.5	5	5	50	4.85	10	110	6
AC40-TLNBE2R3-20	3	6	6	20	5.85	-	70	6
AC40-TLNBE2R3-25	3	6	6	25	5.85	-	70	6
AC40-TLNBE2R3-30	3	6	6	30	5.85	-	70	6
AC40-TLNBE2R3-40	3	6	6	40	5.85	-	110	6
AC40-TLNBE2R3-50	3	6	6	50	5.85	-	110	6
AC40-TLNBE2R3-60	3	6	6	60	5.85	-	110	6

作成日 2022/12/20	作成者 中田	TRUSCO トラスコ中山株式会社	品名 超硬ロングネックボールエンドミル(2枚刃)	品番 AC40-TLNBE2R○○-○○
-------------------	-----------	-------------------	-----------------------------	-------------------------