



ハイブリットIC用端子〔CDTシリーズ〕(1パック100本入)

- ●チェック用、ハイブリットIC用、各種オスピン等に御利用下さい。
- ●基板挿入部が5mmまたは8mmで出来ています。







品 番	Α(φ)	B(\(\phi\))	С	D	L	処 理	材質	定格電流	適合基板板厚(mm)	取付スルーホール径
CDT-03-5-5-G	0.3	0.6	0.15	5	5	ニッケル下地金メッキ	・ ・ リン青銅 ・	2A	2.2~3.5	0.4 φ ⁻⁰
CDT-03-5-5-S	0.3	0.6	0.15	5	5	ニッケル下地スズメッキ				0.4 φ
CDT-04-5-5-G	0.4	0.7	0.2	5	5	ニッケル下地金メッキ				0.5 φ ⁻⁰
CDT-04-5-5-S	0.4	0.7	0.2	5	5	ニッケル下地スズメッキ				
CDT-04-5-8-G	0.4	0.7	0.2	5	8	ニッケル下地金メッキ				
CDT-04-5-8-S	0.4	0.7	0.2	5	8	ニッケル下地スズメッキ				
CDT-04-8-8-G	0.4	0.7	0.2	8	8	ニッケル下地金メッキ			3.5~6.5	
CDT-04-8-8-S	0.4	0.7	0.2	8	8	ニッケル下地スズメッキ			0.0 - 0.0	
CDT-05-5-5-G	0.5	0.8	0.2	5	5	ニッケル下地金メッキ		3A	2.2~3.5	0.6 φ ⁻⁰
CDT-05-5-5-S	0.5	0.8	0.2	5	5	ニッケル下地スズメッキ				
CDT-05-5-8-G	0.5	0.8	0.2	5	8	ニッケル下地金メッキ				
CDT-05-5-8-S	0.5	0.8	0.2	5	8	ニッケル下地スズメッキ				
CDT-05-5-10-G	0.5	0.8	0.2	5	10	ニッケル下地金メッキ				
CDT-05-5-10-S	0.5	0.8	0.2	5	10	ニッケル下地スズメッキ				
CDT-05-8-8-G	0.5	0.8	0.2	8	8	ニッケル下地金メッキ			3.5~6.5	
CDT-05-8-8-S	0.5	0.8	0.2	8	8	ニッケル下地スズメッキ				
CDT-05-8-10-G	0.5	0.8	0.2	8	10	ニッケル下地金メッキ				
CDT-05-8-10-S	0.5	0.8	0.2	8	10	ニッケル下地スズメッキ				
CDT-07-5-5-G	0.7	1.2	0.3	5	5	ニッケル下地金メッキ	- 黄 銅	4A	2.2~3.5	- 0.8 φ ⁻⁰
CDT-07-5-5-S	0.7	1.2	0.3	5	5	ニッケル下地スズメッキ				
CDT-07-5-8-G	0.7	1.2	0.3	5	8	ニッケル下地金メッキ				
CDT-07-5-8-S	0.7	1.2	0.3	5	8	ニッケル下地スズメッキ				
CDT-07-5-10-G	0.7	1.2	0.3	5	10	ニッケル下地金メッキ				
CDT-07-5-10-S	0.7	1.2	0.3	5	10	ニッケル下地スズメッキ				
CDT-07-5-15-G	0.7	1.2	0.3	5	15	ニッケル下地金メッキ				
CDT-07-5-15-S	0.7	1.2	0.3	5	15	ニッケル下地スズメッキ				
CDT-07-8-8-G	0.7	1.2	0.3	8	8	ニッケル下地金メッキ			3.5~6.5	
CDT-07-8-8-S	0.7	1.2	0.3	8	8	ニッケル下地スズメッキ				
CDT-07-8-10-G	0.7	1.2	0.3	8	10	ニッケル下地金メッキ				
CDT-07-8-10-S	0.7	1.2	0.3	8	10	ニッケル下地スズメッキ				
CDT-07-8-15-G	0.7	1.2	0.3	8	15	ニッケル下地金メッキ				
CDT-07-8-15-S	0.7	1.2	0.3	8	15	ニッケル下地スズメッキ				

ハイブリットIC用端子〔CDTシリーズ〕(1パック100本入)

品 番	Α (φ)	B(φ)	С	D	L	処 理	材質	定格電流	適合基板板厚(mm)	取付スルーホール径
CDT-10-5-5-G	1.0	1.5	0.3	5	5	ニッケル下地金メッキ				
CDT-10-5-5-S	1.0	1.5	0.3	5	5	ニッケル下地スズメッキ				
CDT-10-5-8-G	1.0	1.5	0.3	5	8	ニッケル下地金メッキ				
CDT-10-5-8-S	1.0	1.5	0.3	5	8	ニッケル下地スズメッキ				
CDT-10-5-10-G	1.0	1.5	0.3	5	10	ニッケル下地金メッキ			2.2~3.5	
CDT-10-5-10-S	1.0	1.5	0.3	5	10	ニッケル下地スズメッキ			2.2~3.5	
CDT-10-5-15-G	1.0	1.5	0.3	5	15	ニッケル下地金メッキ				
CDT-10-5-15-S	1.0	1.5	0.3	5	15	ニッケル下地スズメッキ				
CDT-10-5-20-G	1.0	1.5	0.3	5	20	ニッケル下地金メッキ				4 4 . =0
CDT-10-5-20-S	1.0	1.5	0.3	5	20	ニッケル下地スズメッキ		7A		1.1 φ ⁻⁰
CDT-10-8-8-G	1.0	1.5	0.3	8	8	ニッケル下地金メッキ				
CDT-10-8-8-S	1.0	1.5	0.3	8	8	ニッケル下地スズメッキ				
CDT-10-8-10-G	1.0	1.5	0.3	8	10	ニッケル下地金メッキ				
CDT-10-8-10-S	1.0	1.5	0.3	8	10	ニッケル下地スズメッキ				
CDT-10-8-15-G	1.0	1.5	0.3	8	15	ニッケル下地金メッキ			3.5~6.5	
CDT-10-8-15-S	1.0	1.5	0.3	8	15	ニッケル下地スズメッキ				
CDT-10-8-20-G	1.0	1.5	0.3	8	20	ニッケル下地金メッキ				
CDT-10-8-20-S	1.0	1.5	0.3	8	20	ニッケル下地スズメッキ				
CDT-12-5-5-S	1.2	1.8	0.5	5	5	ニッケル下地スズメッキ				
CDT-12-5-8-S	1.2	1.8	0.5	5	8	ニッケル下地スズメッキ			2.2~3.5	1.3 ¢ ⁻⁰
CDT-12-5-10-S	1.2	1.8	0.5	5	10	ニッケル下地スズメッキ	黄銅			
CDT-12-5-10-S	1.2	1.8	0.5	5	15	ニッケル下地スズメッキ				
CDT-12-5-19-S	1.2	1.8	0.5	5	20	ニッケル下地スズメッキ				
CDT-12-5-25-S	1.2	1.8	0.5	5	25	ニッケル下地スズメッキ		10A		
CDT-12-8-8-S	1.2	1.8	0.5	8	8	ニッケル下地スズメッキ		TOA	3.5~6.5	
CDT-12-8-10-S	1.2	1.8	0.5	8	10	ニッケル下地スズメッキ				
CDT-12-8-15-S	1.2	1.8	0.5	8	15	ニッケル下地スズメッキ				
CDT-12-8-13-3	1.2	1.8	0.5	8	20	ニッケル下地スズメッキ				
CDT-12-8-25-S	1.2	1.8	0.5	8	25	ニッケル下地スズメッキ				
CDT-12-6-25-S	1.4	2.0	0.5	5	5	ニッケル下地スズメッキ				1.5 <i>φ</i> ⁻⁰
CDT-14-5-5-S CDT-14-5-8-S	1.4	2.0	0.5	5	8	ニッケル下地スズメッキ		12A	2.2~3.5	
	1.4	2.0	0.5	5	10	ニッケル下地スズメッキ				
CDT-14-5-10-S CDT-14-5-15-S	1.4	2.0	0.5	5	15	ニッケル下地スズメッキ				
				5						
CDT-14-5-20-S	1.4	2.0	0.5	5	20	ニッケル下地スズメッキ				
CDT-14-5-25-S	1.4	2.0	0.5	8	25	ニッケル下地スズメッキ				
CDT-14-8-8-S	1.4	2.0	0.5		8	ニッケル下地スズメッキニッケル下地スズメッキ				
CDT-14-8-10-S	1.4	2.0	0.5	8	10				3.5~6.5	
CDT-14-8-15-S	1.4	2.0	0.5	8	15	ニッケル下地スズメッキ			3.5~6.5	
CDT-14-8-20-S	1.4	2.0	0.5	8	20	ニッケル下地スズメッキ				
CDT-14-8-25-S	1.4	2.0	0.5	8	25	ニッケル下地スズメッキ				
CDT-15-5-5-S	1.5	2.5	0.5	5	5	ニッケル下地スズメッキ				$1.6 \phi^{-0}$
CDT-15-5-8-S	1.5	2.5	0.5	5	8	ニッケル下地スズメッキ				
CDT-15-5-10-S	1.5		0.5	5	10	ニッケル下地スズメッキ			2.2~3.5	
CDT-15-5-15-S	1.5	2.5	0.5	5	15	ニッケル下地スズメッキ				
CDT-15-5-20-S	1.5	2.5	0.5	5	20	ニッケル下地スズメッキ		17A		
CDT-15-5-25-S	1.5	2.5	0.5	5	25	ニッケル下地スズメッキ			3.5~6.5	
CDT-15-8-8-S	1.5	2.5	0.5	8	8	ニッケル下地スズメッキ				
CDT-15-8-10-S	1.5	2.5	0.5	8	10	ニッケル下地スズメッキ				
CDT-15-8-15-S	1.5	2.5	0.5	8	15	ニッケル下地スズメッキ				
CDT-15-8-20-S	1.5	2.5	0.5	8	20	ニッケル下地スズメッキ				
CDT-15-8-25-S	1.5	2.5	0.5	8	25	ニッケル下地スズメッキ				
CDT-20-5-5-S	2.0	3.0	0.5	5	5	ニッケル下地スズメッキ	銅	30A	2.2~3.5	
CDT-20-5-8-S	2.0	3.0	0.5	5	8	ニッケル下地スズメッキ				
CDT-20-5-10-S	2.0	3.0	0.5	5	10	ニッケル下地スズメッキ				
CDT-20-5-15-S	2.0	3.0	0.5	5	15	ニッケル下地スズメッキ				
CDT-20-5-20-S	2.0	3.0	0.5	5	20	ニッケル下地スズメッキ				
CDT-20-5-25-S	2.0	3.0	0.5	5	25	ニッケル下地スズメッキ				
CDT-20-5-30-S	2.0	3.0	0.5	5	30	ニッケル下地スズメッキ				
CDT-20-8-8-S	2.0	3.0	0.5	8	8	ニッケル下地スズメッキ			3.5~6.5	
CDT-20-8-10-S	2.0	3.0	0.5	8	10	ニッケル下地スズメッキ				
CDT-20-8-15-S	2.0	3.0	0.5	8	15	ニッケル下地スズメッキ				
CDT-20-8-20-S	2.0	3.0	0.5	8	20	ニッケル下地スズメッキ				
CDT-20-8-25-S	2.0	3.0	0.5	8	25	ニッケル下地スズメッキ				
CDT-20-8-30-S	2.0	3.0	0.5	8	30	ニッケル下地スズメッキ				