

ECBT2.E52653 Connectors for Use in Data, Signal, Control and Power Applications -Component

Page Bottom

Connectors for Use in Data, Signal, Control and Power Applications -Component

See General Information for Connectors for Use in Data, Signal, Control and Power Applications - Component

HIROSE ELECTRIC CO LTD

5-23 OSAKI 5-CHOME SHINAGAWA-KU TOKYO, 141-8587 JAPAN E52653

Connectors, Cat. No. QR/P with or without suffix numbers and letters.

RC Series: RC followed by 10, 20 or 30, followed by 00 thru 99, followed by R or P, followed by -LW or -CV.

Cat. No. QR/P2 with or without suffix numbers and letters.

Cat. No. QR/P1 may be followed by additional letters and numbers.

Cat. No. MQ120 followed by -12P or -12S, followed by -C, followed by (01) thru (99) or blank.

Cat. Nos. Series QR/P14 may be followed by alphanumeric characters .

HIF3H Series followed by additional numbers and letters.

Cat. No. QR/P4 with or without suffix numbers.

Cat. Nos. MIF62C-44PB-2.54DS, MIF62C-54PB-2.54DS.

Series DF9 may be followed by A, B or C, followed by any number 9 thru 51 and S or P, followed by 1, V, followed by any number 70 thru 79.

Cat. No. QR/P7 Series with or without suffix numbers.

Cat. No. QR/P6 with or without suffix numbers and letters.

Cat. Nos. QR/P8, QR/P8A with or without suffix numbers and letters.

Series PI8 may be followed by alphanumeric characters.

Series MDF83 may be followed by alphanumeric characters.

Series MDF6 may be followed by additional letters or numbers.

Series DF2 may be followed by alphanumeric characters.

Series DF3, DF3A, DF3A, DF3F, DF3D, DF3Z or DF3DZ followed by 2 thru 15 and S or P or EP, followed by DS, C, H or DSA, R24, R26 or R28, followed by 01 thru 99 or blank.

Cat. Nos. HIF3B, HIF3B crimp with or without suffix numbers or letters.

Series PCN10 may be followed by additional numbers and letters, except for PCN 10M.

Cat. No. PCN10F may be followed by additional letters and numbers.

Cat. No. PCN12 followed by additional numbers and letters.

Series MIF33 with or without suffix numbers and letters.

Cat. No. PCN13 followed by additional numbers and letters.

Cat. No. QR/P10 with or without suffix numbers and letters.

Cat. Nos. HIF3-*PD-2.54, HIF3C-#D-2.54C, HIF3-2428-SCF-A, *where * may be -111, -112, -211 or -212, "#" denotes a number, may be followed by additional letters or numbers.

Series MQ36-14W-6S, MQ36-14W-6P.

Cat. No. DF1B-*S-2.5R**, where * may be 2 thru 16, 18 or 20, ** may be (01) thru (99) or blank; Cat. No. DF1B-*P-2.5DS**, where * may be 2 thru 16, 18 or 20, ** may be (01) thru (99) or blank; Cat. No. DF1B-*P-2.5DSA**, where * may be 2 thru 16, 18 or 20, ** may be (01) thru (99) or blank. Cat. No. DF1B-*ES-2.5RC**, where * may be 2 thru 13, ** may be (01) thru (99) or blank; Cat. No. DF1B-*EP-2.5RC**, where * may be 2 thru 13, ** may be (01) thru (99) or blank; Cat. No. DF1BA-*EP-2.5RC**, where * may be 2 thru 13, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DES-2.5RC**, where * may be 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 34, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DEP-2.5RC**, where * may be 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 34, ** may be (01) thru (99) or blank; Cat. No. DF1BA-*DEP-2.5RC**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 or 34, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DS-2.5RC**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DS**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DS**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DS**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1B-*DP-2.5DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 or 40, ** may be (01) thru (99) or blank; Cat. No. DF1BB-*P-2.5DS**, where * may be 7, 8 or 10, ** may be (01) thru (99) or blank; Cat. No. DF1BD-*P-2.5DSA**, where * may be 2 thru 10, ** may be (01) thru (99) or blank; Cat. No. DF11-*DS-2C**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 34, ** may 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11B-*DP-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11C-*DP-2V* where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11D-*DP-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11F-*DP-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11G-*DP-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, * may be (01) thru (99) or blank; Cat. No. DF11J-*DP-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11-*DP-2C**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11-*DP-2C**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 or 32, ** may be (01) thru (99) or blank; Cat. No. DF11-*DS-2DSA**, where * may be 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 or 32, ** may be (01) thru (99) or blank; Cat. No. DF11-*DP-SP1**, where * may be 4, 6 or 8, ** may be (01) thru (99) or blank; Cat. No. DF11-*DP-SP2**, where * may be 4, 6 or 8, ** may be (01) thru (99) or blank; Cat. No. DF11-*DS-2R26**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 or 32, ** may be (01) thru (99) or blank; Cat. No. DF11-*DS-2R28**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 or 32, ** may be (01) thru (99) or blank; Cat. No. DF11E-*DP-2DSA**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 34, ** may be (01) thru (99) or blank; Cat. No. DF11-*DS-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11B-*DS-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank; Cat. No. DF11C-*DS-2V**, where * may be 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 or 40, ** may be (01) thru (99) or blank.

Cat. Nos. CR22A-62D, -100D followed by 2.54 DSA , may be followed by additional letters or numbers.

Series DF7 followed by additional numbers and letters.

Series DF1E followed by additional numbers and letters.

Series PX may be followed by additional letters and numbers.

Series MDF6 followed by additional numbers or letters.

Series DF22, may be followed by A, B, C, R, L, AR, AL, BR, BL, B/C, CR, or CL, followed by 1, 2, 3, 4, or 5, followed by S, P, DS, DEP, EP, or RS/P may be followed by alphanumeric characters.

Cat. No. MDF14A followed by -4 thru -10, followed by P-2.5DS, followed by (01) thru (99) or blank.

Series QR/P17 may be followed by additional numbers and letters.

Series MCN51 may be followed by additional numbers and letters .

Series PS1 followed by additional numbers and letters.

Cat. Nos. H/MS 3102A18-10P-D-T1(zz), H/MS 3106A18-10S-D-T(zz), H/MS 3108B18-10S-D-T(zz), H/MS3057-10A(zz), H/MS08A22-22S-DT12D(zz), H/MS08A22-22S-DT12D1(zz), H/MS3102A22-22P-D-T(zz).

Series MDF7 followed by additional numbers or letters.

Series PCN21 followed by additional numbers or letters.

Series HR10A-7P-4SE-U(zz), HR10A-7P-4PE-U(zz), HR10A-7R-4SE-U(zz), HR10A-7R-4PE-U(zz).

Cat. Nos. LF07BP-3P(zz), LF07BP-3S(zz), LF07BR-3P(zz), LF07BR-3S(zz), LF07BJ-3P(zz), LF07BJ-3S(zz), LF10BP-3P(zz), LF10BP-3S(zz), LF10BR-3P(zz), LF10BJ-3S(zz), LF07WBP-3P(zz), LF07WBP-3S(zz), LF07WBP-3S(zz), LF07WBR-3P(zz), LF07WBJ-3P(zz), LF07WBJ-3P(zz), LF07WBJ-3P(zz), LF10WBP-4P(zz), LF10WBP-4P(zz), LF10WBR-4P(zz), LF10WBR-4P(zz)

Series MDF51 followed by alphanumeric characters.

Cat. No. DF11 followed by 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 or 32, followed by DEP, followed by 2A, followed by (01) thru (99) or blank.

Marking: Company name or trademark **JTRS5** or the letters "HRS" on device or carton. Catalog designation or Series name on device or carton. <u>Last Updated</u> on 2009-09-21

Questions?

Notice of Disclaimer

Page Top

Copyright © 2009 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

