


## Cable ties polyamide 6.6 standard : T18S

Cable Tie 85x2.3 mm natural

Article number: 111-02809

 Add to watchlist



 Images (7)

 Downloads



### Features

- Available in a wide range of materials and sizes
- High tensile strength with very low insertion force
- Only high quality plastic is used meeting recycling targets
- Inside serrated cable ties for a strong hold onto bundles

Contact Us

- Ergonomic bent tail offers quick and simple installation
- Easy application either manually or with an application tool

### Certifications & Approvals



### Application

T-Series cable ties for bundling and securing of cables, pipes and hoses. These cable ties can be used for nearly all kind of applications.

### More products in this product group

Cable ties polyamide 6.6 standard >

### Base Data

|                               |                                             |
|-------------------------------|---------------------------------------------|
| Application Tool              | MK3PNSP2, EVOcut, MK20, EVO7i               |
| Colour                        | Natural (NA)                                |
| Identification Plate Position | none                                        |
| Pack Content                  | 1000 pcs.                                   |
| Package Content in            | bag                                         |
| PART DESCRIPTION              | T18S-PA66-NA                                |
| Product Family                | T-Series in PA66 natural                    |
| Product Group                 | Cable ties polyamide 6.6 standard           |
| Releasable Closure (Yes/No)   | No                                          |
| Short Description             | 3.27", 18 lb., cable tie, natural, 1000/bag |
| Tie Closure                   | plastic pawl                                |
| Variant                       | Inside Serrated                             |

### Product Dimensions



|                                |         |
|--------------------------------|---------|
| Bundle Ø max.                  | 16.0 mm |
| Bundle Ø min.                  | 1.5 mm  |
| Cable Tie Head Height (metric) | 3.2 mm  |
| Length (L)                     | 83.0 mm |
| Min.Tensile Strength           | 80 N    |
| Thickness (T)                  | 1.0 mm  |
| Width (W)                      | 2.3 mm  |

### Material and Specifications

Contact

|                               |                                                                                    |
|-------------------------------|------------------------------------------------------------------------------------|
| CSA Certified                 | No                                                                                 |
| ELV compliant (Article 4 - 2) | YES                                                                                |
| Flammability                  | UL 94 V2                                                                           |
| Halogenfree                   | Yes                                                                                |
| Hazardous good                | No                                                                                 |
| Material                      | Polyamide 6.6 (PA66)                                                               |
| Material                      | PA66                                                                               |
| Operating Temperature - °C    | -40 °C to +85 °C                                                                   |
| Plenum Rating                 | AH-2                                                                               |
| Specifications                |  |
| Specifications                | ANSI/UL 1565, ANSI/UL 62275, EN 62275                                              |
| UL OCD link                   | Link                                                                               |
| UL Recognized (US and Canada) | Yes                                                                                |
| UL-File Number                | E85319                                                                             |

Logistics and Packaging

More Information

|            |          |
|------------|----------|
| UNSPSC Key | 39121703 |
|------------|----------|

Accessories

|                                                                                                                                                                                                     |                                                                                                                                                                                           |                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div> <b>MK20</b><br/> 110-20006<br/> Manual tensioning tool for cable ties, simple version </div> <div>  </div> | <div> <b>MK3PNSP2</b><br/> 110-03400<br/> Pneumatic tensioning tool metal housing </div> <div>  </div> | <div> <b>EVOcut</b><br/> 110-05005<br/> Cutting tool for plastic ties </div> <div>  </div> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Similar products

Contact


**T18L**  
111-02129  
Cable Ties Polyamide 6.6 standard



**T18I**  
111-02320  
Cable Ties Polyamide 6.6 standard



**T30L**  
111-00946  
Cable Ties Polyamide 6.6 standard



**T18L**  
111-02119  
Cable Ties Polyamide 6.6 standard



**T120I**  
111-12119  
Cable Ties Polyamide 6.6 standard



**T18R**  
111-01929  
Cable ties polyamide 6.6 standard



Show all 