



AUDIO PHONE PLUGS & JACKS

2-CONDUCTOR SUB-MINIATURE PLUGS

φ 2.5 - 2極超小形単頭プラグ

No.MP-101MH (2.5 φ-2極)


MONO

SCREW PART: PLASTICS

No.MP-101A (2.5 φ-2極)

MONO

SCREW PART: METAL



No.MP-101ML (2.5 φ-2極)

MONO

SCREW PART: PLASTICS

No.MP-101MLA

MONO


SCREW PART: METAL



No.MP-101MR (2.5 φ-2極)

SCREW PART: PLASTICS


MONO



No.MP-101C (2.5 φ-2極)

MONO

w/shielded handle




No.MC-25MN (2.5 φ-2極)

SUB-MINIATURE PLUG WITH 1.8M LONG CABLE
2-CONDUCTOR



No.MP-022LN (2.5 φ-2極)

MONO



No.MC-25MNL (2.5 φ-2極)

SUB-MINIATURE RIGHT ANGLE PLUG WITH 1.8M LONG CABLE
2-CONDUCTOR




2-CONDUCTOR SUB-MINIATURE JACKS

φ 2.5 - 2極超小形単頭ジャック


No.MJ-165N (2.5 φ-2極)

SUB-MINIATURE INLINE JACK
MONO




No.MJ-165AN (2.5 φ-2極)

SUB-MINIATURE INLINE JACK
MONO




No.MJ-0252S (2.5 φ-2極)

2-CONDUCTOR SUB-MINIATURE INLINE JACK
MONO



No.MJ-2625 (2.5 φ-2極)

2-CONDUCTOR SUB-MINIATURE JACK FOR P.C.B
MONO



Marushin electric mfg. co., ltd




AUDIO PHONE PLUGS & JACKS

2-CONDUCTOR SUB-MINIATURE JACKS

φ 2.5 - 2極超小形単頭ジャック


No.MJ-165H (2.5 φ-2極)

PANEL MOUNT SUB-MINIATURE JACK
MONO




No.MJ-165SP (2.5 φ-2極)

SNAP-IN MOUNT SUB-MINIATURE JACK
MONO



No.MJ-255 (2.5 φ-2極)

PANEL MOUNT SUB-MINIATURE JACK
MONO




3-CONDUCTOR SUB-MINIATURE PLUGS

φ 2.5 - 3極超小形単頭プラグ


No.MP-026L (2.5 φ-3極)

3-CONDUCTOR SUB-MINIATURE PLUG
w/shielded handle
STEREO



No.MP-025MH (2.5 φ-3極)

3-CONDUCTOR SUB-MINIATURE PLUG
STEREO




No.MC-25STL (2.5 φ-3極)

SUB-MINIATURE RIGHT ANGLE PLUG WITH 1.8M LONG CABLE
3-CONDUCTOR



No.MP-023LN (2.5 φ-3極)

3-CONDUCTOR SUB-MINIATURE RIGHT ANGLE PLUG
STEREO



3-CONDUCTOR SUB-MINIATURE JACKS


No.MC-25ST (2.5 φ-3極)

SUB-MINIATURE PLUG WITH 1.8M LONG CABLE
3-CONDUCTOR



No.MJ-072 (2.5 φ-3極)


SUB-MINIATURE INLINE JACK
STEREO



φ 2.5 - 3極超小形単頭ジャック


No.MJ-0253S (2.5 φ-3極)

3-CONDUCTOR SUB-MINIATURE INLINE JACK
STEREO




No.MJ-071 (2.5 φ-3極)

SUB-MINIATURE INLINE JACK
STEREO



No.MJ-3625 (2.5 φ-3極)


3-CONDUCTOR SUB-MINIATURE JACK FOR P.C.B
STEREO



No.MJ-2-348A0 (2.5 φ-3極) With Metal Sleeve


No.MJ-2-348B0 (2.5 φ-3極) Without Metal Sleeve

3-CONDUCTOR SUB-MINIATURE JACK FOR P.C.B
STEREO



No.MJ-A18 (2.5 φ-3極)

3-CONDUCTOR SUB-MINIATURE JACK FOR P.C.B
STEREO






AUDIO PHONE PLUGS & JACKS

3-CONDUCTOR SUB-MINIATURE JACKS

φ 2.5 - 3極超小形単頭ジャック


No.M02-A04A0 (2.5 φ-3極)

3-CONDUCTOR SUB-MINIATURE JACK FOR P.C.B
STEREO




No.M02-909A0 (2.5 φ-3極) SMT

3-CONDUCTOR SUB-MINIATURE JACK FOR P.C.B
STEREO



No.MJ-8925 (2.5 φ-3極) SMT

3-CONDUCTOR SUB-MINIATURE JACK FOR P.C.B
STEREO




No.MJ-070N (2.5 φ-3極)

PANEL MOUNT SUB-MINIATURE JACK STEREO


No.MJ-070N0 (2.5 φ-3極)

SUB-MINIATURE JACK FOR P.C.B WITHOUT SCREW THREAD STEREO




No.MJ-071H (2.5 φ-3極)

3-CONDUCTOR SUB-MINIATURE JACK
STEREO



No.MJ-071SP (2.5 φ-3極)

SNAP-IN MOUNT SUB-MINIATURE JACK
STEREO



Marushin electric mfg. co., ltd




AUDIO PHONE PLUGS & JACKS

4-CONDUCTOR SUB-MINIATURE PLUGS & JACKS

φ 2.5 - 4極超小形単頭プラグ・ジャック

No.MP-425 (2.5 φ-4極)

SUB-MINIATURE PLUG
4-CONDUCTOR



No.MC-4250 (2.5 φ-4極)

SUB-MINIATURE PLUG WITH 1.8M LONG CABLE
4-CONDUCTOR




No.MC-4250L (2.5 φ-4極)

SUB-MINIATURE RIGHT ANGLE PLUG WITH 1.8M LONG CABLE
4-CONDUCTOR




No.MJ-068SP (2.5 φ-4極)

SNAP-IN MOUNT SUB-MINIATURE JACK
4-CONDUCTOR




取付穴参考寸法
Mounting hole dimension



取付板板厚
Thickness of mounting board
t=1.0~1.8


No.MJ-068H (2.5 φ-4極)

PANEL MOUNT SUB-MINIATURE JACK
4-CONDUCTOR




No.MC-254 (2.5 φ-4極)

SUB-MINIATURE PLUG WITH 1.8M LONG CABLE
4-CONDUCTOR




No.MP-425LN (2.5 φ-4極)

SUB-MINIATURE RIGHT ANGLE PLUG
4-CONDUCTOR




No.MJ-0254S (2.5 φ-4極)

SUB-MINIATURE INLINE JACK
4-CONDUCTOR



No.MJ-068 (2.5 φ-4極)


SUB-MINIATURE INLINE JACK
4-CONDUCTOR



φ A	φ 4	MJ-068
φ 5		MJ-068/5


No.MJ-069 (2.5 φ-4極)

PANEL MOUNT SUB-MINIATURE JACK
4-CONDUCTOR



No.M19-442A (2.5 φ-4極)

SUB-MINIATURE PLUG FOR MOLDING
4-CONDUCTOR



Marushin electric mfg. co., ltd.




AUDIO PHONE PLUGS & JACKS

2-CONDUCTOR MINIATURE PLUGS & JACKS

φ 3.5 - 2極小形単頭プラグ・ジャック


No.MP-105AC (3.5φ-2極)

2-CONDUCTOR MINIATURE PLUG
MONO




No.MP-105LC (3.5φ-2極)

2-CONDUCTOR MINIATURE PLUG
MONO




No.MP-106LC (3.5φ-2極)

2-CONDUCTOR MINIATURE PLUG w/shielded handle
MONO




No.MP-104M (3.5φ-2極)

2-CONDUCTOR MINIATURE PLUG.
MONO




No.MP-105MC (3.5φ-2極)

2-CONDUCTOR MINIATURE PLUG
MONO




No.MP-011LN (3.5φ-2極)

RIGHT ANGLE 2-CONDUCTOR MINIATURE PLUG
MONO




No.MP-106PC (3.5φ-2極)

2-CONDUCTOR MINIATURE PLUG w/shielded handle
MONO



No.MP-105L (3.5φ-2極)

2-CONDUCTOR MINIATURE PLUG.
MONO



No.MC-35MN (3.5φ-2極)

MINIATURE PLUG WITH 1.8M LONG CABLE
2-CONDUCTOR




No.MC-35MNL (3.5φ-2極)

MINIATURE RIGHT ANGLE PLUG WITH 1.8M LONG CABLE
2-CONDUCTOR




No.MJ-164N (3.5φ-2極)

MINIATURE INLINE JACK
MONO




No.MJ-164AN (3.5φ-2極)

MINIATURE INLINE JACK
MONO



No.MJ-166MN (3.5φ-2極)

MINIATURE INLINE JACK
MONO



















Marushin electric mfg. co., ltd



φ 3.5 - 2極小形単頭ジャック

A schematic diagram of a single-phase AC circuit. It consists of a voltage source (represented by a circle with a tilde symbol inside), a switch (represented by a switch symbol), and a load (represented by a rectangle). The circuit is connected in a loop.




Marushin electric mfg. co., ltd

3-CONDUCTOR MINIATURE JACKS

φ 3.5 - 3極小形単頭ジャック

No. *M03-836A0* (3.5 φ - 3極)


3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO



No. MJ-156L (3.5φ-3極)


No. MJ-156L-5 (3.5φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No. MJ-2335-C (3.5 φ - 3 極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No. MJ-3335-5 (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO



No. MJ-150 (3.5φ-3極 縦型)

3-CONDUCTOR MINIATURE JACK FOR P.C.B STEREO (VERTICAL TYPE)



No. MJ-2735-5T (3.5φ-3極)


No. MJ-2735-3T (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No. MJ-352W-0 (3.5φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No. MJ-1635 (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No. MJ-1835 (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No. MJ-2035 (3.5φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No. MJ-2435-C (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. STEREO




No.MX-387GL(3.5φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B.
STEREO


No. MJ-1535 (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. MOUNT STEREO



No. MJ-352W-C (3.5φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B. MOUNTING STEREO







AUDIO PHONE PLUGS & JACKS

3-CONDUCTOR MINIATURE JACKS

φ 3.5 - 3極小形単頭ジャック


No. **MJ-354W** (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B
STEREO




No. **MJ-354W-SG** (3.5 φ-3極) パネル絶縁型

3-CONDUCTOR MINIATURE JACK FOR P.C.B
W/ISOLATED BUSHING
STEREO



No. **MJ-5135-5** (3.5 φ-3極) SMT


3-CONDUCTOR MINIATURE JACK FOR P.C.B
STEREO



No. **MJ-158L** (3.5 φ-3極)

No. **MJ-158L-5** (3.5 φ-3極)


3-CONDUCTOR MINIATURE JACK FOR P.C.B
STEREO



MJ-158L-5


No. **M03-A30AQ** (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B
STEREO




No. **M03-A30C0** (3.5 φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B
STEREO




No. **M03-836D0** (3.5 φ-3極) SMT

3-CONDUCTOR MINIATURE JACK FOR P.C.B
STEREO



No. **M03-836F0** (3.5 φ-3極) SMT

3-CONDUCTOR MINIATURE JACK FOR P.C.B
STEREO



Marushin electric mfg. co., ltd.




AUDIO PHONE PLUGS & JACKS

3-CONDUCTOR MINIATURE JACKS

φ 3.5 - 3極小形単頭ジャック


No.MJ-073SP (3.5φ-3極)

SNAP-IN MOUNT MINIATURE JACK
STEREO





No.MJ-073H (3.5φ-3極)

PANEL MOUNT MINIATURE JACK
STEREO



No.MJ-355W (3.5φ-3極)

PANEL MOUNT MINIATURE JACK
STEREO




No.MJ-074N (3.5φ-3極)

PANEL MOUNT MINIATURE JACK
STEREO

No.MJ-074N0 (3.5φ-3極)

3-CONDUCTOR MINIATURE JACK FOR P.C.B
WITHOUT SCREW THREAD
STEREO




MJ-074N

No.MJ-082 (3.5φ-3極)

No.MJ-083 (3.5φ-3極)

PANEL MOUNT MINIATURE JACK
STEREO




MJ-083

4-CONDUCTOR MINIATURE PLUGS & JACKS

φ 3.5 - 4極小形単頭プラグ・ジャック

No.MP-435 (3.5φ-4極)


4-CONDUCTOR MINIATURE PLUG



φA	φ4	MP-435
	φ5	MP-435/5


No.MP-435LN (3.5φ-4極)

4-CONDUCTOR MINIATURE RIGHT ANGLE PLUG



No.MJ-064 (3.5φ-4極)

MINIATURE INLINE JACK



φA	φ4	MJ-064
	φ5	MJ-064/5

No.MC-4350 (3.5φ-4極)



4-CONDUCTOR MINIATURE PLUG WITH 1.8M LONG CABLE



No.M03-A01B0 (3.5φ-4極)

No.M03-A01C0 (3.5φ-4極)

MINIATURE INLINE JACK FOR MOLDING
4-CONDUCTOR



No.MC-4350L (3.5φ-4極)

MINIATURE RIGHT ANGLE PLUG WITH 1.8M LONG CABLE
4-CONDUCTOR



Marushin electric mfg. co., ltd




AUDIO PHONE PLUGS & JACKS

5-CONDUCTOR MINIATURE PLUG & JACKS

φ 3.5 - 5極小形単頭プラグ・ジャック


No. **M03-A10A0** (3.5 φ - 5極)

5-CONDUCTOR MINIATURE JACK FOR P.C.B



No. **M03-A10C0** (3.5 φ - 5極) SMT

5-CONDUCTOR MINIATURE JACK FOR P.C.B




No. **M19-A11Z0** (3.5 φ - 5極)

5-CONDUCTOR MINIATURE PLUG FOR MOLDING



No. **M03-A01A0** (3.5 φ - 5極)

MINIATURE INLINE JACK FOR MOLDING
5-CONDUCTOR




6-CONDUCTOR MINIATURE PLUG & JACKS

φ 3.5 - 6極小形単頭プラグ・ジャック


No. **M03-A50A0** (3.5 φ - 6極)

6-CONDUCTOR MINIATURE JACK FOR P.C.B



No. **M03-A50C0** (3.5 φ - 6極) SMT

6-CONDUCTOR MINIATURE JACK FOR P.C.B



No. **M19-A11Y0** (3.5 φ - 6極)

6-CONDUCTOR MINIATURE PLUG FOR MOLDING



Marushin electric mfg. co., ltd



φ 6.3 - 2極大型単頭プラグ・ジャック

Technical drawing of a screwdriver with dimensions in mm:

- Overall length: 88
- Head length: 25
- Head width: 6.3
- Shaft length: 37
- Shaft diameter: 6.4
- Handle length: 20
- Handle width: 13

Technical drawing of a shaft with dimensions: 37.6, 24, 6.3, and 38.3.

Technical drawing of a nozzle with dimensions: 57, 20, 13, 6.4, and 4.

Technical drawing of a 1000 ml volumetric flask. The drawing shows the flask with its stopper. Dimensions are indicated: the total height is 13, the height of the neck is 6.4, the main body diameter is 57, the neck diameter is 20, and the stopper height is 6.4.

Technical drawing of the M9 P2.7 connector. The side view shows a total length of 30.5 mm, a mounting hole diameter of 6.43 ± 0.04 mm, and a body diameter of 25 mm. The front view shows a circular connector with a diameter of 14.6 mm and a central pin diameter of 3 mm.

[illegible]

Technical drawing of a mechanical part with dimensions and a wiring diagram. The drawing includes a front view, a side view, and a wiring diagram. The front view shows a circular component with a central hole and a mounting flange. The side view shows the component's profile with dimensions. The wiring diagram shows the electrical connections.

Dimensions (mm):

- Front view: 16 (width), 18 (height), 3 (flange thickness), 4 (central hole diameter).
- Side view: 5 (flange thickness), 15 (main body length), 6 (total length).

Wiring diagram:

- Terminal 1: Connected to a common terminal.
- Terminal 2: Connected to a common terminal.
- Terminal 3: Connected to a common terminal.
- Terminal 4: Connected to a common terminal.




AUDIO PHONE PLUGS & JACKS

3-CONDUCTOR 1/4" PHONE PLUGS & JACKS

φ6.3 - 3極大型単頭プラグ・ジャック


No.MP-119B (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE PLUG.
STEREO




No.MP-115M (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE PLUG.
STEREO




No.MP-120MS (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE PLUG.
w/shielded handle
STEREO




No.MP-128L (6.3φ-3極)

3-CONDUCTOR 1/4" RIGHT ANGLE PHONE PLUG.
STEREO




No.MJ-175MN (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE INLINE JACK
STEREO




No.MJ-117MM (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE INLINE JACK
STEREO




No.MJ-177MSN (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE INLINE JACK
w/shielded handle
STEREO




No.MJ-175AN (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE INLINE JACK
STEREO




No.MJ-117AN (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE INLINE JACK
STEREO




No.MJ-177AN (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE INLINE JACK
w/shielded handle
STEREO




No.MJ-161M (6.3φ-3極)

3-CONDUCTOR PANEL MOUNT 1/4" PHONE JACK
STEREO




No.MJ-178M (6.3φ-3極)

3-CONDUCTOR PANEL MOUNT 1/4" PHONE JACK
STEREO




No.MJ-187 (6.3φ-3極)

3-CONDUCTOR OPEN CIRCUIT JACK
STEREO




No.MJ-189 (6.3φ-3極)

3-CONDUCTOR PANEL MOUNT 1/4" PHONE JACK
STEREO




No.MJ-187LP (6.3φ-3極)

3-CONDUCTOR PANEL MOUNT 1/4" PHONE JACK
W/ISOLATED BUSHING (パネル絶縁タイプ)
STEREO




No.MJ-189LP (6.3φ-3極)

3-CONDUCTOR PANEL MOUNT 1/4" PHONE JACK
W/ISOLATED BUSHING (パネル絶縁タイプ)
STEREO



No.MJ-188-C (6.3φ-3極)



3-CONDUCTOR PANEL MOUNT 1/4" PHONE JACK
STEREO



No.MJ-188LPD-2SC (6.3φ-3極)

3-CONDUCTOR 1/4" PHONE JACK FOR P.C.B

STEREO





DC PLUGS & JACKS


EIAJ RC5320A TYPE1

電圧区分1 適合品

RATING 定 格 : DC3.15V 2A


No.MP-201

φ 2.35 × 0.7 DC PLUG
EIAJ RC5320A TYPE1 電圧区分1
(DC 3.15V Max)



No.MP-201LN

φ 2.35 × 0.7 DC PLUG
EIAJ RC5320A TYPE1 電圧区分1
(DC 3.15V Max)



No.MC-5321

DC ADAPTOR CABLE L=1800mm
φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC3.15V)




No.MC-5321L

DC ADAPTOR CABLE L=1800mm
φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC3.15V)




No.M04-450DJ

DC JACK FOR P.C.B.
PLUG TYPE: φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC 3.15V 2A)




No.M04-451DJ

DC JACK FOR P.C.B.
PLUG TYPE: φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC 3.15V 2A)




No.M04-959A0

DC JACK FOR P.C.B.
PLUG TYPE: φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC 3.15V 2A)




No.M04-A18A0

DC JACK
PLUG TYPE: φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC3.15V 2A)



No.MJ-095N


DC INLINE JACK
PLUG TYPE: φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC 3.15V 2A)



φ A	φ 4	MJ-095N
φ 5	MJ-095N/5	

No.MJ-16

PANEL MOUNT DC JACK
PLUG TYPE: φ 2.35 × 0.7
EIAJ RC5320A TYPE1 電圧区分1
(DC 3.15V 2A)



Marushin electric mfg. co., ltd



DC PLUGS & JACKS


EIAJ RC5320A TYPE2

電圧区分2 適合品

RATING 定 格: DC6.3V 2A

No.M04-A49A0

DC JACK
PLUG TYPE: $\phi 4.0 \times 1.7$
EIAJ RC5320A TYPE2 電圧区分2
(DC3.15V ~ 6.3V 2A)



Marushin electric mfg. co., ltd



DC PLUGS & JACKS

EIAJ RC5320A TYPE3


電圧区分3

適合品

RATING 定 格 : DC10.5V 2A


No.MP-203

φ 4.75 × 1.7 DC PLUG
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V)



No.MP-203LN

φ 4.75 × 1.7 DC PLUG
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V)



No.MC-5323

DC ADAPTOR CABLE L=1800mm
φ 4.75 × 1.7 DC PLUG
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V)




No.MC-5323L

DC ADAPTOR CABLE L=1800mm
φ 4.75 × 1.7 DC PLUG
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V)




No.M04-754A0

DC JACK FOR P.C.B.
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)




No.M04-533B0

DC JACK FOR P.C.B.
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)




No.MJ-13

PANEL MOUNT DC JACK
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)




No.MJ-63

SNAP-IN MOUNT DC JACK
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)




No.MJ-43

PANEL MOUNT DC JACK
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)




No.MJ-18

PANEL MOUNT DC JACK
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)




No.MJ-73

PANEL MOUNT DC JACK
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)



No.MJ-097N

DC INLINE JACK
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)




No.MC-5328

DC EXTENSION CABLE
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)



No.MJ-29








DC INLINE JACK FOR MOLDING
PLUG TYPE: φ 4.75 × 1.7
EIAJ RC5320A TYPE3 電圧区分3
(DC 6.3V ~ 10.5V 2A)



Marushin electric mfg. co., ltd



RATING 定 格 : DC13.5V 2A



Marushin electric mfg. co., ltd.




DC PLUGS & JACKS

EIAJ RC5320A TYPE5 電圧区分5 適合品

RATING 定 格 : DC18V 2A

No.MP-205

φ 6.5 × 4.3 (center pin : 1.4 φ) DC PLUG
EIAJ RC5320A TYPE5 電圧区分5
(DC 13.5V ~ 18V 2A)



No.MC-5325

DC ADAPTOR CABLE L=1800mm
φ 6.5 × 4.3 (center pin : 1.4 φ) DC PLUG
EIAJ RC5320A TYPE5 電圧区分5
(DC 13.5V ~ 18V 2A)




No.MC-5325L

RIGHT ANGLE DC ADAPTOR CABLE L=1800mm
φ 6.5 × 4.3 (center pin : 1.4 φ) DC PLUG
EIAJ RC5320A TYPE5 電圧区分5
(DC 13.5V ~ 18V 2A)





No.MJ-085N

DC INLINE JACK
PLUG TYPE: φ 6.5 × 4.3 (Center pin: φ 1.4)
EIAJ RC5320A TYPE5 電圧区分5
(DC 13.5V ~ 18V 2A)




No.M05-532A0

DC JACK FOR P.C.B.
PLUG TYPE: φ 6.5 × 4.3 (center pin : 1.4 φ)
EIAJ RC5320A TYPE5 電圧区分5
(DC 13.5V ~ 18V 2A)



No.MJ-20

PANEL MOUNT DC JACK
PLUG TYPE: φ 6.5 × 4.3 (center pin : 1.4 φ)
EIAJ RC5320A TYPE5 電圧区分5
(DC 13.5V ~ 18V 2A)



Marushin electric mfg. co., ltd



DC PLUGS & JACKS


PLUG TYPE $\phi 5.5 \times 2.1$ & $\phi 5.5 \times 2.5$

No.MP-121M

$\phi 5.5 \times 2.1$ DC PLUG (DC12V 0.5A)

No.MP-122M

$\phi 5.5 \times 2.5$ DC PLUG (DC12V 1A)




No.MP-121C

$\phi 5.5 \times 2.1$ DC PLUG (DC12V 0.5A)

No.MP-122C

$\phi 5.5 \times 2.5$ DC PLUG (DC12V 1A)




ϕA	$\phi 4$	MP-121C	MP-122C
$\phi 5$		MP-121C/5	MP-122C/5

No.MP-136

$\phi 5.5 \times 2.1$ LONG TYPE DC PLUG (DC12V 0.5A)

No.MP-137

$\phi 5.5 \times 2.5$ LONG TYPE DC PLUG (DC12V 1A)




No.MP-136H

$\phi 5.5 \times 2.1$ LONG TYPE DC PLUG (DC12V 0.5A)

No.MP-137H

$\phi 5.5 \times 2.5$ LONG TYPE DC PLUG (DC12V 1A)




No.MP-136LN

$\phi 5.5 \times 2.1$ RIGHT ANGLE DC PLUG (DC12V 0.5A)

No.MP-137LN

$\phi 5.5 \times 2.5$ RIGHT ANGLE DC PLUG (DC12V 1A)



No.MC-2374

$\phi 5.5 \times 2.1$ DC PLUG (DC12V 0.5A)

No.MC-2375

$\phi 5.5 \times 2.5$ DC PLUG (DC12V 1A)

DC ADAPTOR CABLE L=1800mm



No.MJ-179P


PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

No.MJ-180P

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



DC JACK FOR P.C.B.



No.MC-2374L

$\phi 5.5 \times 2.1$ DC PLUG (DC12V 0.5A)

No.MC-2375L

$\phi 5.5 \times 2.5$ DC PLUG (DC12V 1A)

RIGHT ANGLE DC ADAPTOR CABLE L=1800mm



No.MJ-179SMT

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)


No.MJ-180SMT

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



DC JACK FOR P.C.B.

SMT



No.MJ-196P


PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

No.MJ-197P

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



DC JACK FOR P.C.B.



No.MJ-179LE-C


PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

No.MJ-180LE-C

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



DC JACK FOR P.C.B.




No.MJ-292DJ-C

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)



DC JACK FOR P.C.B.




No.MJ-272DJ

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)



DC JACK FOR P.C.B.



No.MJ-10


PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

No.MJ-11

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



PANEL MOUNT DC JACK




No.MJ-14


PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

No.MJ-15

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



PANEL MOUNT DC JACK




No.MJ-60


PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

No.MJ-61

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



SNAP-IN MOUNT DC JACK



Marushin electric mfg. co., ltd.



DC PLUGS & JACKS

PLUG TYPE $\phi 5.5 \times 2.1$ & $\phi 5.5 \times 2.5$


No. MJ-40

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

PANEL MOUNT DC JACK

No. MJ-41

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MJ-70

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

PANEL MOUNT DC JACK

No. MJ-71

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

PANEL MOUNT DC JACK

No. MJ-182M

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MJ-179

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

PANEL MOUNT DC JACK

No. MJ-180

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MJ-196

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

DC JACK INSERT TYPE

No. MJ-197

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MJ-181MS

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

PANEL MOUNT DC JACK (SCREW TYPE)

No. MJ-182MS

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MJ-21

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

PANEL MOUNT DC JACK

No. MJ-22

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MJ-196E-C

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

DC JACK INSERT TYPE

No. MJ-197EX

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MJ-077N

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

DC INLINE JACK

No. MJ-078N

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



ϕA	$\phi 4$	MJ-077N	MJ-078N
	$\phi 5$	MJ-077N/5	MJ-078N/5


No. MJ-21AM

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

PANEL MOUNT DC JACK

No. MJ-22AM

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



No. MC-2376

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

DC EXTENSION CABLE
L=1800mm

No. MC-2377

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)



No. MJ-23

PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 0.5A)

DC INLINE JACK
FOR MOLDING

No. MJ-24

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 1A)




No. MA-121SL

PLUG TYPE: $\phi 5.5 \times 2.1$ 用

DC PLUG ADAPTOR
STRAIGHT PLUG TO RIGHT ANGLE PLUG

No. MA-122SL

PLUG TYPE: $\phi 5.5 \times 2.5$ 用



No. MC-1J3P

1 JACK 3 PLUGS (5.5 x 2.1mm)
(DC12V 0.5A)

DC CENTIPEDE POWER CABLE

No. MC-1J5P

1 JACK 5 PLUGS (5.5 x 2.1mm)
(DC12V 1A)



Other combinations are available upon request.

Marushin electric mfg. co., ltd.



DC PLUGS & JACKS

PLUG TYPE $\phi 5.5 \times 2.1$ & $\phi 5.5 \times 2.5$

高容量タイプ

High-capacity current type

No. MJ-179PH

DC JACK FOR P.C.B.


PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 4A/2A*SW接点部)
(DC12V 4A/2A * Switch part)

* UL94V-0材使用
Use of flame retardant material (UL94V-0)

No. MJ-180PH

DC JACK FOR P.C.B.

PLUG TYPE: $\phi 5.5 \times 2.5$ (DC12V 4A/2A*SW接点部)
(DC12V 4A/2A * Switch part)




No. MP-121CF

$\phi 5.5 \times 2.1$ DC PLUG (DC12V 4A)

* センターコンタクトをフォーク端子（音叉形）
形状とし、接触の安定化を図りました。
Two-point contacts assure highly reliable electrical
and mechanical connection

No. MP-122CF

$\phi 5.5 \times 2.5$ DC PLUG (DC12V 4A)



ϕA	$\phi 4$	MP-121CF	MP-122CF
$\phi 5$		MP-121CF/5	MP-122CF/5


No. MP-121-I

$\phi 5.5 \times 2.1$ DC PLUG FOR MOLDING
(DC12V 4A)

* センターコンタクトをフォーク端子（音叉形）
形状とし、接触の安定化を図りました。
Two-point contacts assure highly reliable electrical
and mechanical connection


No. MP-122-I

$\phi 5.5 \times 2.5$ DC PLUG FOR MOLDING
(DC12V 4A)




No. MJ-R02

ON-OFFスイッチ付DCジャック
DC POWER JACK WITH SWITCH
PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 2.5A)



No. MJ-S04

ON-OFFスイッチ付DCジャック
DC POWER JACK WITH SWITCH
PLUG TYPE: $\phi 5.5 \times 2.1$ (DC12V 2A)



Marushin electric mfg. co., ltd



DC PLUGS & JACKS


EIAJ RC5321

JACK FOR LOW VOLTAGE DC POWER SUPPLY OUTPUT AND MATING PLUG
DC電源出力用プラグ・ジャック 電圧区分4 適合品
TYPE4

RATING 定 格 : DC13.5V 2A

No.MP-214


EIAJ RC-5321 CLASS4 電圧区分4
(DC13.5V 2A)



φA	φ4	MP-214
	φ5	MP-214/5

No.M04-510DJ

DC JACK FOR P.C.B.
EIAJ RC-5321 CLASS4 電圧区分4
(DC13.5V 2A)




EIAJ RC5322

TO ELECTRONIC EQUIPMENT USED IN A CAR
車載機器用

RATING 定 格 : DC24V 2A

No.MP-206


φ6.5 × 3.1(center pin : 1.0 φ) DC PLUG
(DC24V 2A)



φA	φ4	MP-206
	φ5	MP-206/5

No.MJ-300J

DC JACK FOR P.C.B.
PLUG TYPE: φ6.5 × 3.1(center pin : 1.0 φ)
(DC24V 2A)




LOCKABLE DC PLUGS & JACKS

ロック式DCプラグ&ジャック

No.MJ-10LR


TO MATE WITH MP-121AR
MP-121MR & MC1210LR
(DC12V 0.5A)

LOCKABLE DC JACK FOR PANEL MOUNT



No.MJ-11LR


TO MATE WITH MP-122AR
MP-122MR & MC1220LR
(DC12V 1A)



No.MP-121LL

TO MATE WITH MJ-179R & MJ-10LR
(DC12V 0.5A)

DC-PLUG WITH LOCKING DETENT



No.MP-122LL


TO MATE WITH MJ-180LR & MJ-11LR
(DC12V 1A)



No.MC-1210LR

TO MATE WITH MJ-179R & MJ-10LR
(DC12V 0.5A)

DC ADAPTER CABLE
FOR LOCKABLE DC JACK
L=1800



No.MC-1220LR


TO MATE WITH MJ-180LR & MJ-11LR
(DC12V 1A)



No.MJ-179LR


TO MATE WITH MP-121AR
MP-121MR & MC1210LR
(DC12V 0.5A)

LOCKABLE DC SOCKET FOR P.C.B.



No.MJ-180LR


TO MATE WITH MP-122AR
MP-122MR & MC1220LR
(DC12V 1A)



No.MP-121AR


TO MATE WITH MJ-179R & MJ-10LR
(DC12V 0.5A)

DC-PLUG WITH LOCKING DETENT



No.MP-122AR


TO MATE WITH MJ-180LR & MJ-11LR
(DC12V 1A)



No.MP-121MR


TO MATE WITH MJ-179R & MJ-10LR
(DC12V 0.5A)

DC-PLUG WITH LOCKING DETENT
FOR MOLDING



No.MP-122MR


TO MATE WITH MJ-180LR & MJ-11LR
(DC12V 1A)



PLUG TYPE φ3.0 × 1.0


No.MP-121PS

φ3.0 × 1.1 DC PLUG
(DC12V 0.5A)




No.MP-121PN

φ3.0 × 1.1 RIGHT ANGLE DC PLUG
(DC12V 0.5A)





No.MJ-25N

DC JACK FOR P.C.B.
PLUG TYPE: φ3.0 × 1.1
(DC6V 0.5A)



No.MJ-82-2

DC JACK FOR P.C.B.
PLUG TYPE: φ3.0 × 1.1
(DC6V 0.5A)



Marushin electric mfg. co., ltd




DC PLUGS & JACKS

PLUG TYPE $\phi 3.4 \times 1.4$


No. MP-121WK

$\phi 3.4 \times 1.4$ DC PLUG
(DC12V 0.5A)




No. MP-121WH

$\phi 3.4 \times 1.4$ DC PLUG
(DC12V 0.5A)




No. MP-121WN

$\phi 3.4 \times 1.4$ RIGHT ANGLE DC PLUG
(DC12V 0.5A)





No. MJ-82-1

DC JACK FOR P.C.B.
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC6V 0.5A)




No. MJ-83

DC JACK FOR P.C.B.
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC6V 0.5A)




No. MJ-84

DC JACK FOR P.C.B.
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC6V 0.5A)




No. MJ-25N1

DC JACK FOR P.C.B.
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC6V 0.5A)




No. MJ-44

PANEL MOUNT DC JACK
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC12V 0.5A)




No. MJ-99

PANEL MOUNT DC JACK
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC12V 0.5A)





No. MJ-74

PANEL MOUNT DC JACK
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC12V 0.5A)



No. MJ-099N

DC INLINE JACK
PLUG TYPE: $\phi 3.4 \times 1.4$
(DC12V 0.5A)




ϕA	$\phi 4$	MJ-099N
	$\phi 5$	MJ-099N/5

PLUG TYPE $\phi 3.8 \times 1.4$


No. MP-138NK

$\phi 3.8 \times 1.4$ DC PLUG
(DC12V 0.5A)




No. MJ-75

PANEL MOUNT DC JACK
PLUG TYPE: $\phi 3.8 \times 1.4$
(DC12V 0.5A)





No. MJ-99/3.8

PANEL MOUNT DC JACK
PLUG TYPE: $\phi 3.8 \times 1.4$
(DC12V 0.5A)




No. MJ-099N/3.8

DC INLINE JACK
PLUG TYPE: $\phi 3.8 \times 1.4$
(DC12V 0.5A)



No. MJ-45

PANEL MOUNT DC JACK
PLUG TYPE: $\phi 3.8 \times 1.4$
(DC12V 0.5A)






DC PLUGS & JACKS

PLUG TYPE $\phi 3.5 \times 1.1$

No. MP-135NK


$\phi 3.5 \times 1.1$ DC PLUG
(DC12V 0.5A)



PLUG TYPE $\phi 6.3 \times 3.1$

No. MP-065L



$\phi 6.3 \times 3.1$ DC PLUG
(DC12V 2A)



ϕA	$\phi 4$	MJ-065L
	$\phi 5$	MJ-065L/5

No. MJ-065M

PANEL MOUNT DC JACK
PLUG TYPE: $\phi 6.3 \times 3.1$
(DC12V 2A)



Marushin electric mfg. co., ltd



RCA PHONO PLUGS & JACKS

No. MR-566N

RCA PHONO PLUG
w/shielded handle & cable protector



No. MR-567MS

RCA PHONO JACK
w/shielded handle & cable protector



No. MR-595N

RCA PHONO PLUG



No. MR-596

RCA PHONO JACK



No. MR-595BN

No. MR-595BGN GOLD PLATING (金メッキタイプ)

RCA PHONO PLUG



No. MR-596B

RCA PHONO JACK



No. MR-568N

RCA PHONO PLUG



No. MR-569M

RCA PHONO JACK




No. MR-573P

RCA PHONO PIN JACK FOR P.C.B.




No. MR-3324G

RCA PHONO PLUG (Spring I. D. 7 φ mm)




No. MR-3325G

RCA PHONO PLUG (Spring I. D. 6 φ mm)



No. MR-544LN

RIGHT ANGLE RCA PHONO PLUG (SOLDERLESS TYPE)



No. MR-565M

PANEL MOUNT RCA PHONO JACK
WITH COLOR RING



No. MR-565MG W/GOLD PLATING (金メッキタイプ)

PANEL MOUNT RCA PHONO JACK



No. MR-565

PANEL MOUNT RCA PHONO JACK



No. MR-565G W/GOLD PLATING (金メッキタイプ)

PANEL MOUNT RCA PHONO JACK



No. MR-599

No. MR-599G W/GOLD PLATING (金メッキタイプ)

PANEL MOUNT RCA PHONO JACK



No. MR-699

No. MR-699G W/GOLD PLATING (金メッキタイプ)

ISOLATED RCA PANEL MOUNT PHONE JACK
パネル絶縁型ピンジャック






RCA PHONO JACKS

No. **MR-551LN**

No. **MR-552LN** w/SWITCH

RIGHT ANGLE RCA PHONO PIN JACK FOR P.C.B.




Marushin electric mfg. co., ltd



AUDIO ADAPTORS


No. MA-69S (φ 3.5-3極 ↔ φ 6.3-3極)

ADAPTER 3-CONDUCTOR 1/4" PLUG TO 3-CONDUCTOR MINIATURE JACK




No. MA-68S (φ 6.3-3極 ↔ φ 3.5-3極)

ADAPTER 3-CONDUCTOR MINIATURE PLUG TO 3-CONDUCTOR 1/4" JACK




No. MA-66S (RCA ↔ φ 3.5-2極)

ADAPTER MONO MINIATURE PLUG TO RCA JACK




No. MA-36S (RCA ↔ φ 6.3-2極)

ADAPTER MONO 1/4" PLUG TO RCA JACK




No. MA-47S (RCA中継)

ADAPTER COUPLED RCA JACK




No. MA-76S (φ 3.5-3極 ↔ φ 3.5-2極)

ADAPTER MONO MINIATURE PLUG TO STEREO MINIATURE JACK




No. MA-47 (RCA中継)

ADAPTER COUPLED RCA JACK




No. MA-235SPJ (φ 3.5-3極 ↔ φ 2.5-3極)

ADAPTER 2.5MM STEREO PLUG TO 3.5MM STEREO JACK




No. MA-78 (φ 3.5-2極 ↔ φ 2.5-2極)

ADAPTER 2.5MM MONO PLUG TO 3.5MM MONO JACK




No. MA-68 (φ 6.3-3極 ↔ φ 3.5-3極)

MOLDED ADAPTOR 3-CONDUCTOR MINIATURE PLUG TO 3-CONDUCTOR 1/4" STEREO JACK




No. MA-69 (φ 3.5-3極 ↔ φ 6.3-3極)

MOLDED ADAPTOR 3-CONDUCTOR 1/4" PLUG TO 3-CONDUCTOR MINIATURE JACK




No. MA-85 (φ 3.5-3極 × 2 ↔ φ 6.3-3極)

ADAPTOR 1/4" STEREO PLUG TO TWO 3.5MM STEREO JACKS




No. MA-80 (φ 3.5-3極 × 2 ↔ φ 3.5-3極)

ADAPTOR 3.5MM STEREO PLUG TO TWO 3.5MM STEREO JACKS




No. MA-88 (RCA × 2 ↔ φ 3.5-3極)

ADAPTOR 3.5MM STEREO PLUG TO TWO RCA JACKS




No. MA-90 (RCA × 2 ↔ RCA)

ADAPTOR RCA PLUG TO TWO RCA JACKS




No. MA-91J (RCA × 2 ↔ RCA)

ADAPTOR RCA JACK TO TWO RCA JACKS




No. MA-77 (φ 3.5-2極 ↔ φ 3.5-3極)

ADAPTOR 3.5MM STEREO PLUG TO 3.5MM MONO JACK



No. MA-76 (φ 3.5-3極 ↔ φ 3.5-2極)

ADAPTOR 3.5MM MONO PLUG TO 3.5MM STEREO JACK






DIN PLUGS & JACKS

No. MP-371/3 ~ 8


MINI. CIRCULAR CONNECTOR SOLDER TYPE



No. of Contact	3P	4P	5P	6P	7P	8P
CONTACT CONFIGURATION						
Model	MP-371/3	MP-371/4	MP-371/5	MP-371/6	MP-371/7	MP-371/8


No. MP-374

MINI. CIRCULAR CONNECTOR 4P FOR S-VHS



No. MP-371/9 ~ 10


MINI. CIRCULAR CONNECTOR SOLDER TYPE



No. of Contact	9P	10P
CONTACT CONFIGURATION		
No. of Contact	MP-371/9	MP-371/10

No. MJ-372/3 ~ 9


MINI DIN IN-LINE SOCKET



Arrange-ment of Contacts							
Model	MJ-372/3	MJ-372/4	MJ-372/5	MJ-372/6	MJ-372/7	MJ-372/8	MJ-372/9

No. MJ-381/3 ~ 8


MINI DIN SOCKET PANEL MOUNT TYPE



Arrange-ment of Contacts					
Model	MJ-381/3	MJ-381/4	MJ-381/5	MJ-381/6	MJ-381/8

No. MJ-373/3 ~ 9

MINI DIN SOCKET SERIES



Arrange-ment of Contacts							
Model	MJ-373/3	MJ-373/4	MJ-373/5	MJ-373/6	MJ-373/7	MJ-373/8	MJ-373/9

No. MP-371C

CABLE CLAMP FOR MP-371 & MJ-372
MP-371, MJ-372用コードクランプ



Marushin electric mfg. co., ltd.




DIN PLUGS & JACKS

No. MP-130 ~ MP-018

DIN PLUG


No of Contact	3P	5P (180°)	5P (240°)	6P	7P	8P
Arrangement						
Model	MP-130	MP-132	MP-133	MP-016	MP-017	MP-018
φ A	φ 6	φ 8	φ 8	φ 8	φ 8	φ 8



No. MP-130L ~ MP-018L

RIGHT ANGLE DIN PLUG


No of Contact	3P	5P (180°)	5P (240°)	6P	7P	8P
Arrangement						
Model	MP-130L	MP-132L	MP-133L	MP-016L	MP-017L	MP-018L



No. MJ-50 ~ MJ-56

INLINE DIN SOCKET


No of Contact	3P	5P	5P	6P	7P	8P
Arrangement						
Model	MJ-50	MJ-52	MJ-53	MJ-54	MJ-55	MJ-56



No. MJ-190 ~ MJ-173


PANEL MOUNT DIN SOCKET

No of Contact	3P	5P	5P	6P	7P	8P
Arrangement						
Model	MJ-190	MJ-192	MJ-193	MJ-194	MJ-172	MJ-173




No. MP-05B

5P DIN METAL PLUG (240°) WITH LOCKING RING




No. MJ-05B

5P DIN JACK (240°)




No. MP-134S

2P DIN PLUG SOLDERLESS TYPE




No. MP-134LS

RIGHT ANGLE 2P DIN PLUG SOLDERLESS TYPE




No. MJ-135S

2P DIN INLINE JACK SOLDERLESS TYPE




No. MJ-135LS

RIGHT ANGLE 2P DIN INLINE JACK SOLDERLESS TYPE




No. MP-134

2P DIN PLUG




No. MJ-731

2P DIN SOCKET



No. MJ-135

2P DIN INLINE JACK






AC/DC PLUGS & SOCKETS


No.MJ-27S

PANEL MOUNT AC CONNECTOR
AC250V 2.5A




No.MP-199

2P PLUG




No.MI-767D

2P PLUG



No.MI-198N

2P PLUG



Marushin electric mfg. co., ltd.



T.V. & VIDEO CONNECTORS

No.MTV-245LS MALE PAL


No.MTV-045LS FEMALE PAL

No.MTV-245FS MALE NTSC

QUICK TERMINATE
FULL SHIELDED COAXIAL CONNECTORS



ケースを開け
OPEN UP



処理済ケーブルを挿し込み
PUSH THE CABLE




ケースを閉めれば
SHUT DOWN TO TERMINATE !




ハイ！出来上がり!!
HIGH! COMPLETED !!

QUICK TERMINATE COAXIAL CONNECTORS
SCREW TYPE




QUICK TERMINATE COAXIAL CONNECTORS




No.MTV-225L PAL

COAXIAL TV AERIAL WIRE CONNECTOR
PLUG ANGLE TYPE




No.MTV-235 PAL

COAXIAL TV AERIAL WIRE CONNECTOR
PLUG




No.MTV-025L PAL

COAXIAL TV AERIAL WIRE CONNECTOR
FEMALE PLUG ANGLE TYPE




No.MTV-035 PAL

COAXIAL TV AERIAL WIRE CONNECTOR
FEMALE PLUG




No.MTV-225LS PAL

COAXIAL TV AERIAL WIRE CONNECTOR
MALE PLUG ANGLE TYPE(SHIELDED)




No.MTV-235F NTSC

COAXIAL TV AERIAL WIRE CONNECTOR
F MALE PLUG




No.MTV-025LS PAL

COAXIAL TV AERIAL WIRE CONNECTOR
FEMALE PLUG ANGLE TYPE(SHIELDED)




No.MTV-240 PAL

COAXIAL TV AERIAL WIRE CONNECTOR
METAL MALE PLUG




No.MTV-225F NTSC

COAXIAL TV AERIAL WIRE CONNECTOR
F MALE PLUG ANGLE TYPE




No.MTV-040 PAL

COAXIAL TV AERIAL WIRE CONNECTOR
METAL FEMALE PLUG




No.MTV-225FS NTSC

COAXIAL TV AERIAL WIRE CONNECTOR
F MALE PLUG ANGLE TYPE(SHIELDED)



No.MTV-240F NTSC

COAXIAL TV AERIAL WIRE CONNECTOR
METAL F MALE PLUG



Marushin electric mfg. co., ltd.




T.V. & VIDEO CONNECTORS

No. MP-141S

PAL


COAXIAL TV AERIAL WIRE CONNECTOR
PLUG(SCREW TYPE) Color : Black & White



No. MP-555S

PAL


HF COAXIAL TV AERIAL WIRE CONNECTOR
(SCREW TYPE) MALE



No. MJ-014S

PAL


COAXIAL TV AERIAL WIRE CONNECTOR
F MALE PLUG(SCREW TYPE) Color : Black & White



No. MJ-055S

PAL


HF COAXIAL TV AERIAL WIRE CONNECTOR
(SCREW TYPE) FEMALE



No. MVA-5J

UNIVERSAL


COAXIAL CABLE JOINTER



No. MP-150LE

PAL


COAXIAL TV AERIAL WIRE CONNECTOR PLUG
ANGLE TYPE (screw type)



No. MVA-4F

PAL-SECAM


COAX. ADAPTOR SECAM MALE TO PAL FEMALE



No. MJ-015LE

PAL


COAXIAL TV AERIAL WIRE CONNECTOR FEMALE PLUG
ANGLE TYPE (screw type)



No. MJ-091C

PAL


CHASSIS MTG. COAXIAL SOCKET



No. MVA-1

PAL


COAXIAL WIRE ADAPTOR MALE TO MALE



No. MJ-092

PAL


CHASSIS MTG. COAXIAL SOCKET



No. MVA-3

PAL


COAXIAL WIRE ADAPTOR FEMALE TO FEMALE



No. MJ-093P

PAL


CHASSIS MTG. COAXIAL MALE SOCKET



No. MVA-3F

SECAM


COAXIAL WIRE ADAPTOR FEMALE TO FEMALE



No. MVA-10S

PAL


COAXIAL ADAPTOR



No. MVA-9S

PAL

COAXIAL ADAPTOR






COAXIAL CONNECTORS

No. MTV-215

PAL


SHIELDED COAXIAL SPLITTER



No. MTV-230L

PAL


IMPEDANCE MATCHING TRANSFORMER



No. MTV-135N

PAL


COAXIAL SPLITTER



No. MTV-136N


PAL

COAXIAL SPLITTER



No. MCR-1


THE COVER FOR ALL EST'S CRIMP TYPE PLUG
Colours : Black, Red, Yellow & Grey



No. MR-556F

F(NTSC)


F TYPE QUICK PLUG (CRIMP TYPE)
WITHOUT COVER (MCR-1 別売)



No. MNC-579A

BNC


BNC PLUG (CRIMP TYPE) WITHOUT COVER
(MCR-1 別売)



No. MPC-732A

F(NTSC)


F PLUG (CRIMP TYPE) WITHOUT COVER
(MCR-1 別売)



No. MR-562CA



RCA

RCA PLUG (CRIMP TYPE) WITHOUT COVER
(MCR-1 別売)




CONNECTING INSTRUCTION

CONNECTING COAXIAL CABLE:



The kind of crimp Diameter (mm):




Screw Type Solderless Cable Connectors

No. MNC-579LS

BNC


RIGHT ANGLE BNC PLUG SOLDERLESS TYPE



No. MPC-579S

BNC


BNC PLUG SOLDERLESS TYPE



No. MPC-732LS

F(NTSC)


RIGHT ANGLE F PLUG SOLDERLESS TYPE



No. MPC-732S

F(NTSC)


F PLUG SOLDERLESS TYPE



No. MR-562LS

RCA


RIGHT ANGLE RCA PLUG SOLDERLESS TYPE



No. MR-562S

RCA

RCA PLUG SOLDERLESS TYPE






COAXIAL CONNECTORS & ADAPTORS


No. MNC-600AB

INSULATED BNC RECEPTACLE




No. MR-598C

CRIMP TYPE BNC CONNECTOR




No. MNC-576

BNC PLUG




No. MNC-577

BNC PLUG TO F JACK.




No. MNC-578

BNC PLUG TO RCA JACK.



No. MNC-542


RCA TO BNC JACK



No. MR-587/6


(PL-259)

UHF CONNECTOR




No. MNC-575

BNC PLUG TO PL-259 JACK.




No. MR-574C

ADAPTOR RCA PLUG TO FEMALE PL-259




No. MNC-541

BNC STRAIGHT ADAPTOR MALE TO MALE




No. MNC-532L

BNC ELBOW ADAPTOR




No. MNC-533T

BNC T- ADAPTOR




No. MNC-540

BNC STRAIGHT ADAPTOR FEMALE TO FEMALE




No. MNC-534T

T-ADAPTOR, THREE BNC FEMALES



No. MNC-542FP


F PLUG TO BNC JACK



No. MR-587/9


(PL-259)

UHF CONNECTOR




No. MNC-580

PL-259 TO BNC JACK



No. MR-590

METAL ADAPTOR : Coupled coaxial cable connector






COAXIAL CONNECTORS & ADAPTORS


No. MR-580FJ

UHF PLUG TO F JACK




No. MR-581J

PL-259(UHF)PLUG TO RCA JACK




No. MR-574FP

F PLUG TO UHF JACK




No. MR-574FJ

F JACK TO UHF JACK




No. MP-557F

F TYPE QUICK ADAPTOR




No. MR-582

ADAPTOR F PLUG TO PAL JACK




No. MR-559F

F TYPE QUICK PLUG TO RCA JACK




No. MR-584J

F TYPE PANEL MOUNT SOCKET




No. MPC-733F

F TYPE QUICK CONNECTOR FOR RG58




No. MR-583

F TYPE SOCKET




No. MPC-734F

F TYPE QUICK CONNECTOR FOR RG58




No. MPC-739F

F TYPE CONNECTOR




No. MPC-715RP

RCA PLUG TO F PLUG




No. MPC-715RJ

RCA PLUG TO F JACK




No. MPC-715FJ

RCA JACK TO JACK




No. MPC-716PF

PAL PLUG TO F JACK




No. MPC-735BF

F JACK TO BNC JACK




No. MPC-716RP

PAL PLUG TO RCA JACK







F PLUG TO RCA JACK




TNC INLINE SOCKET CRIMP TYPE




TNC ADAPTOR
TNC MALE TO UHF FEMALE




TNC RECEPTACLE




BNC ADAPTOR
BNC MALE TO TNC FEMALE




TNC MALE CABLE PLUG




TNC MALE CABLE PLUG




TNC CRIMP TYPE MALE PLUG




(MIL No.UG-23D/U)
N IN-LINE JACK FOR RG-8, 9/U CABLE




F TYPE QUICK PLUG TO F TYPE SOCKET
RIGHT ANGLE




ADAPTOR TNC PLUG TO JACK




TNC ADAPTOR
TNC MALE TO BNC FEMALE



TNC ADAPTOR
TNC MALE TO N FEMALE



TNC RECEPTACLE




(MIL No.UG-536/U)
N MALE CONNECTOR FOR RG-58/U CABLE


(MIL No.UG-18B/U)
N MALE CONNECTOR FOR RG-5, 6, 21/U CABLE

(MIL No.UG-21B/U)
N MALE CONNECTOR FOR RG-8, 9, 213/U CABLE


Technical drawing of a 5/8-24 NEF-2A nut, showing a cross-section with dimensions B, d_ϕ , and A.



(MIL No.UG-204C/U)
N MALE CONNECTOR FOR RG-14/U CABLE



N RECEPTACLE






COAXIAL CONNECTORS & ADAPTORS


No.MNC-656

(MIL No. UG-58A/U)
N RECEPTACLE




No.MNC-657

ADAPTOR N MALE TO PL259 MALE




No.MNC-662

(MIL No.UG-349/U)
ADAPTOR, N MALE TO BNC FEMALE



No.MNC-658

(MIL No. UG-29B/U)
ADAPTOR N FEMALE TO N FEMALE



No.MNC-663

(MIL No.UG-349/U)
ADAPTOR, BNC MALE TO N FEMALE




No.MNC-664

(MIL No.UG-606/U)
ADAPTOR, BNC FEMALE TO N FEMALE



No.MNC-665

N TYPE RECEPTACLE




Marushin electric mfg.co.,ltd.



METAL & SCART CONNECTORS

No. MI-719 ~ MI-753


METAL CONNECTOR



	PLUG	SOCKET
MI-719 2P		
MI-720 3P		
MI-721 4P		
MI-747 5P		
MI-748 6P		
MI-752 7P		
MI-753 8P		


No. MRC-30P

3P METAL CONNECTOR




No. MRC-31J

FEMALE CANNON CONNECTOR 3P




No. MRC-40-3P

MALE CANNON CONNECTOR




No. MRC-32P

3P PANEL MOUNT MALE JACK




No. MRC-43-3J

FEMALE CANNON CONNECTOR




No. MRC-33J

3P PANEL MOUNT FEMALE JACK





No. MRS-670

SCART(RGB)PLUGS
WITH 20 CONTACT



No. MRS-670M

SCART(RGB)PLUGS
20 CONTACT INSTALLED



No. MRS-671J

INLINE TYPE SCART SOCKET





Marushin electric mfg.co.,ltd.




RATING: 0.5A 30V DC マイクロコネクター 定 格 : DC30V 0.5A

PANEL MOUNT IRIS CONNECTOR FOR PC BOARD





パネル取付穴寸法参考図
適合シャーシ厚 t1.6




基板取付 穴寸法参考図
(t1.6)

端子部詳細 Detail of pins	
MD4-156N-1	MD4-156N-2

PANEL MOUNT IRIS CONNECTOR FOR PC BOARD






パネル取付穴寸法参考区
適合シャーシ厚1,6








基板取付穴寸法参考図
(t1.6)

端子部詳細 Detail of pins	
MD4-158N-1	MD4-158N-2





基板取付穴寸法参考図
t1.0 または t1.6

CAMERA PLUG
(CABLE SIZE : $\phi 2 \sim 4$)



パネル取付穴寸法参考図
Mounting Hole
(t1.6)

8P MICRO CONNECTOR CABLE
(DC30V 0.5A)




Marushin electric mfg.co.,ltd



AUTO ANTENNA PLUGS, JACKS & AUTO PLUGS, SOCKETS


No. MP-129

AUTO PLUG




No. MP-222

AUTO PLUG W/BUILT-IN FUSE HOLDER




No. MP-129N

AUTO PLUG




No. MYBC-012S

CHASSIS MOUNTED CAR LIGHTER SOCKET




No. MP-126M

SOLDERLESS AUTO ANTENNA PLUG



No. MJ-176M

SOLDERLESS AUTO ANTENNA INLINE JACK



Marushin electric mfg.co.,ltd



MARUSHIN

ヒューズホルダー FUSE HOLDERS

安全規格認可番号一覧表 *Ratings and Safety standard approval No.*

品 番 MODEL No.	U L E 8 9 8 7 2	C S A L R 5 9 2 2 9
MF524	10A 250V AC	10A 250V AC
MF524M	10A 250V AC	10A 250V AC
MF525	10A 250V AC	10A 250V AC
MF525M	10A 250V AC	10A 250V AC
MF526	10A 250V AC	10A 250V AC
MF527	10A 250V AC	10A 250V AC
MF528	10A 250V AC	10A 250V AC
MF528H	10A 250V AC	10A 250V AC
MF530	15A 250V AC FASTON 16A 250V AC SOLDER	16A 250V AC
MF530H	15A 250V AC FASTON 16A 250V AC SOLDER	16A 250V AC
MF500	10A 250V AC	10A 250V AC
MF500H	10A 250V AC	10A 250V AC
MF522	10A 250V AC	10A 250V AC
MF560	16A 250V AC	16A 250V AC
MF560A	16A 250V AC	16A 250V AC
MF561	10A 250V AC	10A 250V AC
MF561A	10A 250V AC	10A 250V AC
MF564	E 1 4 5 5 6 9 15A 250V AC	L R 9 4 6 2 8 15A 250V AC

製品仕様 Specification

項 目	仕 様
定 格	個別規程による
接 触 抵 抗	DC 1Aにて10mΩ以下
絶 縁 抵 抗	DC 500Vにて100MΩ以上
耐 電 圧	AC 1500V 1分間(端子間)
適合ヒューズ	個別規程による

Items	Specification
Rating	Shall be in accordance with individual specifications.
Contact resistance	10mΩ MAX at 1A DC
Insulation resistance	100MΩ MIN at 500V DC
Withstand voltage	1,500V AC for 1 minute
Matching Fuse	Shall be in accordance with individual specifications.

Marushin electric mfg. co., ltd.

ヒューズホルダー FUSE HOLDERS

定格	Rating
適合ヒューズ	Matching Fuse
キャップ着脱方式	Cap Release method
端子形状	Terminal type
主絶縁材	Insulation material(Body)
取得規格	Approval

EST バヨネット式ヒューズホルダーの特長

THE FEATURE OF EST MARUSHIN'S BAYONET FUSE HOLDERS

1. セルフリリース(せり上がり)機構 SELF-RELEASE MECHANISM



新開発のセルフリリース機構の採用により、ヒューズ管未装着時に於いてもキャップは回転によりボディから“せり上がり”て“来ます”ので、取り外しが容易に行なえます。

The fuse carrier can be released in either case of with or without fuse by new developed self-release mechanism.

2. セルフロック機構 SELF-LOCK MECHANISM

新開発のセルフロック機構の採用により、ヒューズ管未装着時のキャップの脱落を防止致します。


The fuse carrier to be locked in either case of with or without fuse by new developed self-lock mechanism.



<ご使用上の注意>

バヨネット式は、その構造上、ツマミを押す又は振動により回路の瞬断、接触不良、焼損の原因となる事がありますので、その可能性がある場所、装置へはご使用にならないで下さい。

No. MF-528



10A 250V AC

φ5.2×20mm


バヨネット式 BAYONET type cap

ファストン端子 187 FASTON 187

P.B.T



No. MF-528H



10A 250V AC

φ5.2×20mm


バヨネット式 BAYONET type cap

ファストン端子 187 FASTON 187

P.B.T



No. MF-530



16A 250V AC

15A 250V AC(UL/ファストン結線時 For FASTON)

φ6.35×31.8mm φ6.4×30mm


バヨネット式 BAYONET type cap

ファストン端子 187 FASTON 187

P.B.T



No. MF-530H



16A 250V AC

15A 250V AC(UL/ファストン結線時 For FASTON)

φ6.35×31.8mm φ6.4×30mm

バヨネット式 BAYONET type cap

ファストン端子 187 FASTON 187

P.B.T





MARUSHIN

ヒューズホルダー


FUSE HOLDERS

定格	Rating
適合ヒューズ	Matching Fuse
キャップ着脱方式	Cap Release method
端子形状	Terminal type
主絶縁材	Insulation material(Body)
取得規格	Approval

No. MF-500



スナッピン方式 SNAP-IN TYPE



10A 250V AC

φ5.2×20mm

パヨネット式 BAYONET type cap

ファストン端子 187 FASTON 187


P.B.T



No. MF-500H



スナッピン方式 SNAP-IN TYPE



10A 250V AC

φ5.2×20mm

パヨネット式 BAYONET type cap

ファストン端子 187 FASTON 187


P.B.T



No. MF-560



基板取付型 PC BOARD MOUNT TYPE



16A 250V AC

φ6.35×31.8mm φ6.4×30mm

パヨネット式 BAYONET type cap

基板用端子 PC board mount terminal


P.B.T



No. MF-560A



基板取付型 PC BOARD MOUNT TYPE



16A 250V AC

φ6.35×31.8mm φ6.4×30mm

パヨネット式 BAYONET type cap

基板用端子 PC board mount terminal


P.B.T



No. MF-561



基板取付型 PC BOARD MOUNT TYPE



10A 250V AC

φ5.2×20mm

パヨネット式 BAYONET type cap

基板用端子 PC board mount terminal


P.B.T



No. MF-561A



基板取付型 PC BOARD MOUNT TYPE



10A 250V AC

φ5.2×20mm

パヨネット式 BAYONET type cap

基板用端子 PC board mount terminal

P.B.T




Marushin electric mfg. co., ltd.



定格	Rating
適合ヒューズ	Matching Fuse
キャップ着脱方式	Cap Release method
端子形状	Terminal type
主絶縁材	Insulation material(Body)
取得規格	Approval

No. *MF-522*

SCREW TYPE FUSE CARRIER WITH THE PROTECTIVE
THREAD FOR CONTACT



10A 250V AC

φ 5.2 × 20mm

ネジ式


ハンダ端子

P.B.T



Screw type cap

Soldering terminal

No. **MF-550** カバーなし WITHOUT COVERNo. **MF-550C** カバー付 W/COVER

10A 250V AC


φ 6.35 × 31.8mm φ 6.4 × 30mm

基板用端子

P.B.T

PC board terminal

No. MF-563	基板取付型	PC BOARD MOUNT TYPE
-------------------	-------	---------------------

No. **MF-563A** リード配線型 LERD WIRING TYPE

4A 250V AC

φ 5.2 × 20mm






563 : 基板用端子 PC board terminal

5 6 3 A: ハンダ端子 Soldering terminal

66ナイロン

Polyamide

Marushin electric mfg. co., ltd.




Marushin electric mfg. co., ltd.



PUSH TERMINALS


No.MT-478E

4P PUSH TERMINAL



No.MT-476E

2P PUSH TERMINAL




Marushin electric mfg. co., ltd.



BINDING POSTS


No.MT-480

HEAVY DUTY BINDING POST
50A
Color : Black & Red




No.MT-487

BINDING POST
15A




No.MT-481

HEAVY DUTY BINDING POST
50A
Color : Black & Red




No.MT-491

BINDING POST (NYLON)
15A




No.MT-482

HEAVY DUTY BINDING POST
50A
Color : Black & Red




No.MT-490

BINDING POST (NYLON)
10A




No.MT-483

HEAVY DUTY BINDING POST
30A
Color : Black & Red




No.MT-488

BINDING POST
15A
Color : Black & Red




No.MT-484

HEAVY DUTY BINDING POST
30A
Color : Black & Red




No.MT-489

BINDING POST
15A
Color : Black & Red




No.MT-486H

BINDING POST
10A
Color : Black & Red




No.MT-902

METAL TYPE BINDING POST
5A




No.MT-406H

ARMY TYPE BINDING POST
10A
Color : Black & Red




No.MT-903

METAL TYPE BINDING POST
5A




No.MT-404

ARMY TYPE BINDING POST (12mm)
10A
Color : Black & Red



No.MT-405

ARMY TYPE BINDING POST (16mm)
10A
Color : Black & Red






CLIPS, BANANA & TESTER PINS, SOCKETS, LEADS


No.MK-601

ALLIGATOR CLIP w/Molded Handle
Color : Black & Red




No.MK-603

ALLIGATOR CLIP w/Vinyl Boot
Color : Black & Red




No.MK-604

ALLIGATOR CLIP w/Vinyl Boot
Color : Black & Red




No.MK-605

ALLIGATOR CLIP w/Vinyl Boot
Color : Black & Red



No.MK-612


TEST LEAD SET
Color : Kit of Black, Red, Yellow, Green & White
20 Clips & 10 wirer



No.MK-608A 50A

No.MK-608B 30A

BATTERY CLIP w/COVERS.



No.MK-609 5A WITHOUT VINYL BOOTS

No.MK-609C 5A W/BOOTS

No.MK-610 10A WITHOUT VINYL BOOTS

No.MK-610C 10A W/BOOTS

No.MK-611 30A WITHOUT VINYL BOOTS


No.MK-611C 30A W/BOOTS

BATTERY CLIP




No.MK-621

BANANA PLUG w/Long Handle
Colors : Black & Red




No.MK-624

BANANA PLUG w/Long Handle
Colors : Black & Red




No.MK-621L

BANANA PLUG
Colors : Black & Red




No.MK-628

BANANA JACK
Colors : Black & Red



No.MK-626

BANANA JACK
Colors : Black & Red




No.MK-632

BANANA PLUG TYPE TEST LEAD SET




No.MK-630

PIN TIP TYPE TEST LEAD SET




No.MK-616

MICRO TEST PIN TIP PLUG
Colors : Red,Black,Yellow,Green,Blue and White



No.MK-617

MICRO TEST PIN TIP SOCKET
Colors : Red,Black,Yellow,Green,Blue and White





電源スイッチ POWER SWITCHES




製品仕様 Specification

項目	仕様
定格	MSR5 シリーズ 6A 250V AC
	MSR8 シリーズ 4A 250V AC
	6A 125V AC
	MSR6 6A 125-250V AC
	MSR7 10A 250V AC
接触抵抗	20mΩ以下
絶縁抵抗	DC500V 100MΩ以上
耐電圧	AC2000V 1分間
負荷寿命	10,000回
使用温度範囲	- 25 ~ + 85

Items	Specification
Rating	MSR5 Serie 6A 250V AC
	MSR8 Serie 4A 250V AC
	6A 125V AC
	MSR6 6A 125-250V AC
	MSR7 10A 250V AC
Contact resistance	20mΩ MAX
Insulation resistance	100MΩ MIN
Withstand voltage	2000V AC for 1 minute
Life	10,000cycles
Operating temperature	- 25 ~ + 85

取付穴参考寸法 Mounting hole dimension





取付板板厚 Thickness of mounting board	Y	Z
0.75 ~ 1.25	19.2	13.1
1.25 ~ 2.00	19.5	13.1



端子形状 Terminal style

ハンダ端子 Soldering terminal	ファストン端子 FASTON terminal 187	基板用端子 PC board mount terminal

外形図 Out line drawing



表示バラエティ Marking variety

0		4	
1		5	
2		6	
3		7	

照光式ツマミカラー Knob color for illuminating

MSR8-N 1	RED 250V
MSR8-N 1 / TT	RED 125V
MSR8-N 2	ORANGE 250V
MSR8-N 2 / TT	ORANGE 125V
MSR8-N 3	GREEN 250V
MSR8-N 3 / TT	GREEN 125V



電源スイッチ POWER SWITCHES

製品体系一覧表 Available product line

モデルNo. MODEL No.	ツマミ形状 Knob style	回路構成 Circuit arrangement	動作種類 Operation mode	端子形状 Terminal type	
No.MSR5	ロッカー Rocker	SPST 2P	ON-OFF	ハンダ端子 Soldering	
No.MSR5X	ロッカー Rocker	SPDT 3P	ON-ON	ハンダ端子 Soldering	
No.MSR5-2	ロッカー Rocker	SPST 2P	ON-OFF	ファストン端子 187 FASTON 187	
No.MSR5-2X	ロッカー Rocker	SPDT 3P	ON-ON	ファストン端子 187 FASTON 187	
No.MSR5-4	ロッカー Rocker	SPST 2P	ON-OFF	基板用端子 PC board	
No.MSR5R	ロッカー Rocker	SPST 2P	(ON)-OFF	ハンダ端子 Soldering	モーメンタリー MOMENTARY
No.MSR5XR	ロッカー Rocker	SPDT 3P	(ON)-ON	ハンダ端子 Soldering	モーメンタリー MOMENTARY
No.MSR5-2R	ロッカー Rocker	SPST 2P	(ON)-OFF	ファストン端子 187 FASTON 187	モーメンタリー MOMENTARY
No.MSR5-2XR	ロッカー Rocker	SPDT 3P	(ON)-ON	ファストン端子 187 FASTON 187	モーメンタリー MOMENTARY
No.MSR5-4R	ロッカー Rocker	SPST 2P	(ON)-OFF	基板用端子 PC Board	モーメンタリー MOMENTARY
No.MSR5-P	レバー Lever	SPST 2P	ON-OFF	ハンダ端子 Soldering	
No.MSR5XP	レバー Lever	SPDT 3P	ON-ON	ハンダ端子 Soldering	
No.MSR5-2P	レバー Lever	SPST 2P	ON-OFF	ファストン端子 187 FASTON 187	
No.MSR5-2XP	レバー Lever	SPDT 3P	ON-ON	ファストン端子 187 FASTON 187	
No.MSR5-4P	レバー Lever	SPST 2P	ON-OFF	基板用端子 PC Board	
No.MSR5PR	レバー Lever	SPST 2P	(ON)-OFF	ハンダ端子 Soldering	モーメンタリー MOMENTARY
No.MSR5XPR	レバー Lever	SPDT 3P	(ON)-ON	ハンダ端子 Soldering	モーメンタリー MOMENTARY
No.MSR5-2PR	レバー Lever	SPST 2P	(ON)-OFF	ファストン端子 187 FASTON 187	モーメンタリー MOMENTARY
No.MSR5-2XPR	レバー Lever	SPDT 3P	(ON)-ON	ファストン端子 187 FASTON 187	モーメンタリー MOMENTARY
No.MSR5-4PR	レバー Lever	SPST 2P	(ON)-OFF	基板用端子 PC Board	モーメンタリー MOMENTARY
No.MSR6	ロッカー Rocker	SPDT 3P	ON-OFF-ON	ファストン端子 187 FASTON 187	
No.MSR7	ロッカー Rocker	SPST 2P	ON-OFF	ファストン端子 187 FASTON 187	
No.MSR8	ロッカー Rocker	DPST	ON-OFF	ファストン端子 187 FASTON 187	
No.MSR8-N	ロッカー Rocker	DPST	ON-OFF	ファストン端子 187 FASTON 187	照 光 式 ILLUMINATING

Marushin electric mfg. co., ltd.



POWER SWITCHES

電源スイッチ POWER SWITCHES

回路構成
動作種類
端子形状


Circuit arrangement
Operation mode
Terminal type

MSR9 SERIES


製品仕様 Specification

項目 Items	仕様 Specification
定格 Rating	3A 125V AC
接触抵抗 Contact resistance	20mΩ MAX
絶縁抵抗 Insulation resistance	100MΩ MIN
耐電圧 Withstand voltage	1,000V AC for 1minute
負荷寿命 Life	10,000cycles

外形寸法 Outline drawing



参考取付穴寸法 Mounting hole dimension



No. MSR9



SPST 2P
ON-OFF
ハンダ端子
Soldering terminal

No. MSR9X



SPDT 3P
ON-ON
ハンダ端子
Soldering terminal


Marushin electric mfg.co.,ltd.



PUSH BUTTON SWITCHES


No. MS-312

BABY PUSH BUTTON SWITCH
(PUSH ON TYPE)




No. MS-313

BABY PUSH BUTTON SWITCH
(PUSH OFF TYPE)




No. MS-350

MINIATURE PUSH BUTTON SWITCH
(PUSH ON TYPE)




No. MS-351

MINIATURE PUSH BUTTON SWITCH
(PUSH OFF TYPE)




No. MS-350M

MINIATURE PUSH BUTTON SWITCH (PUSH ON TYPE)
ALL PLASTIC HOUSING



No. MS-351M

MINIATURE PUSH BUTTON SWITCH (PUSH OFF TYPE)
ALL PLASTIC HOUSING




No. MS-356M

PUSH BUTTON SWITCH (PUSH ON TYPE)



Specification

Items	Specification
Circuit arrangement	SPST
Operation mode	OFF-(ON) Momentary
Rating	3A 125V AC
Contact resistance	20mΩ Max
Insulation resistance	100MΩ Min
Withstand voltage	1,000V AC for 1 minute



No. MS-357

PUSH BUTTON SWITCH (PUSH ON TYPE)


No. MS-358

PUSH BUTTON SWITCH ALTERNATE
(PUSH ON, PUSH OFF TYPE)




Specification

Items	Specification
Circuit arrangement	SPST
Operation mode	MS-357 OFF-(ON) Momentary MS-358 OFF-ON Alternate
Rating	3A 125V AC
Contact resistance	20mΩ Max
Insulation resistance	100MΩ Min
Withstand voltage	1,000V AC for 1 minute



No. MS-300

MINIATURE PUSH BUTTON SWITCH (PUSH ON TYPE)
超小型プッシュスイッチ




No. MS-400

MINIATURE INLINE PUSH BUTTON SWITCH (PUSH ON TYPE)
超小型手元プッシュスイッチ



No. MS-311

MINIATURE PUSH BUTTON SWITCH (PUSH ON TYPE)
超小型プッシュスイッチ




No. MS-370M

PUSH BUTTON SWITCH (PUSH ON TYPE)


No. MS-371M

PUSH BUTTON SWITCH (PUSH OFF TYPE)



No. MS-327

PUSH BUTTON SWITCH (2P)
(PUSH ON TYPE)
Rating : 125 Volts 3 Amp.





PUSH BUTTON SWITCHES

No. MS-380

PUSH BUTTON SWITCH (PUSH ON TYPE)


No. MS-381

PUSH BUTTON SWITCH (PUSH OFF TYPE)



Body Color : Black
Cap Color : Black / Red

SNAP-IN MOUNT TYPE
スナップインタイプ



No. MS-382


PUSH BUTTON SWITCH (PUSH ON TYPE)

No. MS-383

PUSH BUTTON SWITCH (PUSH OFF TYPE)



Body Color : Black
Cap Color : Black / Red




No. MS-384L

PUSH BUTTON SWITCH W/LED
(PUSH ON - PUSH OFF : ALTERNATE TYPE)



Model No	Body Color	Cap Color	LED Color
MS-384L1#1	Black	Black	Red
MS-384L1#2	Black	Black	Blue
MS-384L1#3	Black	Black	Green
MS-384L0#1	Black	Red	Red
MS-384L0#2	Black	Red	Blue
MS-384L0#3	Black	Red	Green

ILLUMINATED
照光式



Specifications



Items	Specification
Rating	MS-380 ~ 383 : 125V AC 125mA / 32V AC 400mA / 50V DC 100mA MS-384L : 125V AC 2A / 24V DC 100mA
Contact resistance	50mΩmax
Insulation resistance	1,000 MΩ at 500V DC
Dielectric strength	1,000 V AC for 1 minute
Panel thickness	MS-380 , 381 : t 0.8mm ~ t 1.8mm MS-382 ~ 384L : t 1.5mm ~ t 4.0mm



SLIDE SWITCHES

No. MS-280

3P MINIATURE SLIDE SWITCH
(1P 2T)



Marushin electric mfg. co., ltd