

承認	検認	検認	担当
			

技適基準適合証明用アンテナ特性資料

Antenna Characteristics Document for
Technical Regulations Conformity Certification

T16-062-1015


30 JULY,2025

Staf Corporation Electric Group

1.仕様 Specification


項目	記載内容
メーカー名 Manufacturer	スタッフ株式会社 Staf Corporation
品名 (製品名称) Product Name	アンテナ Antenna
技適申請番号 Application Number	T16-062-1015
測定周波数 Frequency	617~5850[MHz]
アンテナ型式 Antenna Type	Dipole Antenna ($\lambda/2$)
最大絶対利得 Maximum Absolute Gain	<p>617~5850[MHz]:3[dBi]以下 617~5850[MHz]:3[dBi] or less</p> <p>※但し、B41(2496~2690[MHz])、Wi-Fi5G(4900~5850[MHz])、n78(3300~3800[MHz])、n77(3300~4200[MHz])、B42(3400~3600[MHz])、B48(3550~3700[MHz])、B43(3600~3800[MHz])、に限り、6[dBi]以下 詳細はグラフ参照のこと</p> <p>※However, for B41 (2496~2690[MHz]),Wi-Fi5G(4900~5850[MHz]), n78(3300~3800[MHz]),n77(3300~4200[MHz]),B42(3400~3600[MHz]), B48(3550~3700[MHz]),B43(3600~3800[MHz]), 6[dBi] or less See graph for details</p>
インピーダンス Impedance	50Ω
コネクタ形状 Connector Type	U.FL

2.外形図 Outside Dimension Drawing




単位:mm
Unit:mm


3.VSWR




4. 利得・指向性特性 Gain and Radiation Pattern Characteristics




4. 利得・指向性特性 Gain and Radiation Pattern Characteristics




4. 利得・指向性特性 Gain and Radiation Pattern Characteristics



4. 利得・指向性特性 Gain and Radiation Pattern Characteristics







4. 利得・指向性特性 Gain and Radiation Pattern Characteristics



4. 利得・指向性特性 Gain and Radiation Pattern Characteristics



n79

Sub-GHz Band







4. 利得・指向性特性 Gain and Radiation Pattern Characteristics

Sub-GHz Band







4.利得・指向性特性 Gain and Radiation Pattern Characteristics

2.4GHz Band(Wi-Fi,etc.)







4.利得・指向性特性 Gain and Radiation Pattern Characteristics

5GHz Band(Wi-Fi,etc.)



4.利得・指向性特性 Gain and Radiation Pattern Characteristics

5GHz Band(Wi-Fi,etc.)



5.最大利得・放射効率 Maximum Absolute Gain and Efficiency

Frequency(MHz)	617	634.5	652	663	680.5	698	699	703	704	707.5	710	716	725.5	729	734
Maximum Absolute Gain(dBi)	-9.02	-8.83	-9.25	-9.23	-8.93	-8.76	-8.74	-8.72	-8.64	-8.52	-8.26	-7.99	-7.68	-7.26	-6.58
Efficiency(dB)	-12.48	-12.23	-12.79	-12.83	-12.45	-11.90	-11.92	-11.97	-11.94	-11.89	-11.93	-11.80	-11.69	-11.38	-10.94

Frequency(MHz)	737.5	740	746	748	751	756	758	763	768	777	780.5	782	787	788	791
Maximum Absolute Gain(dBi)	-6.39	-6.24	-5.84	-5.78	-5.92	-5.95	-5.84	-5.55	-5.46	-5.06	-4.75	-4.63	-4.43	-4.38	-4.10
Efficiency(dB)	-10.81	-10.70	-10.37	-10.29	-10.20	-10.18	-10.06	-9.79	-9.71	-9.26	-8.94	-8.80	-8.53	-8.49	-8.16

Frequency(MHz)	793	798	803	806	814	815	821	822.5	824	830	831.5	832	836.5	837.5	845
Maximum Absolute Gain(dBi)	-3.90	-3.58	-3.20	-3.09	-2.57	-2.49	-2.12	-1.99	-1.93	-1.72	-1.66	-1.64	-1.41	-1.35	-1.00
Efficiency(dB)	-7.93	-7.50	-6.82	-6.64	-5.95	-5.83	-5.35	-5.17	-5.07	-4.73	-4.62	-4.59	-4.25	-4.16	-3.59

Frequency(MHz)	847	849	859	860	862	865	867.5	868	869	875	876.5	880	881.5	882.5	890
Maximum Absolute Gain(dBi)	-0.95	-0.94	-1.29	-1.40	-1.72	-2.04	-2.35	-2.44	-2.61	-3.52	-3.75	-4.05	-4.43	-4.67	-6.07
Efficiency(dB)	-3.54	-3.52	-3.85	-3.97	-4.27	-4.61	-4.92	-5.01	-5.19	-6.09	-6.32	-6.78	-7.09	-7.34	-8.73

Frequency(MHz)	894	897.5	902	915	922	925	928	930	940	942.5	960	1176.45	1227.6	1246	1279
Maximum Absolute Gain(dBi)	-7.07	-7.90	-8.85	-12.09	-13.50	-13.81	-13.92	-13.98	-13.43	-13.20	-12.75	-2.79	-1.83	-1.01	-0.58
Efficiency(dB)	-9.68	-10.48	-11.38	-14.48	-15.48	-15.64	-15.60	-15.65	-15.63	-15.62	-15.99	-8.95	-6.31	-5.44	-4.55

Frequency(MHz)	1427.9	1437.9	1447.9	1455.4	1462.9	1475.9	1485.9	1495.9	1503.9	1510.9	1575.42	1602	1710	1732.5	1745
Maximum Absolute Gain(dBi)	0.76	0.74	0.54	0.42	0.44	0.70	0.92	0.96	1.06	1.09	1.53	1.51	1.38	1.19	1.27
Efficiency(dB)	-2.42	-2.30	-2.28	-2.23	-2.20	-1.92	-1.66	-1.54	-1.40	-1.32	-1.05	-1.09	-1.45	-1.68	-1.71

Frequency(MHz)	1747.5	1749.9	1755	1767.4	1780	1784.9	1785	1805	1842.5	1844.9	1850	1862.4	1879.9	1880	1883
Maximum Absolute Gain(dBi)	1.31	1.22	1.28	1.29	1.31	1.32	1.29	1.31	0.94	0.83	0.73	0.51	0.71	0.72	0.76
Efficiency(dB)	-1.75	-1.80	-1.78	-1.79	-1.80	-1.84	-1.83	-1.91	-2.05	-2.13	-2.16	-2.26	-2.01	-1.99	-1.97

5.最大利得・放射効率 Maximum Absolute Gain and Efficiency

Frequency(MHz)	1900	1910	1915	1920	1930	1950	1960	1962.5	1980	1990	1995	2010	2017.5	2025	2110
Maximum Absolute Gain(dBi)	0.93	0.83	0.75	0.82	0.78	1.03	1.10	1.23	1.53	1.69	1.90	1.73	1.54	1.40	1.06
Efficiency(dB)	-1.79	-1.86	-1.91	-1.87	-1.86	-1.80	-1.78	-1.70	-1.49	-1.40	-1.23	-1.33	-1.42	-1.48	-1.45

Frequency(MHz)	2132.5	2140	2155	2170	2200	2300	2305	2310	2315	2350	2355	2360	2400	2442	2484
Maximum Absolute Gain(dBi)	0.96	0.92	0.42	0.09	0.34	0.91	0.82	0.87	0.84	0.56	0.57	0.68	0.63	0.26	0.12
Efficiency(dB)	-1.35	-1.43	-1.73	-1.97	-1.77	-1.61	-1.69	-1.69	-1.75	-1.94	-1.96	-1.88	-1.97	-2.64	-3.15

Frequency(MHz)	2496	2500	2535	2570	2593	2595	2620	2655	2690	3300	3400	3500	3550	3600	3625
Maximum Absolute Gain(dBi)	0.08	0.03	-0.51	-0.33	0.30	0.41	0.58	-0.36	0.23	4.06	4.58	4.86	4.91	5.07	5.12
Efficiency(dB)	-3.27	-3.32	-3.95	-3.59	-3.15	-3.11	-3.16	-4.25	-4.25	-2.63	-2.28	-2.51	-2.56	-2.41	-2.29

Frequency(MHz)	3700	3750	3800	4200	4400	4700	4900	4950	5000	5030	5060.5	5091	5150	5200	5350
Maximum Absolute Gain(dBi)	5.95	5.33	4.84	2.23	0.99	0.86	2.43	2.84	2.62	2.54	2.28	2.53	3.31	3.54	3.28
Efficiency(dB)	-1.72	-2.52	-2.78	-4.44	-4.99	-4.41	-3.92	-3.82	-4.34	-4.55	-4.85	-4.83	-3.74	-3.46	-2.86

Frequency(MHz)	5500	5650	5750	5850	5925	6000
Maximum Absolute Gain(dBi)	2.90	3.05	0.13	0.86	2.90	4.55
Efficiency(dB)	-3.30	-3.04	-5.43	-5.88	-4.07	-2.35

6.最大利得 Maximum Absolute Gain



7.放射効率 Efficiency

