



NOTES: FINISH (PLATING THICKNESS IN MICRO-INCHES)

1. BRASS PER QQ-B-626
2. PHOSPHOR BRONZE PER QQ-B-750,
3. NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
4. SILVER PL. 200 MIN. THICK OVER COPPER STRIKE
5. TEFLON MIL-P-19468
6. BERYLLIUM COPPER PER QQ-C-530,

REVISIONS						DIMENSIONS ARE IN MILLIMETERS				PART NO.		<h2 style="text-align: center;">Amphenol</h2> <p style="text-align: center;">Danbury, CT, USA - Tainan, Taiwan - Shenzhen, China</p>	
ISS	ZONE	DESCRIPTION \ PER REQUEST \ DATE				UNLESS OTHERWISE SPECIFIED TOLERANCES				APPROVED	DATE		
						0.5-6 = ±0.2				<i>Tom</i>	03-18-03'	N FEMALE TO HN MALE ADAPTER	
						6-30 = ±0.4				<i>Nancy</i>	03-18-03'	DRAWING NO. 16050	
						30-120 = ±0.6				<i>Nancy</i>	03-18-03'	ITEM NO. 16050	
						120-315 = ±1							
						315-1000 = ±1.6							
						1000-2000 = ±2.4							
7	COUPLING NUT	NOTE 1	NOTE 3	1	82-2304-1								
6	GASKET	SILICONE	RED	1	82-1535-21								
5	RETAINER RING	NOTE 2	NATURAL	1	82-1138-2								
4	BUSHING	NOTE 1	NOTE 3	1	82-718								
3	CONTACT PIN	NOTE 6	NOTE 4	1	16055								
2	INSULATOR	NOTE 5	NATURAL	1	82-10648								
1	BODY	NOTE 1	NOTE 3	1	82-10740								
NO.	DESCRIPTION	MATERIAL	FINISH	Q'TY	DRAWING NO.	SCALE	3/1	ISSUE	A	FILE NO.	F:\DWG\CNPD\16050SZ		

7 10 00 7 197 8