




2017














Professional Pliers/Cutters & Crimpers




Complete Pliers/Cutters Program













Insulated Pliers/Cutters

Description	Page
 Insulated Lineman's Pliers	4
 Insulated Combination Pliers	4
 Insulated Serrated Edge Cutters	4
 Insulated Wire Stripper	4
 Insulated Heavy Duty Diagonal Cutters	5
 Insulated High Leverage Diagonal Cutters	4
 Insulated Pliers - Long & Flat Nose	5
 Insulated Pliers - Bent & Round Nose	5
 Insulated Waterpump Pliers	8
 Insulated Pliers Sets	6-7
 Insulated Belt Pack Pouch Sets	


Insulated Adjustable Wrenches

Description	Page
 Insulated Adjustable Wrenches 8", 10", 12", 15" OAL	8




















Insulated Industrial Pliers/Cutters

Description	Page
 Insulated Lineman's Pliers	9
 Insulated Long Nose Pliers	9
 Insulated Diagonal Cutters	9
 Insulated High Leverage Cutters	9
 Insulated Serrated Edge Cutters	9
 Insulated Stripping Pliers	10
 Insulated Crimping Pliers	9
 BiCut SuperCut	10
 Water Pump Pliers	10
 Insulated Industrial Tool Sets	10-11


Insulated Inomic Pliers

Description	Page
 Insulated Inomic Pliers Inomic Combo Pliers Inomic Long Nose Pliers Inomic Diagonal Cutters	7





Vinyl Grip Pliers & Cutters

Description	Page
 Combination Pliers	12
 Long Nose Pliers	12
 Bent Long Nose Pliers	12
 Long Flat Nose Pliers	12
 Long Round Nose Pliers	12
 Stripping Pliers	13
 Cable Cutters	13
 Diagonal Cutters	13
 Crimping Pliers	13
 BiCut SuperCut	13
 High Lev. End Cutting Nippers	14
 Carpenter's End Nippers	14
 Mason Nippers	14
 Adjustable Pliers	14
 Retaining Ring Pliers	16
 MagicTip Safety Notched Ring Pliers	17
 Standard Pliers/Cutters Sets	14-15
 Belt Pack Pouch Sets	
 Molded Grip Shears	15












Pipe Wrenches Narrow Style

Description	Page
 Narrow Style Pipe Wrenches S-Jaw, 45° Angle, 90° Angle	28





ComfortGrip Crimpers

Description	Page
 Ratchet End Sleeve Crimper	28
 Ratchet Crimper For Standard Connectors	28
 Ratchet Crimper Push On Terminals	28
 Ratchet Crimper For Eye Terminals	28











Industrial SoftGrip Pliers & Cutters

Description	Page
 Combination Pliers	18
 Linemans Crimpers	18
 Diagonal Cutters	18
 Cable Cutters	18
 BiCut SuperCut	18
 Stripping Pliers	19
 Long & Bent Nose Pliers	19
 Flat Nose Pliers	19
 Long Round Nose	19
 Adjustable Pliers	20
 Industrial SoftGrip Tool Sets	19-20




Precision Electronic Pliers/Cutters

Description	Page
 Electronic Diagonal Cutters Wide Pointed Head	21
 Electronic Diagonal Cutters Wide Shape with Wire Holding Spring	21
 Electronic Diagonal Cutters Narrow Shape	21
 Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	21
 Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	21
 Electronic Diagonal Cutters Oblique 30° Cutting Nippers	21
 Electronic Diagonal Cutters Short Nose Precision Pliers	21
 Electronic Stripping Pliers	21







ESD Safe Pliers/Cutters

Description	Page
 ESD Safe Diagonal Cutters Small, Wide & Oval Tapered Head	22-23
 ESD Safe Diagonal Cutters With Carbide Cutters	23
 ESD Safe Oblique Angled Cutters	24
 ESD Safe Oblique Front Cutters	24
 ESD Safe End Cutters	24
 ESD Safe Snipe/Bent Nose Pliers	24
 ESD Safe Needle Nose Pliers	24
 ESD Safe Short Round Nose	25
 ESD Safe Short Flat Nose	25
 ESD Safe Tool Sets	25

ESD Safe Protturn Pliers & Cutters

Description	Page
 Protturn Wire Strippers 30 to 20 AWG	26
 Protturn Pliers Long, Flat, Bent, Round Nose	26
 Precision Cutters/Flush Cut 21° & 45° Angle	27

Stripping & Crimping Tools

Description	Page
 PortaCrimp Frame	29
 PortaCrimp Dies	30-32
 PortaCrimp Sets	29
 Professional Crimp Tools	32
 Crimping Tools	33
 Self Adj. Cut & Strip Tools	34

Wiha Insulated Pliers & Cutters

Tools Meet 10,000 Volt
Test Standards
Certified to 1000 Volt ac
or 1500 Volt dc

Chrome finish for
long lasting corrosion
protection



Safety slip
guard

1000V

Cutters additionally
induction hardened

Insulation Standards: EN/IEC 60900, ASTM F-1505-10,
VDE 0682/part 201, NFPA70E and CSA

Wiha Canvas Pliers Holster




- Canvas holster with belt clip and belt loop
- Security pliers strap
- Screwdriver holder in the front

91256 Pliers Canvas Holster

Item	Width	Height		
No.	Size	Size	lbs.	pkg.
91256	3.5 x	6.75	.15	1

Insulated Stripping Pliers

1000volt



64HRC
cutting edges

32860 Stripping Pliers. Insulation
According to VDE 0682/part 201, EN/IEC
60900, ASTM F-1505-10, NFPA70E and
CSA, up to 1000 Volt. Individually Tested.

Heavy duty forged with induction hardened
cutting edges for even stripping of insulation.
Drop-forged from special tool steel, chrome &
nickel plated, mirror-polished. Ergo comfort grip
with slip guard. Spring & adjusting screw, for
stripping up to Ø 5mm/#4 Awg.

Item			Stripping Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32860	160	6.3	#8 - #28	1	.50

Insulated Serrated Edge Cable Cutters



328 Serrated Edge Cable Cutters.
Insulation According to VDE 0682/part 201,
EN/IEC 60900, ASTM F-1505-10, NFPA70E
and CSA, up to 1000 Volt. Individually
Tested. Light, clean cutting ground precision
cutting edges. Durable cutting is achieved
through additional inductive hardening to
approx. 64HRC. Special tool steel. For cutting
of copper & aluminum cables without crushing.

Item					
No.	mm	Inch	Ø	mm2	Pkg. lbs.
32826	160	6.3	16	50	1 .42
32828	200	8.0	20	60	1 .67

Insulated Lineman's Pliers With Crimpers

1000volt

5-in-1 Lineman's Pliers



With lower crimping jaw

32821 Insulated Lineman's Pliers "5-in-1"
Professional Design. Insulation According
to EN/IEC, ASTM, NFPA70E & CSA, up
to 1000 Volt. Individually Tested. Deep
cut radius conduit jaws for non-slip gripping.
Extra long induction hardened precision
matched cutting edges. Lower crimping jaw
accepts most standard non-insulated electrical
connectors. Large head with square anvil
surface on each side. Made from premium C70
tool steel forgings. 64HRC cutting edges.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32821	225	9.0	#4	1	.98

Insulated High Leverage Combination Pliers

1000volt




Lineman's

32820 High Leverage Combination Pliers.
Insulation According to EN/IEC 60900,
ASTM F-1505-10, NFPA70E and CSA, up
to 1000 Volt. Individually Tested. DIN ISO
5746 Extra long cutting edge for flat and round
cables. Cutting edges additionally induction
hardened to approx. 64HRC. C70 Special
tool steel. Use for gripping, pulling & holding
as well as cutting wires and cables ranging
in hardness from soft to extremely hard. Two
component soft grip ergonomic handles.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32820	225	9.0	#4	1	.86

Insulated Combination Lineman's Pliers

1000volt



Serrated jaws

328 Combination Pliers. Insulation
According to VDE 0682/part 201, EN/IEC
60900, ASTM F-1505-10, NFPA70E and
CSA, up to 1000 Volt. Individually
Tested. DIN ISO 5746 Extra long cutting
edge for flat & round cables. Cutting edges
additionally induction hardened to approx.
64HRC. Special C70 tool steel forgings,
Chrome finish. Use for gripping and holding
as well as cutting soft & hard wires & cables.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32814	160	6.3	#10	1	.53
32816	180	7.0	#9	1	.58
32818	200	8.0	#8	1	.72

Insulated Crimping Pliers



1000volt



32841 Insulated Crimping Pliers.
Insulation According to VDE 0682/part 201,
EN/IEC 60900, ASTM F-1505-10, NFPA70E &
CSA, up to 1000 Volt. Individually Tested.
Semi-circular profiles for secure connection
between & sleeve and conductor. Long life
is achieved through additional induction
hardening to 64HRC. C70 special tool steel.

Item					
No.	mm	Inch	mm2	AWG	Pkg. lbs.
32841	180	7.0	0.25-2.5	6-30	1 .57

Insulated Electrician's Diagonal Cutters



△ 1000volt

32861 Diagonal Cutters W/Stripping Holes. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, △ up to 1000 Volt. Individually Tested. Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Holes in the cutting edge for stripping copper wire of Ø 1.5 and 2.5. Strips AWG sizes #10 & #14.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32861	160	6.3	#10 & #14	1	.55

Insulated Long Nose Pliers



△ 1000volt

328 Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, △ up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished, ergonomic comfort grip with slip guard, serrated gripping surface.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32806	160	6.3	#10	1	.32
32808	200	8.0	#8	1	.42

Insulated Long Flat Nose Pliers

Two component Soft Grip handles



△ 1000volt

Insulated Diagonal Cutters



△ 1000volt

328 Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, △ up to 1000 Volt. Individually Tested. DIN ISO 5749 Low wear lap joint, riveted & able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel hardened & tempered. For soft & medium hard wire. 32832 & 32834 for soft, hard & piano wire.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32830	140	5.5	#6	1	.47
32832	160	6.3	#6	1	.49
32834	180	7.0	#6	1	.62

Insulated Bent Nose Pliers

Angled 40°



△ 1000volt

328 Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, △ up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergo comfort grip with slip guard. Serrated gripping surface.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32804	200	8.0	#8	1	.43
32807	160	6.3	#10	1	.32

32810 Long Flat Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, △ up to 1000 Volt. Individually Tested. DIN ISO 5745 Serrated Jaws are induction hardened. Special C70 tool steel forgings, Chrome finish. Use for Gripping and right-angle bending of wires and sheet metal parts.

Item No.	mm	Inch	Pkg.	lbs.
32810	160	6.3	1	.39

Insulated High Leverage Diagonal Cutters



△ 1000volt

New dynamic joint provides 40% easier cuts and significantly longer tool life

328 High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, △ up to 1000 Volt. Individually Tested. DIN ISO 5749 Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C70 special tool steel hardened & tempered. For soft, hard & piano wire, lay-on joint, optimized power transmission.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32835	160	6.3	#6	1	.64
32836	180	7.0	#5	1	.67
32838	200	8.0	#4	1	.80

Round Nose Pliers



△ 1000volt

32870 Round Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, △ up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, individually induction hardened, chrome and nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Serrated jaws.

Item No.	mm	Inch	Pkg.	lbs.
32870	160	6.3	1	.34

Insulated NE Style Lineman's Pliers



1000volt

32831 Insulated NE Style Lineman's Pliers. Insulation According to EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Two component soft grip ergonomic handles.

Item	mm	Inch	Pkg.	wt.
32831	245	9.5	1	1.18

NE Style Lineman's Pliers Set

Insulated Tool meets ASTM, IEC, EN, NFPA & CSA standards
Individually Tested

Knurled striking zone on vinyl grip pliers



1000Volt

Extra long cutting edge for flat & round cables

32833 2 Piece NE Style Lineman's Pliers Set

Item No. NE Style Lineman's Pliers

32833 9.5" Insulated 1000Volt
9.5" Vinyl Soft Grip

lbs. 2.22

Insulated BiCut SuperCut



Cutting capacity up to 3mm hardened piano wire



1000volt



- Double the power at the press of a button
- BiCut does the job of two pairs of pliers
- Up to 50% less hand strength required for cutting
- Cutting force doubled for extremely hard materials
- Easily switch between two strengths in one-handed operation


32837 Insulated BiCut SuperCut.

Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 Volt. Individually Tested.

Durable cutting is achieved through additional inductive hardening to approx. 64HRC. Drop forged of high C70 steel. For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item	mm	Inch	Pkg.	lbs.
32837	200	8.0	1	.78

1000volt



32875 5 Piece Insulated Pliers/Cutters

& Screwdrivers In Belt Pack Pouch. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No. Pliers/Cutters & Screwdrivers

32875 9.0" / 225mm Lineman's Pliers

8.0" / 200mm Long Nose Pliers

Insulated Screwdrivers:

2.26 Slotted: 4.5, 6.5mm Phillips: #2

Wiha Insulated Belt Pack Pouch Sets

1000volt



32871 3 Pc. Insulated Pliers/Cutters & Multi-Bit Set In Belt Pack Pouch. Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards.

Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard.

Item No. Pliers/Cutters & Multi-Bit Set

32871 6.3" / 160mm Diagonal Cutters

8.0" / 200mm Long Nose Pliers

Set Includes Bit Holder & The

Following Bits:

Slotted: 4.5, 6.5mm

Phillips: #1, 2 & Square: #1, 2

1000volt



32873 3 Piece Insulated Pliers/Cutters

In Belt Pack Pouch. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard.

Item No. Pliers & Cutters

32873 6.3" / 160mm Diagonal Cutters

8.0" / 200mm Long Nose Pliers

lbs. 2.12 8.0" / 200mm Combination Pliers

1000volt



32872 5 Piece Insulated Pliers/Cutters

& Screwdrivers In Belt Pack Pouch. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No. Pliers/Cutters & Screwdrivers

32872 6.3" / 160mm Diagonal Cutters

8.0" / 200mm Long Nose Pliers

Insulated Screwdrivers:


1.77 Slotted: 3.0, 4.5mm Phillips: #2

Wiha Insulated Pliers & Cutters Sets

Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome & nickel plated, mirror-polished.




1000Volt

32867	10 Piece Pliers & Screwdriver Set
Set In Canvas Pouch	
Item No. 32867	
6.3" Diagonal Cutters	lbs.
9.0" Combo Pliers	4.06
6.3" Long Nose Pliers	
6.3" Wire Strippers	
7.0" Crimping Pliers	
Insulated Slotted 4.5, 6.0mm	
Insulated Phillips #1, 2	
Insulated Square: #2	





1000Volt

32868	10 Piece Pliers & Screwdriver Set
Set In Canvas Pouch	
Item No. 32868	
7.0" Diagonal Cutters	lbs.
9.0" Combo Pliers	4.24
8.0" Long Nose Pliers	
6.3" Wire Strippers	
7.0" Crimping Pliers	
Insulated Slotted 3.0, 4.5, 6.0mm	
Insulated Phillips #1, 2	





1000volt

32889	8 Piece Pliers & Cutters Set.
Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA,  up to 1000 volt. Individually Tested.	
Item# 32889	Set Includes: 
32806 - 6.3" Long Nose Pliers	lbs.
32808 - 8.0" Long Nose Pliers	4.53
32814 - 6.3" Lineman's Pliers	
32832 - 6.3" Diagonal Cutters	
32820 - 9.0" Lineman's Pliers	
32936 - 8.0" BiCut SuperCut	
32860 - 6.3" Wire Stripping Pliers	
15000 - Electrician's Knife	



• In zipper carry case

1000volt

32891	10 Piece Pliers & Screwdriver Set.
Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA,  up to 1000 volt. Individually Tested.	
Item# 32891	Set Includes: 
32818 - 8.0" Combination Pliers	lbs.
32808 - 8.0" Long Nose	5.44
32936 - 8.0" BiCut SuperCut	
32848 - 6.3" Cable Cutters	
32860 - 6.3" Universal Wire Stripper	
Insulated Phillips #1, #2, #3	
Insulated Slotted 4.5, 6.5mm	




Wiha Inomic 1000Volt Insulated Pliers





Insulation Standards:
EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA


Tools Meet 10,000 Volt Test Standards Rated to 1000 Volt ac or 1500 Volt dc





1000Volt

32850	Inomic Combo Pliers
 up to 1000 volt. Individually Tested.	
DIN ISO 5749 Precision machined forged head. Induction hardened for longest tool life. Cross hatched flat jaw & deep cut radius jaws for secure gripping of the work piece. Cutting edges are matched for precise cutting action. Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue. Palm side of grip has molded soft panel for added comfort in prolonged use.	
Item	 Cutting Capacity 
No.	mm Inch Copper AWG lbs. Pkg.
32850	180 7.0 #6 .46 1

32852	Inomic Long Nose Pliers
Item	 Cutting Capacity 
No.	mm Inch Copper AWG lbs. Pkg.
32852	160 6.3 #6 .43 1
32854	Inomic Diagonal Cutters
Item	 Cutting Capacity 
No.	mm Inch Copper AWG lbs. Pkg.
32854	160 6.3 #6 .41 1



1000volt

32859	3 Pc. Insulated Inomic Pliers/ Cutters Set
Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue. 3 holsters included	
Item# 32859	Set Includes:  lbs. 1.45
7.0" Combo Pliers	
6.3" Diagonal Cutters	Inomic Holster
6.3" Long Nose Pliers	(Includes 3)
91230	Inomic Canvas Holster
Item	Width Height 
No.	Size Size lbs. Pkg.
91230	4.0 x 4.5 .05 1

Wiha Insulated Ratcheting Cable Cutters

Insulation: VDE, EN/IEC, ASTM, NFPA70E, CSA & OSHA Tested to 10,000 volts with 1000 volts safety rating



△ 1000volt

11980 Insulated ACSR Ratcheting Cable Cutter Replaceable tool steel cutting blades are securely mounted for accurate cutting. Handles lock in closed position for easier storage. High leverage ratchet mechanism for best cutting performance. 13.9" OAL

Item	OAL	up to	Inch		
No.	mm	MCM	Dia.	Capacity	lbs. Pkg.
11980	353	477	1.25"	32ml	3.4 1



△ 1000volt

119 High Voltage Double-Insulated Ratcheting Cable Cutters

High leverage ratchet cable cutter with shear type blades cuts stranded & flexible copper and aluminum cable. Not for use on steel. Features built in safety release in all cutting positions, and high-visibility comfort grip handles.

Item	OAL	up to	Inch		
No.	mm/Inch	MCM	Dia.	Cap.	lbs. Pkg.
11960	250/10.0"	500	1.25"	32ml	1.58 1
11975	280/11.0"	750	2.0"	52ml	2.02 1

Insulated Stripping Pliers



△ 1000volt

10250 Insulated Stripping Pliers. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested.

Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

Item No.	mm	Inch	Ø	AWG	lbs. Pkg.
10250	160	6.3"	0.81-2.59	20-10	.26 1

Insulated End Cutters

For cutting solid aluminum, copper & medium hard wires



△ 1000volt

29250 End Cutters, With Insulated Handle. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested. Blade alloyed tool steel. Induction hardened.

Item	OAL	OAL	Cap.		
No.	mm	Inch	Inch	lbs.	pkg.
29250	250	10.0"	7/8"	1.1	1

Wiha Insulated Waterpump Pliers



△ 1000volt

29240 Waterpump Pliers, With Insulated Handle Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested. Box joint. Chrome-vanadium steel, drop forged, oil hardened.

Item	OAL	OAL	Cap.		
No.	mm	Inch	Inch	lbs.	pkg.
29240	240	9.5"	7/8"	1.1	1



△ 1000volt

116 Waterpump Pliers, With Insulated Handle Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested. Chrome-vanadium steel, drop forged, oil hardened.

Item	OAL	OAL		
No.	mm	Inch	lbs.	pkg.
11630	300	12.0"	1.8	1

Wiha Insulated Adjustable Wrenches



△ 1000volt

76208 Insulated 8" Adjustable Wrench Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for added protection.

Item	OAL	OAL	Capacity		
No.	Inch	mm	Opening	lbs.	pkg.
76208	8.0	200	1"	.7	1

△ 1000volt

76210 Insulated 10" Adjustable Wrench

Item	OAL	OAL	Capacity		
No.	Inch	mm	Opening	lbs.	Pkg.
76210	10.0	250	1-1/4"	1.4	1

△ 1000volt

76212 Insulated 12" Adjustable Wrench

Item	OAL	OAL	Capacity		
No.	Inch	mm	Opening	lbs.	Pkg.
76212	12.0	300	1-1/2"	1.9	1

△ 1000volt

76215 Insulated 15" Adjustable Wrench


Item	OAL	OAL	Capacity		
No.	Inch	mm	Opening	lbs.	Pkg.
76215	15.0	380	1-11/16"	2.8	1

△ 1000volt

76290 3 Pc. Insulated Adjustable Wrenches Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No. 76290 Includes the following:

↔ lbs. 4.0 8.0", 10.0", 12.0" Adj. Pliers



△ 1000volt

Protturn Insulated Electrician's Shears



△ 1000volt

32951 Protturn Insulated Electrician's Shears Insulation meets VDE, ASTM, EN/IEC, CSA, NFPA OSHA Specifications. Made from stainless 420 grade steel


Item				
No.	mm	Inch	Pkg.	lbs.
32951	160	6.3	1	.22

Insulated Industrial Pliers & Cutters

10,000 Volt tested
1000 Volt Rated

Induction hardened
jaws and cutters
to 64HRC

Industrial
brushed finish



1000V

Two component ergo
cushion grip handles



New dynamic joint provides 40% easier
cuts & significantly longer tool life

Insulated Industrial NE Style Lineman's Pliers



Knurled
Striking
Zone



1000volt

32938 Insulated Industrial NE Style Lineman's Pliers. Insulation According to EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, Δ up to 1000 Volt. Individually Tested. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables.

Item	mm	Inch	Pkg.	wt.
32938	245	9.5	1	1.18

Insulated Lineman's Pliers With Crimpers

1000volt



Long life high performance
dynamic 60/40 joint

32917 Insulated Industrial Lineman's Pliers "5-In-1" Professional Design Insulation According to EN/IEC, ASTM, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested.

Item	mm	Inch	Cutting Capacity	lbs.	Pkg.
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32917	225	9.0	#4	.98	1

Insulated High Leverage Diagonal Cutters

1000volt



32939 Insulated Industrial High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested.

Item	mm	Inch	Cutting Capacity	lbs.	Pkg.
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32939	200	8.0	#4	.66	1

Insulated Heavy Duty Cable Cutters



1000volt

32927 Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, Δ up to 1000 Volt. Individually Tested.





Item						
No.	mm	Inch	Ø	mm2	lbs.	Pkg.
32927	200	8.0	20	60	.78	1

Insulated Long Nose Pliers With Cutters

1000volt



329 Insulated Industrial Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested.

Item			Cutting Capacity 	
No.	mm	Inch	Copper AWG	lbs. Pkg.
32926	160	6.3	#10	.36 1
32923	200	8.0	#8	.46 1

Insulated Diagonal Cutters






1000volt



Long life high performance
dynamic 60/40 joint

329 Insulated Industrial Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. DIN ISO 5749




Item			Cutting Capacity 		
No.	mm	Inch	Copper AWG	lbs.	Pkg
32933	160	6.3	#6	.64	1
32929	200	8.0	#6	.80	1

Insulated Crimpers



1000volt

32945 Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, Δ up to 1000 Volt. Individually Tested.

Item						
No.	mm	Inch	mm2	AWG	lbs.	Pkg.
32945	180	7.0	0.25-2.5	6-30	.64	1





Insulated Combo Pliers With Dynamic Joint

1000volt



Long life high performance
dynamic 60/40 joint

32930 Insulated Industrial High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. DIN ISO 5746

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32930	200	8.0	#4	.92	1

Insulated Stripping Pliers



1000volt

32947 Insulated Industrial Stripping Pliers. Insulation According to VDE 0682/part 201, DIN 7437, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, 1000 volt rated. Individually Tested. DIN ISO 5745

Item	mm	Inch	Stripping Capacity	Copper AWG	lbs.	Pkg.
No.						
32947	160	6.3	#8 - #28		.46	1

Insulated TriCut Strippers & Cutters

1000volt



32944 Insulated Industrial TriCut Strippers & Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Cuts cable, strips cable, strips wire leads. Unique 3 in 1 design provides faster combined cutting and stripping. Strips AWG sizes #10 & #14.

Item	mm	Inch	AWG	Pkg.	wt.
No.					
32944	170	6.7	#6	1	.58

Insulated BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire



1000volt

32936 Insulated Industrial BiCut SuperCut. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 Volt.

Individually Tested. For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item	mm	Inch	Pkg.	lbs.
No.				
32936	200	8.0	1	.78

Insulated BiCut SuperCut & Screwdriver Set

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



1000volt

32942 7 Pc. Insulated Industrial BiCut SuperCut & Screwdrivers lbs. 1.86

Item No. Insulated BiCut SuperCut:
32942 8.0"/200mm BiCut SuperCut
Ins. Drivers: Phillips: #0, #1, #2
 Slotted: 3.0, 4.5, 5.5mm

Insulated Water Pump Pliers

1000volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



32954 Insulated Industrial Water Pump Pliers 10 opening settings provides optimal adjustment to objects being gripped. Chrome-vanadium tool steel forgings, hardened and tempered.

Item	mm	Inch	Capacities	Round	Hex	lbs.	Pkg.
No.							
32954	250	10.0	1 3/4	2	.90	1	

Insulated Push Button Water Pump Pliers

1000volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



32956 Insulated Industrial Push Button Water Pump Pliers Extra narrow head for working in small spaces. Rapid and simple push button setting & locking. Finger jam protection for safe operation at all settings.

Item	mm	Inch	Capacities	Round	Hex	lbs.	Pkg.
No.							
32956	250	10.0	1 3/4	2"	.90	1	

Wiha Insulated Industrial Tool Sets

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



1000Volt

32981 3 Pc. Insulated Industrial Pliers & Cutters lbs. 2.18

Item No. Insulated Pliers & Cutters
32981 8.0" Combo Pliers, 8.0" Long Pliers, 8.0" Diagonal Cutters

1000Volt



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

32983 5 Pc. Insulated Industrial Diagonal Cutters & Screwdrivers lbs. 1.17

Item No. Insulated Diagonal Cutters:
32983 6.3"/160mm Diagonal Cutter
Insulated Drivers: Phillips: #1, #2
 Slotted: 3.0, 4.5mm

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



1000Volt

32984 6 Pc. Insulated Industrial Combo Pliers & Screwdrivers lbs. 2.06

Item No. Insulated Combination Pliers:
32984 8.0" Combination Pliers
 8" Long Nose Pliers
Drivers: Slotted: 3.0, 4.5mm
 Phillips: #2 • Square: #2

Wiha Insulated Industrial Tool Sets

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



In Belt Pack Pouch

1000volt



32985 7 Pc. Insulated Industrial Pliers/Cutters & Screwdrivers

Item No.	Insulated Pliers/Cutters:
32985	8.0" Combo Pliers, 6.3" Long Nose, 6.3" Diagonal Cutters
lbs.	Insulated Drivers: Phillips: #1, #2
2.30	Slotted: 3.0, 4.5mm

In Roll Out Pouch



1000volt



32987 8 Pc. Pliers & Cutters Set.

Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC, ASTM, NFPA, up to 1000 volt. Individually Tested.

Item#	32987	Set Includes:	
32926	- 6.3" Long Nose Pliers	lbs.	
32933	- 6.3" Diagonal Cutters	5.52	
32923	- 8.0" Long Nose Pliers		
32929	- 8.0" H.D. Diagonal Cutters		
32917	- 9.0" Lineman's w/Cutters		
32947	- 6.3" Stripping Pliers		
32927	- 8.0" Cable Cutters		
32945	- 7.0" Crimpers		

Tool box set in blow molded tray



1000Volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

32999 9 Pc. Insulated Industrial Pliers & Cutters Set

Insulated pliers & cutters set in a light weight tool box tray.

Item No.	9.0" Lineman's Pliers
32999	8.0" High Leverage Combo Pliers
lbs.	6.3" & 8.0" Long Nose Pliers
6.34	8.0" Cable Cutters
	6.3" & 8.0" Diagonal Cutters
	6.3" Stripping Pliers
	7.0" Crimping Pliers

1000volt

In Roll Out Pouch



32986 11 Pc. Pliers/Cutters & Screwdriver Set.

Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-10, NFPA70E, up to 1000 volt. Individually Tested.

Item#	32986	Set Includes:	
32926	- 6.3" Long Nose Pliers	lbs.	
32933	- 6.3" Diagonal Cutters	3.62	
32930	- 8.0" Combination Pliers		
32947	- 6.3" Stripping Pliers		
	Insulated Slotted: 3.0, 4.5, 5.5mm		
	Insulated Phillips: #1, #2		
	Insulated Square: #1, #2		

1000volt



32988 22 Pc. Pliers/Cutters & SlimLine Blade Set.

Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-10, NFPA70E, up to 1000 volt. Individually Tested.

Item#	32988	Set Includes:	
32923	- 8.0" Long Nose Pliers	lbs.	
32933	- 6.3" Diagonal Cutters	5.74	
32917	- 9.0" Lineman's w/Cutters		
32929	- 8.0" H.D. Diagonal Cutters		
32927	- 8.0" Cable Cutters		
32947	- 6.3" Stripping Pliers		
32945	- 7.0" Crimpers		

15 Pc. SlimLine Blade Set includes:

Insulated SlimLine Blade Holder	
Slotted: 3.0, 4.0, 5.5, 6.5	Phillips: #1, #2
Xeno: #1, #2	Square: #1, #2
TORX®: T8, T10, T15, T20	

In Roll Out Pouches



1000Volt



32390 11 Pc. Pliers & Driver Set.


Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested. In canvas tool bag

Item#	32390	Set Includes:	lbs. 7.5
		8.0" Linemans Pliers	
		6.3" & 8.0" Long Nose Pliers W/Cutters	
		6.3" Diagonal Cutters	
		8.0" High Leverage Cutters	
		Insulated Slotted: 3.0mm(1/8"), 4.5mm(3/16"), 6.5mm(1/4")	
		Insulated Phillips: #1, #2, #3	



Soft Grip Pliers & Cutters

Wiha Pliers & Cutters, professional quality at competitive prices. A wide selection covering most applications in which pliers & cutters are required.



Lineman's Pliers With Crimpers

5-in-1 Lineman's Pliers



With Lower Crimping Jaw

32616 Lineman's Pliers "5-in-1"

Professional Design Deep cut radius conduit jaws for non-slip gripping. Extra long induction hardened precision matched 64HRC cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Premium C70 tool steel forgings.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32616	225	9.0	#4	.88	1

Combination Pliers With Cutters



326 Combination Pliers With Cutters

DIN ISO 5746 Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. For gripping and holding as well as cutting soft & hard wires and cables. Soft vinyl grips, oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32603	160	6.3	#10	.41	1
32606	180	7.0	#9	.50	1
32609	200	8.0	#8	.63	1

High Leverage Combination Pliers



326 High Leverage Heavy Duty Combination Pliers DIN ISO 5746

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel forgings. Use For gripping, pulling & holding as well as cutting soft, hard & piano wires and cables. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32612	200	8.0	#4	.61	1
32615	225	9.0	#4	.78	1

Long Nose Pliers With Return Spring



32617 Long Nose Pliers With Cutters With Return Spring DIN ISO 5745

Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32617	160	6.3	#12	.22	1

Long Nose Pliers With Cutters



326 Long Nose Pliers With Cutters DIN ISO 5745

Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32618	160	6.3	#10	.28	1
32621	200	8.0	#8	.86	1

Bent Long Nose Pliers With Cutters

Angled 40°



326 Bent Long Nose Pliers With Cutters DIN ISO 5745

Long nose pliers angled 40°. Extra long cutters for flat and round wire. Partially Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32623	160	6.3	#10	.28	1
32625	200	8.0	#8	.96	1

Long Flat Nose Pliers



32630 Long Flat Nose Pliers

DIN ISO 5745 Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and right-angled bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Pkg.	lbs.
32630	160	6.3	1	.26

Long Round Nose Pliers



32633 Long Round Nose Pliers

DIN ISO 5745 Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and uniform round bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Pkg.	lbs.
32633	160	6.3	1	.25

Soft Grip BiCut SuperCut



Cutting capacity up to 3mm hardened piano wire



Double the power at the press of a button BiCut does the job of two pairs of pliers Up to 50% less hand strength required for cutting Cutting force doubled for extremely hard materials Switch between 2 strengths in one-handed operation

32636 Soft Grip BiCut SuperCut

For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item	↔	↔	↔	↔
No.	mm	Inch	Pkg.	lbs.
32636	200	8.0	1	.72

Soft Grip NE Style Lineman's Pliers



Knurled striking zone on vinyl grip pliers



32631 NE Style Lineman's Pliers

Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Soft vinyl grips.

Item	↔	↔	↔	↔
No.	mm	Inch	Pkg.	wt.
32631	245	9.5	1	1.18

Stripping Pliers



32645 Stripping Pliers DIN ISO 5744

Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Easy to use adjusting screw allows the stripping diameter to be set. Opening spring for effortless and sensitive handling of pliers. C70 special tool steel. 64HRC cutting edges. For Stripping up to Ø 5mm/#4 AWG conductor cross-section. Soft vinyl grips.

Item	↔	↔	↔	↔
No.	mm	Inch	Copper Awg#	lbs. Pkg.
32645	160	6.3	#8 - #28	.31 1

Cable Cutters



Long life is achieved through additional induction hardening of cutting edge to 64HRC

326 Cable Cutters Light, energy-saving & clean cutting with specially ground precision cutting edges. C70 special tool steel hardened & tempered. Soft vinyl grips. For cutting of copper & aluminum cables without crushing, also suitable for stripping. Not for steel cable, wires & copper conductors with hard coatings.

Item	↔	↔	↔	↔
No.	mm	Inch	Copper/Aluminum	lbs. Pkg.
32600	160	6.3	16mm	.34 1
32602	200	7.9	20mm	.62 1

Flush Cutting Mechanic's Diagonal Cutters

Special C70 tool steel hardened & tempered



Soft vinyl grips

Flush cutting, with return spring

326 Flush Cutting Mechanic's Diagonal Cutters With Return Spring DIN ISO 5749

Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For flush cutting soft and semi-hard wires.

Item	↔	↔	↔	↔
No.	mm	Inch	Copper AWG	lbs. Pkg.
32613	127	5.0	#12	.16 1

Soft Grip Crimping Pliers



326 Crimping Pliers DIN ISO 5743

Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. C70 special tool steel hardened & tempered. Soft vinyl grips.

Item	↔	↔	↔	↔
No.	mm	Inch	mm2 AWG	lbs. Pkg.
32604	145	5.75	0.25-2.5 14-32	.29 1
32605	180	7.0	0.25-16 6-32	.57 1

Diagonal Cutters



Special C70 tool steel hardened & tempered

326 Diagonal Cutters DIN ISO 5749

Low wear lap joint, riveted & able to withstand high levels of load. Low force cutting action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. For soft & medium hard wire. Soft vinyl grips.

Item	↔	↔	↔	↔
No.	mm	Inch	Copper AWG	lbs. Pkg.
32638	140	5.5	#6	.33 1
32642	160	6.3	#6	.49 1
32639	180	7.0	#6	.54 1

High Leverage Cutters



Soft vinyl grips

DIN ISO 5749

326 High Leverage Cutters

Semi-circular. Low wear lap joint, riveted and able to withst & high levels of load. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened & tempered.

Item	↔	↔	↔	↔
No.	mm	Inch	Copper AWG	lbs. Pkg.
32646	160	6.3	#6	.42 1
32649	180	7.0	#5	.50 1
32652	200	8.0	#4	.63 1

Diagonal Cutters

Flush cutting, with return spring



DIN ISO 5749

326 Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic

Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. For flush cutting soft and semi-hard wires.

Item	↔	↔	↔	↔
No.	mm	Inch	Pkg.	lbs.
32607	127	5.0	1	.14
32614	160	6.3	1	.36

Wiha Soft Grip Nippers



326 High Leverage End Cutting Nippers

DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel forgings hardened and tempered. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity	Copper AWG	lbs.	Pkg.
32657	160	6.3		#6	.41	1
32658	180	7.0		#6	.61	1
32659	200	8.0		#6	.75	1



326 Carpenter's End Nippers

DIN ISO 9243 High cutting performance & reduced effort achieved through the precise formation of the cutting blade after assembly. Long life cutting edges achieved by additional induction hardening. Special C70 tool steel, hardened & tempered. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity	Pkg.	lbs.
32671	180	7.0		1	.62
32672	200	8.0		1	.86



326 Mason Nippers DIN ISO 9243

High cutting performance and reduced effort achieved through the precise formation of the cutting blade after assembly. Long life induction hardened cutting edges. Special C70 tool steel, hardened & tempered. Soft vinyl Grips are oil & solvent resistant.





Item No.	mm	Inch	Cutting Capacity	Hard Wire AWG	lbs.	Pkg.
32674	220	8.75		#12	.76	1
32676	250	10.0		#12	.98	1
32678	280	11.0		#12	1.0	1
32680	300	12.0		#12	1.1	1

Standard Adjustable Pliers



326 Adjustable Pliers - Box Type

DIN ISO 5745 10 different opening sizes provide optimal adjustment to objects being gripped. Long durability achieved through additional induction hardening of jaws to approx. 58-60 HRC. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips are oil and solvent resistant.

Item			Capacities			
No.	mm	Inch	Round	Hex	lbs.	Pkg.
32660	180	7.0	1.25	1 1/2	.35	1
32661	250	10.0	1.75	2.0	.67	1
32663	300	12.0	2.0	2 1/4	1.2	1



32670 3 Piece Adjustable Pliers Set

Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32670 Set Includes: lbs. 2.52

32660 - Adj. Pliers, Box Type - 7.0"

32661 - Adj. Pliers, Box Type - 10.0"

32663 - Adj. Pliers, Box Type - 12.0"

In roll-up pouch



32601 4 Pc. Pliers & Cutters Set Drop-

forged from C70 special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32601 Set Includes: lbs. 3.2

32609 - Combination Pliers 32661 - Water Pump Pliers

32618 - Long Nose Pliers 32642 - Diagonal Cutters





Rapid Adjustable - Push Button Pliers



- Fast push button jaw release
- Finger jam protection in all settings

326 Push Button Adjustable Water Pump Pliers - DIN ISO 8976

Extra narrow head for working in restricted spaces. Rapid and simple push button setting and locking. Long durability achieved by additional inductive hardening of gripper jaws to approx. 58-60 HRC. Finger jam protection in all settings ensures safe operation. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips. For gripping and holding pipes and angular profiles such as hex nuts in the installation area.

Item	 		Capacities			
No.	mm	Inch	Round	Hex	lbs.	Pkg.
32664	180	7.0	1.25	1 1/2	.35	1
32665	250	10.0	1.75	2.0	.80	1
32667	300	12.0	2.0	2 1/4	1.2	1



32669 3 Piece Push Button Set

Item# 32669 Set Includes: lbs. 2.5

Push Button Adj. Water Pump Pliers - 7.0"

Push Button Adj. Water Pump Pliers - 10.0"

Push Button Adj. Water Pump Pliers - 12.0"

Protorn Stripping Pliers




57872 Protorn Stripping Pliers

Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism.

Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.


#57872	mm	Inch	Ø	AWG	lbs.	Pkg.
	180	7.0	0.81-2.59	20-10	.12	1

Wiha Pliers & Cutters Sets



32648 2 Piece Pliers & Cutters Set

Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32648 Set Includes:  lbs. .78

32621 - Long Nose Pliers With Cutters - 8.0"

32642 - Diagonal Cutters - 6.3"



32698 3 Piece Pliers & Cutters Set

Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32698 Set Includes:  lbs. 1.4


32606 - Combination Pliers 32642 - Diagonal Cutters

32618 - Long Nose Pliers



32640 2 Piece Soft Grip Pliers & Cutters Set

Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened.

Item# 32640 Set Includes:  lbs.

32616 Lineman's Pliers - 9.0"

32636 BiCut SuperCut - 8.0"

1.60

Soft Grip BiCut SuperCut & Screwdriver Set



32644 7 Pc. Soft Grip BiCut SuperCut & Screwdriver Set

 lbs. 1.78

Item No. BiCut SuperCut:

32644 8.0"/200mm BiCut SuperCut

Screwdrivers: Phillips: #0, #1, #2

Slotted: 3.0, 4.0, 6.5mm


Combo Pliers & Bit Set

BiCut SuperCut & Ultra Driver

Tradesman



77786 15 Pc. Ultra Driver & Pliers Set With BiCut SuperCut & Ultra Driver Bit Set

Item No. 77786  lbs. 1.17

8.0" Soft Grip Vinyl BiCut SuperCut

For cutting various materials from soft to extremely hard. Double the power at the press of a button.

Ultra Driver Double End Bits:

Slotted: 3.0+4.5, 5.5+6.5mm

Phillips: #1+2, #0+3

Pozidriv®: #1+2

Square: #1+2, #0+3

Torx®: T10+T15, T20+T25

Hex Inch: 1/8+9/64, 5/32+3/16"

Hex MM: 3.0+4.0, 5.0+6.0mm

Wiha Soft Grip Belt Pack Pouch Sets

Durable Canvas Belt Pack Pouch



32653 3 Pc. Pliers/Cutters In Belt Pack Pouch


Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant.

Item No. Pliers & Cutters

32653 8.0"/200mm High Leverage Cutters

8.0"/200mm Combo Pliers

8.0"/200mm Long Nose Pliers

 lbs. 2.02

Durable Canvas Belt Pack Pouch



32655 5 Pc. Pliers/Cutters & Screwdrivers In Belt Pack Pouch

Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant. Screwdriver blades CVM tool steel, hardened, hard chromed. SoftFinish cushion grip drivers.

Item No. Pliers & Cutters  lbs. 1.62

32655 6.3"/160mm Diagonal Cutters

8.0"/200mm Long Nose Pliers

Cushion Grip Screwdrivers:

Slotted: 3.0, 4.5mm Phillips: 2

Pliers & Cutters Pouch Set

In canvas pouch




Pliers precision formed



32608 8 Pc. Pliers/Cutters Jaws & cutters induction hardened. Long life edge is achieved through additional induction hardening to approx. 60 HRC.

Item No. Set Includes:

32608 6.3"/160mm Combination Pliers

 6.3"/160mm & 8.0"/200mm Long Nose Pliers

lbs. 6.3" / 160mm Diagonal Cutters

4.42 6.3" / 160mm Long Flat Nose Pliers


6.3" / 160mm Long Round Nose Pliers

8.0" / 200mm High Leverage Cutters

9.0" / 225mm High Leverage Combo Pliers

Soft Grip Pliers & Cutters In Tool Box Tray

Tool box set in blow molded tray



32679 9 Piece Pliers & Cutters Set In Tool Box Tray Pliers & cutters set in a light weight tool box tray.

Item No.

32679 9.0" Lineman's Pliers 8.0" Combo Pliers

6.3" Long Nose Pliers 8.0" Cable Cutters

8.0" Long Nose Pliers 6.3" Stripping Pliers

lbs. 6.3" Diagonal Cutters 7.0" Crimping Pliers

6.34 8.0" Diagonal Cutters

Retaining Ring Pliers - Internal



326 Straight Internal Retaining Ring Pliers

DIN ISO 5256 Shape C, straight tips. Die forged cylindrical precision formed. Chrome-vanadium special tool steel. For inserting & removing internal retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32681	139	5.5	5/16-1/2	8-13	.035/.9	.27	1
32682	140	5.5	1/2-1	12-25	.050/1.3	.27	1
32683	180	7.0	3/4-2 3/8	19-60	.070/1.5	.42	1
32684	225	8.9	1 1/2-4	40-100	.090/2.3	.63	1
32654	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1

90° Angle Retaining Ring Pliers - Internal



326 90° Angle Internal Retaining Ring Pliers

DIN ISO 5254 Shape D, 90° angled tips. Die forged cylindrical precision formed. CV Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32685	139	5.5	5/16-1/2	8-13	.035/.9	.27	1
32686	140	5.5	1/2-1	12-25	.050/1.3	.27	1
32687	180	7.0	3/4-2 3/8	19-60	.070/1.5	.42	1
32688	225	8.9	1 1/2-4	40-100	.090/2.3	.62	1
32656	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1

Forged Retaining Ring Pliers



32693 8 Pc. Straight Retaining Ring Pliers Set

Straight tips. For inserting & removing internal and external retaining rings.

Item# 32693 Set Includes: lbs. 3.65

Internal-Shape C	External-Shape A
32681 8-13mm/tip .035	32689 3-10mm/tip .035
32682 12-25mm/tip .050	32690 10-25mm/tip .050
32683 19-60mm/tip .070	32691 19-60mm/tip .070
32684 40-100mm/tip .090	32692 40-100mm/tip .090

Retaining Ring Pliers - External




326 Straight External Retaining Ring Pliers

DIN ISO 5254 Shape A, straight tips. Die forged cylindrical precision formed. For fitting & removing external retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32689	139	5.5	1/8-3/8	3-10	.035/.9	.28	1
32690	140	5.5	3/8-1	10-25	.050/1.3	.28	1
32691	180	7.0	3/4-2 3/8	19-60	.070/1.5	.45	1
32692	225	8.9	1 1/2-4	40-100	.090/2.3	.62	1
32662	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1


90° Angle Retaining Ring Pliers - External



326 90° Angled External Retaining Ring Pliers

DIN ISO 5254 Shape B, 90° angled tips. Die forged cylindrical precision formed. For fitting & removing external retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32694	139	5.5	1/8-3/8	3-10	.035/.9	.28	1
32695	140	5.5	3/8-1	10-25	.050/1.3	.28	1
32696	180	7.0	3/4-2 3/8	19-60	.070/1.5	.44	1
32697	225	8.9	1 1/2-4	40-100	.090/2.3	.63	1
32666	310	12.2	3.5-5.5	85-140	.126/3.2	1.2	1




32626 5 Piece Straight Internal Ring Pliers Set

Shape C, straight tips. Die forged cylindrical precision formed. For inserting & removing internal retaining rings.

Item# 32626 Set Includes: lbs. 1.60

32681 8-13mm / tip .035	32684 40-100mm / tip .090
32682 12-25mm / tip .050	32654 85-140mm / tip .126
32683 19-60mm / tip .070	



32628 5 Piece Straight External Ring Pliers Set

Shape A, straight tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item# 32628 Set Includes: lbs. 1.52

32689 3-10mm / tip .035	32692 40-100mm / tip .090
32690 10-25mm / tip .050	32662 85-140mm / tip .126
32691 19-60mm / tip .070	




32629 5 Piece 90° Angle External Ring Pliers Set

Shape B, 90° angled tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item# 32629 Set Includes: lbs. 1.52

32694 3-10mm / tip .035	32697 40-100mm / tip .090
32695 10-25mm / tip .050	32666 85-140mm / tip .126
32696 19-60mm / tip .070	



32627 5 Piece 90° Angle Internal Ring Pliers Set

Shape D, 90° angled tips. Die forged cylindrical precision formed. CV Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item# 32627 Set Includes: lbs. 1.56

32685 8-13mm / tip .035	32688 40-100mm / tip .090
32686 12-25mm / tip .050	32656 85-140mm / tip .126
32687 19-60mm / tip .070	

Wiha MagicTip Safety Ring Pliers

"MagicTips"



High performance precision notched tips for maximum stability & secure holding (Safety notched on .070, .090 & .126)

Hardened MagicTips are notched to hold rings securely on .070, .090 & .126 sizes



Safety Notched

Tips made of premium quality hardened CVM tool steel, HRC 64

Heavy duty forged pliers with soft vinyl grips

- Faster & Easier Application
- Fewer Lost Rings
- Safer To Use
- Saves Time & Money

No Dropped Rings!



Patents Pending

MagicTip Safety Ring Pliers - Internal



Soft vinyl grips

346 MagicTip Straight Internal Safety Ring Pliers DIN ISO 5256 Shape C, straight tips.

Precision machined tips of CV special tool steel. For inserting & removing internal retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34610	180	7.1	3/4-2 3/8	19-60	.070/1.5	.34	1
34611	220	8.7	1 1/2-4	40-100	.090/2.3	.54	1
34612	305	12.0	3.5-5.5	85-140	.126/3.2	.90	1

MagicTip 90° Angle Safety Ring Pliers - Internal



Soft vinyl grips

346 MagicTip 90° Angle Internal Safety Ring Pliers DIN ISO 5254 Shape D,

90° angled tips. Precision machined tips of Chrome-vanadium Special tool steel. For inserting & removing internal retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34615	180	7.1	3/4-2 3/8	19-60	.070/1.5	.34	1
34616	220	8.7	1 1/2-4	40-100	.090/2.3	.54	1
34617	305	12.0	3.5-5.5	85-140	.126/3.2	.94	1

MagicTip Safety Ring Pliers- External




Soft vinyl grips

346 MagicTip Straight External Safety Ring Pliers DIN ISO 5254 Shape A,

straight tips. Precision machined tips of Chrome-vanadium special tool steel. For fitting & removing external retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34620	185	7.3	3/4-2 3/8	19-60	.070/1.5	.34	1
34621	240	9.5	1 1/2-4	40-100	.090/2.3	.57	1
34622	300	11.8	3.5-5.5	85-140	.126/3.2	1.0	1

MagicTip 90° Angle Safety Ring Pliers - External



Soft vinyl grips

346 MagicTip 90° Angled External Safety Ring Pliers DIN ISO 5254 Shape B,

90° angled tips. Precision machined tips of Chrome-vanadium special tool steel. For fitting & removing external retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34625	185	7.3	3/4-2 3/8	19-60	.070/1.5	.36	1
34626	240	9.5	1 1/2-4	40-100	.090/2.3	.57	1
34627	300	11.8	3.5-5.5	85-140	.126/3.2	1.1	1


In Canvas Roll-Up Pouch



Soft vinyl grips



34699 12 Pc. Straight And 90° Internal & External Ring Pliers Set Precision machined tips of CV special tool steel. For inserting & removing retaining rings.

Item# 34699 Set Includes:  lbs. 8.52

34610 19-60mm / tip .070	34620 19-60mm / tip .070
34611 40-100mm / tip .090	34621 40-100mm / tip .090
34612 85-140mm / tip .126	34622 85-140mm / tip .126
34615 19-60mm / tip .070	34625 19-60mm / tip .070
34616 40-100mm / tip .090	34626 40-100mm / tip .090
34617 85-140mm / tip .126	34627 85-140mm / tip .126




In Canvas Roll-Up Pouch



Soft vinyl grips

34697 6 Pc. Straight Internal & External Ring Pliers Set Precision machined tips of Chrome-vanadium special tool steel.

For inserting & removing retaining rings.

Item# 34697 Set Includes:  lbs. 4.04

34610 19-60mm / tip .070	34620 19-60mm / tip .070
34611 40-100mm / tip .090	34621 40-100mm / tip .090
34612 85-140mm / tip .126	34622 85-140mm / tip .126




In Canvas Roll-Up Pouch



Soft vinyl grips

34698 6 Pc. 90° Angle Internal & External Ring Pliers Set Precision machined tips of CV special tool steel. For inserting & removing retaining rings. Soft vinyl grips

Item# 34698 Set Includes:  lbs. 4.46

34610 19-60mm / tip .070	34620 19-60mm / tip .070
34611 40-100mm / tip .090	34621 40-100mm / tip .090
34612 85-140mm / tip .126	34622 85-140mm / tip .126

Wiha Industrial SoftGrip Pliers & Cutters

Made by Wiha

Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Natural brushed finish.

**40/60
Dynamic
Joint**



New dynamic joint provides
40% easier cuts &
significantly longer tool life

Induction hardened
cutters



Ergonomic
shape for
maximum user
comfort

Anti-slip soft dual
material handles
for safe gripping

Slip guards
molded into grip

Two component
SoftGrip ergo handle



Industrial SoftGrip Combination Pliers



309 Industrial Combination Pliers

DIN ISO 5746 Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping and holding as well as cutting soft and hard wires and cables. Two component Industrial SoftGrip ergonomic handles.

Item	mm	Inch	Cutting Cap.	lbs.	Pkg.
No.					
30901	160	6.3	#10	.52	1
30903	180	7.0	#9	.67	1
30905	200	8.0	#8	.83	1

Industrial SoftGrip Linemans Crimpers



30912 Industrial Linemans Crimpers

DIN ISO 5746 Extra large head & extra long cutting edges for flat and round cables. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles.

Item	mm	Inch	Cutting Cap.	lbs.	Pkg.
No.					
30912	225	9.0	#4	1.1	1

Industrial SoftGrip Cable Cutters



309 Industrial Cable Cutters DIN ISO 5749

Energy saving & clean cutting cable cutters with specially ground precision cutting edges. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 special CV tool steel.

Item	mm	Inch	Cutting Capacity	lbs.	Pkg.
No.			Copper/Aluminum		
30926	160	6.3	16mm	.56	1
30928	200	8.0	20mm	.87	1

Industrial SoftGrip Diagonal Cutters



309 Industrial Diagonal Cutters DIN ISO

5749 Low wear lap joint, riveted & able to withstand high levels of load. Low force action, clean cutting. Long life cutting edge is achieved with additional induction hardening to approx. 64HRC. Special C70 tool steel forgings hardened & tempered. For soft & medium hard wire.

Item	mm	Inch	Cutting Capacity	lbs.	Pkg.
No.			Copper AWG		
30923	140	5.5	#6	.45	1
30925	160	6.3	#6	.57	1
30927	180	7.0	#6	.69	1

Industrial SoftGrip Heavy Duty Combo Pliers



309 Industrial Heavy Duty Combination

Pliers DIN ISO 5746 Larger Head & extra long cutting edges for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles.

Item	mm	Inch	Cutting Cap.	lbs.	Pkg.
No.			Copper AWG		
30907	200	8.0	#7	.81	1
30909	225	9.0	#6	1.0	1

Industrial SoftGrip BiCut SuperCut



Cutting capacity up to
3mm hardened piano wire



Double the power at the press of a button BiCut does the job of two pairs of pliers Up to 50% less hand strength required for cutting Cutting force doubled for extremely hard materials Switch between 2 strengths in one-handed operation

30936 Industrial SoftGrip BiCut SuperCut

For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item	mm	Inch	Pkg.	lbs.
No.				
30936	200	8.0	1	.78

Industrial SoftGrip High Leverage Diagonal Cutters



309 Industrial High Leverage Diagonal

Cutters DIN ISO 5749 Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C60 special C70 tool steel hardened and tempered.

Item	mm	Inch	Cutting Capacity	lbs.	Pkg.
No.			Copper AWG		
30929	160	6.3	#6	.57	1
30931	180	7.0	#5	.68	1
30933	200	8.0	#4	.89	1

Industrial SoftGrip NE Style Lineman's Pliers



Knurled
Striking
Zone



30940 Industrial NE Style Lineman's Pliers Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Two component SoftGrip handle.

Item	↔	↔	↔	↔	
No.	mm	Inch	Pkg.	wt.	
30940	245	9.5	1	1.18	

Industrial SoftGrip Long Nose Pliers



309 Industrial Long Nose Pliers With Cutting Edge DIN ISO 5745 Long nose pliers. Extra long cutters for flat and round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item	↔	↔	Cutting Cap.	↔	↔
No.	mm	Inch	AWG	lbs.	Pkg.
30911	160	6.3	#10	.41	1
30913	200	8.0	#8	.56	1

Industrial SoftGrip Bent Long Nose Pliers

Angled approx. 40°



309 Industrial Bent Nose Pliers With Cutters DIN ISO 5745 Long nose pliers angled approx. 40°. Extra long cutting edge for flat & round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item	↔	↔	Cutting Capacity	↔	↔
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30915	160	6.3	#10	.42	1
30917	200	8.0	#8	.57	1

Industrial SoftGrip Flat Nose Pliers



30919 Industrial Long Flat Nose Pliers DIN ISO 5745 Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and right-angled bending of wires and sheet metal parts.

Item	↔	↔	↔	↔	
No.	mm	Inch	Pkg.	lbs.	
30919	160	6.3	1	.43	

Industrial SoftGrip Long Round Nose Pliers



30921 Industrial Long Round Nose Pliers DIN ISO 5745 Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and bending of wires and sheet metal parts.

Item	↔	↔	↔	↔	
No.	mm	Inch	Pkg.	lbs.	
30921	160	6.3	1	.39	

Industrial SoftGrip Heavy Duty End Nippers



30939 Industrial Heavy Duty End Cutting Nippers Induction hardened cutting edges. Special tool steel. Gripping and right-angled bending of wires and sheet metal parts. Two component SoftGrip handle.

Item	↔	↔	↔	↔	
No.	mm	Inch	Pkg.	lbs.	
30939	200	8.0	1	.54	

Industrial SoftGrip Stripping Pliers



For stripping up to
Ø 5mm/#4 AWG

30947 Industrial Stripping Pliers DIN ISO 5743 Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Easy to use adjustment screw allows stripping diameter to be quickly changed. Return spring for effortless use. Special C70 tool steel edges. Stripping Diameter: .019" to .393".

Item	↔	↔	Stripping Capacity	↔	↔
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30947	160	6.3	#8 - #28	.48	1

Stripping Pliers



56871 Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

Item No.	mm	Inch	Ø	AWG	lbs.	Pkg.
56871	180	7.0	0.81-2.59	20-10	.15	5

Industrial BiCut SuperCut & Screwdriver Set



30942 7 Pc. Industrial BiCut SuperCut & Screwdriver Set lbs. 1.86

Item No.	BiCut SuperCut:
30942	8.0"/200mm BiCut SuperCut
	Screwdrivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.0, 6.5mm

Made by Wiha

Industrial SoftGrip Standard Adjustable Pliers

With box joint



30937 Industrial Adjustable Pliers

DIN ISO 8976 10 opening settings provides optimal adjustment to objects being gripped. Long life achieved through additional induction hardening of jaws to approx. 64HRC. Chrome-vanadium tool steel forgings, hardened and tempered. Two component SoftGrip ergonomic handle. Black finish.

Item No.	mm	Inch	Capacities Round	Hex	lbs.	Pkg.
30937	250	10.0	1 3/4"	2"	.94	1

Industrial SoftGrip Push Button Adj. Pliers

With box joint



309 Industrial Slide Lock Adjustable Pliers - Box Joint - With Push Button Setting.

DIN ISO 8976 Extra narrow head for working small spaces. Rapid and simple push button setting and locking. Long life achieved through additional induction hardening of jaws to approx. 64HRC. Finger jam protection for safe operation at all settings. CVM tool steel forgings, hardened and tempered.

Item No.	mm	Inch	Capacities Round	Hex	lbs.	Pkg.
30943	250	10.0	1 3/4"	2"	.95	1
30944	300	12.0	2 1/2"	2 9/16"	1.5	1

Industrial SoftGrip Pliers & Cutters 2 Piece Set



30941 2 Piece Industrial SoftGrip Pliers & Cutters Set

Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item#	Set Includes:	lbs.
30912	Lineman's Pliers - 9.0"	1.88
30936	BiCut SuperCut - 8.0"	

Industrial SoftGrip Pliers & Cutters Sets



30993 3 Piece Industrial SoftGrip Pliers & Cutters Set

Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item#	Set Includes:	lbs.
30905	Combination Pliers - 8.0"	1.76
30925	Diagonal Cutters - 6.3"	
30911	Long Nose Pliers - 6.3"	



30998 8 Pc. Industrial SoftGrip Pliers & Cutters Set

Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item#	Set Includes:	lbs.
6.3"	Combination Pliers	
9.0"	Heavy Duty Combination Pliers	4.91
6.3"	Long Nose Pliers	
8.0"	Long Nose Pliers	
5.5"	Diagonal Cutters	
8.0"	High Leverage Diagonal Cutters	
10.0"	Adjustable Pliers	
7.0"	ComfortGrip Stripping Pliers	



30990 4 Pc. Industrial SoftGrip Pliers & Cutters Set

Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item#	Set Includes:	lbs.
9.0"	Heavy Duty Combination Pliers	
8.0"	Long Nose Pliers	2.81
8.0"	High Leverage Diagonal Cutters	
7.0"	ComfortGrip Stripping Pliers	



30991 18 Pc. Industrial SoftGrip Pliers/Cutters, Screwdrivers & Wrenches Set

Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item#	Set Includes:	lbs.
8.0"	Combination Pliers	
6.3"	Long Nose Pliers	6.76
6.3"	Diagonal Cutters	
10.0"	Adjustable Pliers	
Slotted: 5/32, 1/4"	Phillips: 1, 2	
Torx: T15, T20, T25	Square: 1, 2	
Wrenches: 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 5/8"x11/16", 3/4"x7/8"		

Soft Grip Electrician's shears



High alloy carbon steel, hardened, burnished surface. Sturdy model, straight, very robust, micro-toothed cutting.



32611 SoftGrip Electrician's And Craftsman Shears

Item No.	mm	Inch	Pkg.	lbs.
32611	145	5.75	1	.05

32610 Multipurpose Electrician's Heavy Duty Shears

Item No.	mm	Inch	Pkg.	lbs.
32610	145	5.75	1	.05

Wiha Precision Electronic Pliers & Cutters

The Comfortable Precision Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

Light weight design for maximum user comfort in production work

C70 tool steel HR60 hardness



Lay-on, riveted precision joint




Precision ground cutting edges for smooth cuts

Glare free black finish

Velvet soft ergonomically designed multi component handle

Electronic Diagonal Cutters



Full Flush

56818 Precision Electronic Diagonal

Cutters, Wide Pointed Head Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56818	138	5.5	1.3mm/16AWG	.22	1

Electronic Diagonal Cutters



Full Flush




Wire Holding Spring

56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring

Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56825	138	5.5	1.3mm/16AWG	.23	1

Electronic Diagonal Cutters



Semi Flush

56815 Precision Electronic Diagonal

Cutters, Wide Pointed Head Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires.

Item No.	mm	Inch	Cut Capacity	Hard Wire	Pkg.
56815	138	5.5	2.0mm/16AWG	0.8	1

Electronic Diagonal Cutters



Full Flush




56812 Precision Electronic Diagonal Cutters, Narrow Shape

Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	Pkg.
56812	118	4.5	0.8mm/16AWG	1

Electronic Pointed Pliers



56801 Electronic Short Nose Precision Pliers


Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

Item No.	mm	Inch	Pkg.	lbs.
56801	138	5.5	1	.23

Electronic Diagonal Cutters



Full Flush




Wire Holding Spring

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring

Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56813	128	5.0	1.0mm/16AWG	.19	1

Electronic Oblique 48° Cutter



Full Flush

56833 Electronic Oblique 48° Cutter

Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56833	138	5.5	1.3mm/16AWG	.22	1

Narrow Front Cutter/Long Nose Pliers



Full Flush

56830 Electronic Narrow 30° Front


Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56830	118	4.5	0.6mm/16AWG	.19	1

Wiha ESD Safe Pliers & Cutters




Beveled Cutter



Semi-Flush Cutter



Flush Cutter



Ultra Full Flush

Box joint for longer tool life & endurance, mirror polished finish

ESD standard IEC 61340-5-1



Welded double leaf spring

Two component handle with non-slip soft grip surface

Protects the hand and reduces manual effort & user fatigue


Hardened & annealed high carbon tool steel, induction hardened cutting edges

Precision Cutters Tapered Head

Semi Flush



115mm




Precision Cutters Tapered Head

Semi Flush



115mm



Precision Cutters Wide Tapered Head

Bevel



115mm



32703 Precision Cutters, Small Tapered Head, Semi Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

1.19 lbs.

Item No.	mm	Inch	Copper	Head	Width	Lbs.	Pkg.
32703	115	4.5	1.0	9.5mm		.19	1

32702 Precision Cutters, Small Tapered Head With Hollow Ground Back, Semi Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width	Lbs.	Pkg.
32702	115	4.5	1.0	9.5mm		.19	1

32706 Precision Cutters, Wide Tapered Head, Bevel

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width	Lbs.	Pkg.
32706	115	4.5	1.4	11.0mm		.20	1

Precision Cutters Tapered Head

Flush



115mm




Precision Cutters Tapered Head

Flush



115mm




Precision Cutters Wide Tapered Head

Flush



115mm



32705 Precision Cutters, Small Tapered Head, Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width	Lbs.	Pkg.
32705	115	4.5	1.0	9.5mm		.19	1

32704 Precision Cutters, Small Tapered Head With Hollow Ground Back, Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width	Lbs.	Pkg.
32704	115	4.5	1.0	9.5mm		.19	1

32708 Precision Cutters, Wide Tapered Head, Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width	Lbs.	Pkg.
32708	115	4.5	1.2	11.0mm		.19	1

Precision Cutters Wide Tapered Head

Full Flush




32710 Precision Cutters, Wide Tapered Head, Full Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32710	115	4.5	1.0	11.0mm	.23	1

Precision Cutters Slim Oval Form

Full Flush




32714 Precision Cutters, Slim Oval Head, Full Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32714	115	4.5	1.0	10.0mm	.23	1

Precision Cutters Wide Oval Form And Carbide Edge

Bevel




32718 Precision Cutters, Wide Oval Head Carbide Cutting Edges, Bevel Cutters drop-forged for an ideal material structure. Precise aligned carbide cutting edge. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32718	110	4 3/8	1.6	11.0mm	.20	1

Precision Cutters Wide Tapered Head

Flush



32711 Precision Cutters, Wide Tapered Head With Wire Trapping Device, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32711	115	4.5	1.2	11.0mm	.19	1

Precision Cutters Wide Oval Form

Bevel



32716 Precision Cutters, Wide Oval Head, Bevel Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32716	115	4.5	1.4	11.0mm	.19	1

Precision Cutters Wide Oval Form

Flush




32721 Precision Cutters, Wide Oval Head With Wire Trapping Device, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32721	115	4.5	1.2	11.0mm	.23	1

Precision Cutters Slim Oval Form

Flush



32712 Precision Cutters, Slim Oval Head, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32712	115	4.5	1.0	10.5mm	.23	1

Precision Cutters Wide Oval Form

Flush



32720 Precision Cutters, Wide Oval Head, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32720	115	4.5	1.2	11.0mm	.19	1

Oblique Angled Cutters




32722 Oblique Angled Cutters, 29°, Flush

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32722	115	4.5	1.2	12.0mm	.24	1

Oblique Front Cutters




32728 Oblique Front Cutters, Very Small Head, 40°, Flush

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32728	130	5.1	0.8	8.5mm	.21	1

ESD Safe Pliers




32742 ESD Safe Pliers, Short Snipe Nose (Chain Nose) Straight, Serrated Jaws

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32742	120	4 3/4	9.5mm	.20	1

Oblique Angled Cutters




32724 Oblique Angled Cutters, 29°, Full Flush

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32724	115	4.5	1.0	12.0mm	.24	1

End Cutters Extra Slim




32732 End Cutters, Extra Slim, Semi Flush

End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Tip Wdth	lbs.	Pkg.
32732	130	5.1	0.6	4.1mm	.16	1

ESD Safe Pliers




32744 ESD Safe Pliers, Snipe Nose (Chain Nose) Bent 45°, Smooth Jaws

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32744	120	4 3/4	9.5mm	.20	1

Oblique Angled Cutters



32726 Oblique Angled Cutters, 29°, Short Head, Semi Flush

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32726	115	4.5	1.2	12.0mm	.24	1

End Cutters Wide Head




32734 End Cutters, Wide Head, Flush

End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32734	115	4.5	1.4	11.0mm	.18	1

ESD Safe Pliers




32746 ESD Safe Pliers, Long Needle Nose Pliers, Straight, Serrated Jaws

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32746	145	5 3/4	12.0mm	.27	1

ESD Safe Pliers

Needle Nose,
Bent 90°




32748 ESD Safe Pliers, Needle Nose Pliers, Bent 90°, Smooth Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32748	145	5 3/4	12.0mm	.21	1

ESD Safe Pliers

Short Round
Nose Pliers




32750 ESD Safe Pliers, Short Round Nose Pliers, Smooth Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32750	120	4 3/4	9.5mm	.17	1

ESD Safe Pliers

Short Flat
Nose Pliers



32752 ESD Safe Pliers, Short Flat Nose Pliers, Smooth Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32752	120	4 3/4	9.5mm	.16	1

ESD Safe Diagonal Cutters



32760 ESD Safe Precision Flush Cutting Diagonal Cutters Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32760	133	5.25	.5"	.18	1

ESD Long Nose Pliers



32762 ESD Safe Long Nose Pliers With Return Spring Extra long cutters for flat and round cables. Serrated jaws. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel forgings. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32762	165	6.5	.625"	.24	1

ESD standard IEC 61340-5-1



32790 4 Piece ESD Safe Pliers Set In Custom Case Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Dissipative.

#32790 4 piece ESD Safe Pliers Set Set includes:

- 32716 4.5" Oval Side Cutters
- 32746 5.75" Long Nose Pliers
- 32752 4.75" Flat Nose Pliers
- 32728 4.375" Oblique Cutters

lbs. 1.02

ESD Safe Tool Set In Canvas Pouch

ESD standard IEC 61340-5-1



32793 11 Piece Set, 4 ESD Safe Pliers, Slotted & Phillips Screwdrivers Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle.

#32793 11 piece ESD Safe Pliers & Slotted/Phillips Precision Drivers

Set in custom case includes:

ESD Safe Pliers & Cutters

32705 4.5" Tapered Flush Cutters

32742 4.5" Snipe Nose Pliers

32728 4.375" Oblique Cutters

32746 5.7" Long Nose Pliers

ESD Safe Screwdrivers

Slotted 2.0, 2.5, 3.0, 3.5mm

Phillips #00, 0, 1

lbs. 2.43

ESD standard IEC 61340-5-1



32791 11 Pc. Set, 4 ESD Safe Pliers, SYSTEM 4 Slotted & Phillips 5 Pc. Set & 2 ESD Safe Tweezers Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Precision handle & 4 CVM tool steel blades. Tweezers anti-static conductive, ESD Safe Hypoallergenic, anti-magnetic stainless.

#32791 11 pc. ESD Safe Pliers, Tweezers & SYS 4 precision Set in custom case:

ESD Safe Pliers & Cutters

32716 4.5" Oval Side Cutters

32746 5.75" Long Nose Pliers

32752 4.75" Flat Nose Pliers

32728 4.375" Oblique Cutters

SYSTEM 4 Set in separate pouch

28000 ESD Safe Conductive Precision Handle
Slotted: 1.5, 2.0, 3.0 & 4.0

Phillips: 000, 00, 0 & 1

ESD Safe Tweezers: AA SA ESD & 7a SA ESD

lbs. 1.32

Wiha ESD Safe Protturn Pliers & Cutters

protturn

Glare free
black finish

Hardened steel
return spring

Surface resistance of handles is $10^6 - 10^9$ Ohms




ESD standard
IEC 61340-5-1



Tested ESD
Safe handle with
non-slip soft grip surface,
protects the hand and reduces
manual effort & user fatigue

ESD Safe Wire Stripper




45810 Protturn ESD Safe Wire Stripper

C70 special tool steel. Glare free, black finish.
ESD Safe handle with non-slip grips. Strips
0.2, 0.3, 0.4, 0.5, 0.6, 0.8mm

Item No.	mm	Inch	Strips AWG	Pkg.	lbs.
45810	165	6.5	30 to 20	1	.25

ESD Safe Flat Nose Pliers




45812 Protturn ESD Safe Flat Nose

Smooth Jaws Pliers C70 special tool steel.
Glare free, black finish. ESD Safe handle with
non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45812	160	6.3	1	.18

ESD Safe Round Nose Pliers



45814 Protturn ESD Safe Round Nose

Pliers ESD standard IEC 61340-5-1.
C70 special tool steel. Glare free, black finish.
ESD Safe handle with non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45814	152	6.0	1	.17

ESD Safe Long Nose Pliers



45811 Protturn ESD Safe Long Nose

Pliers, Serrated Jaws C70 special tool steel.
Glare free, black finish. ESD Safe handle with
non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45811	160	6.3	1	.18

ESD Safe Bent Nose Pliers




45813 Protturn ESD Safe Bent Nose Pliers

ESD standard IEC 61340-5-1. C70 special tool
steel. Glare free, black finish. ESD Safe handle
with non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45813	152	6.0	1	.18

ESD Safe Diagonal Cutters



45820 Protturn ESD Safe 21° Precision


Cutters/Flush Cut ESD standard IEC 61340-5-1.
C70 special tool steel. Glare free, black finish.
ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45820	127	5.0	18/1mm	1	.16

Wiha ESD Safe Protturn Pliers & Cutters

Surface resistance of handles is $10^6 - 10^9$ Ohms


ESD Safe Diagonal Cutters



45821 Protturn ESD Safe 45° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45821	127	5.0	18/1mm	1	.14


ESD Safe Diagonal Cutters



45823 Protturn ESD Safe 21° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45823	133	5.25	14/1.6mm	1	.14


ESD Safe Diagonal Cutters



45822 Protturn ESD Safe 21° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45822	140	5.5	16/1.3mm	1	.15

ESD Safe Diagonal Cutters




45824 Protturn ESD Safe 45° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45824	140	5.5	14/1.6mm	1	.16

Wiha ESD Safe Protturn Pliers/Cutters, Precision Drivers & MicroBits Set

protturn ESD standard IEC 61340-5-1



 Surface resistance of handles is $10^6 - 10^9$ Ohms

45890 26 Pc. Set, Protturn ESD Safe Pliers, Precision Slotted & Phillips

Screwdrivers, Precision Micro Bit Set & ESD Safe Tweezers ESD Protturn Pliers

glare free, black finish, ESD Safe non-slip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

#45890 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer Set in Canvas Pouch

ESD Safe Protturn Strippers, Pliers & Cutters

45810 - 6.5" Wire Stripper

45811 - 6.3" Long Nose Pliers

45813 - 6.0" Bent Nose Pliers

45823 - 5.25" 21° Precision Cutters

ESD Safe Slotted & Phillips Precision Drivers

Slotted: 2.0, 2.5, 3.0mm & Phillips: 0, 1


ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm

Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0

Torx: T4, T5, T6, T7, T8, T9, T10

ESD Safe Tweezer: 00 SA ESD -

120mm Heavy Duty Strong, Tapered To Strong Point

 lbs. 1.74



Wiha Pipe Wrenches Narrow Style

All Steel Narrow Profile Pipe Wrenches


Easy access 20%
Narrower profile
heads

Comfortable
handle profile

Rapid adjusting nut
with acme thread

Extra heavy duty hardened CV
steel, induction hardened jaws

Safe & secure grip with back raked serrated jaws



32995 3 Piece Pipe Wrench Sets

Hardened chrome-vanadium steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces and nuts.

Item#	32995	Set Includes:	lbs. 5.60
32970	- 12.60" S-Jaws	32978 - 12.20" 90° Jaws	
32974	- 12.36" 45° Jaws		



32996 3 Piece Narrow Style 90° Pipe Wrench Sets

Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut.

Item#	32996	Set Includes:	lbs. 10.80
32978	- 12.20" Narrow Style 90°		
32979	- 16.54" Narrow Style 90°		
32980	- 22.05" Narrow Style 90°		

Pipe Wrenches Narrow Style / S-Jaw



329 Pipe Wrenches Narrow Style / S-Jaw

S-Jaw shape angled 45°. Self clamping gripping of pipes and hex nuts at 3 points. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe & secure grip on pipes & hex nuts.

Item No.	Inch OAL	Max. grip pipe dia.	maximum jaw opening	lbs. 2.4	Pkg. 1
32970	12.60	1	40mm(1.5")	2.4	1
32971	16.38	1.5	55mm(2.1")	2.4	1
32972	21.06	2	67mm(2.6")	3.9	1

Pipe Wrenches Narrow Style - 45°



329 Pipe Wrenches Narrow Style - 45°

Narrow shape angled 45°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe & secure grip on pipes, flat work-pieces & nuts.

Item No.	Inch OAL	Max. grip pipe dia.	maximum jaw opening	lbs. 1.8	Pkg. 1
32974	12.36	1	40mm(1.5")	1.8	1
32975	16.77	1.5	55mm(2.1")	2.1	1
32976	22.44	2	67mm(2.6")	6.3	1

Pipe Wrenches Narrow Style - 90°



329 Pipe Wrenches Narrow Style - 90°

Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces & nuts.

Item No.	Inch OAL	Max. grip pipe dia.	maximum jaw opening	lbs. 2.2	Pkg. 1
32978	12.20	1	40mm(1.5")	2.2	1
32979	16.54	1.5	55mm(2.1")	3.2	1
32980	22.05	2	67mm(2.6")	6.0	1

Wiha Ratchet Crimpers

Ratchet End Sleeve Crimper



Factory set
auto release
at end of
crimp cycle



5 die nests side
entry crimp

43612 Ratchet End Sleeve Crimper

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles.

Item No.	Inch Length	AWG Range	lbs. 1.18	Pkg. 1
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper For Standard Connectors



Crimp
Profile

Factory set auto release
at end of crimp cycle



Soft grip non-slip

43618 Ratchet Crimper For Standard Connectors

Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-18 red, 16-14 blue, 12-10 yellow.

Item No.	Inch Length	AWG Range	lbs. 1.06	Pkg. 1
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper Push On Terminals



Crimp Profile
"F"/"B"

Factory set auto
release at end of
crimp cycle



Soft grip non-slip

43624 Ratchet Crimper Push On Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 24-20, 20-18, 16-14, 12-10. Soft grip non-slip handles.

Item No.	Inch Length	AWG Range	lbs. 1.06	Pkg. 1
43624	220mm/8.6"	24-10	1.06	1

Ratchet Crimper For Eye Terminals



Self
adjusting
side entry
crimp

Factory set auto
release at end of
crimp cycle



Soft grip non-slip

43643 Ratchet Crimper For Eye Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 26-22, 20-18, 12-10, 8-6.

Item No.	Inch Length	AWG Range	lbs. 1.02	Pkg. 1
43643	220mm/8.6"	26-6	1.02	1

PortaCrimp Dies, Frame & Sets

PortaCrimp Tools



One piece dies - held together to prevent mix up and loss



Tested to 50,000 Crimps

Reliable, ratchet controlled, ensures consistent & accurate crimp

Parallel action mimics applicator type performance



- **Top Quality:** 50,000 cycle tested frame for longest life & consistent performance
- **Reliable:** Parallel, full cycle, ratchet controlled action ensures consistent accurate crimps
- **Easy To Use:** Designed to give user full visibility of the crimping process
- **Versatile:** Quickly and easily inter-change crimp dies on the job
- **No More Lost Die Parts!** Practical design uses guide pin to keeps die components together
- **Practical:** Pocket size dies are compact & easy to carry
- **Ergonomic:** Reduced effort ratchet assisted crimping use one hand or two with extended grip
- **Economical:** One tool frame to do the job of many, select only the dies you need

PortaCrimp Tool Sets



43190 4 Pc. PortaCrimp Die Set Electrical

Reliable, ratchet controlled, ensures consistent & accurate crimp.

Item No.	Set includes:			
	Tool frame &	lbs.	Pkg.	
43190	43129, 43128, 43142	5.0	1	



43192 4 Piece PortaCrimp Die Set Data Com Telco

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes:			
	Tool Frame &	lbs.	Pkg.	
43192	43144, 43136, 43132	5.0	1	

PortaCrimp Tool Frame



43149 PortaCrimp Tool Frame Parallel action frame gives better performance. Symmetrical pressure with equal force mimics applicator performance. One piece die held together to prevent mix up and loss.


#43149	mm	Inch	lbs.	Pkg.
	234	9.75	1.1	1



Each die includes storage clip

PortaCrimp Dies

One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent and accurate with a parallel action stroke, good to 50,000 cycles.



43128 PortaCrimp Die Set For Green & Yellow Insulated Terminals & Splices

Item	Crimps	AWG		
No.	4-6 &	26-22 &	lbs.	Pkg.
43128	0.1-0.4mm ²	12-10	1.2	1



43127 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 24-8 AWG (0.25-10mm)

Item	Crimps		
No.	10/6/4/2.5/	AWG lbs.	Pkg.
43127	1-1.5/.25-.75mm ²	8-24 1.2	1



43154 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 2-1/0 AWG (35-50mm)

Item	Crimps	AWG		
No.	50 & 35mm ²	1/0 & 2	lbs.	Pkg.
43154			1.2	1



43146 PortaCrimp Open Barrel, Non-Insulated Standard Commercial Terminals & Lugs - .250" (6.3mm) Push On Terminals

Item	Crimps		
No.	4-6/1.5-2.5/	AWG lbs.	Pkg.
43146	0.5-1.0mm ²	22-10 1.2	1



43139 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item	Crimps	AWG		
No.	10/6/4mm ²	8/10/12	lbs.	Pkg.
43139			1.2	1



43153 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 6-4 AWG (16-25mm)

Item	Crimps	AWG		
No.	25 & 16mm ²	6 & 4	lbs.	Pkg.
43153			1.2	1



43151 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-2 .187" (4.8mm) Tab

Item	Crimps		
No.	1.5-2.5 &	AWG lbs.	Pkg.
43151	0.5-1.5mm ²	22-14 1.2	1

PortaCrimp Dies

One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



43143 PortaCrimp Weather Pack Open Barrel Terminals

Item	Crimps	AWG	lbs.	Pkg.
No.				
43143	3.0-0.5mm ²	12-20	1.2	1

43138 PortaCrimp Coaxial Network & Communications, CATV, HDTV, Video

Die set for RG6, Belden 1694A, Twinax BNC, CATV F Coaxial Connectors (.360"/.324" Hex)

Item	Crimps	lbs.	Pkg.
No.	9.14 & 8.23mm		
43138	(.360"/.324")	1.2	1

43132 PortaCrimp Datacom/Telecom Modular Plug

Die set for 6-position 6-contact

Item No.	RJ11	lbs.	Pkg.
43132		1.2	1



43141 PortaCrimp Fiber Optic

Die set for SMA, SMB, SFR, ST, SC fiber optic connectors (.178"/.213"/.151"/.128" hex)

Item	Crimps	lbs.	Pkg.
No.	4.52/5.41/3.84/3.25mm		
43141	(.178"/.213"/.151"/.128")	1.2	1


43140 PortaCrimp Coaxial Network & Communications

Die set for RG174, RG179 BNC/TNC Coaxial Connectors (.178"/.128"/.068" Hex), .028"(.07mm)Sq.

Item	Crimps	lbs.	Pkg.
No.	4.52/3.25/1.69mm hex 0.7mm sq.		
43140	(.178"/.128"/.068" hex, .028"	1.2	1

43147 PortaCrimp Power Contacts

Item	Crimps	AWG	lbs.	Pkg.
No.	4/14-1/			
43147	2.5/1.5mm	26-12	1.2	1



43136 PortaCrimp Coaxial Network & Communications

Die set for RG58, RG59, RG62AU BNC/TNC Coaxial Connectors (.213"/.255"/.068" hex).

Item	Crimps	lbs.	Pkg.
No.	1.69/5.41/6.48mm		
43136	(.213"/.255"/.068"hex)	1.2	1

43144 PortaCrimp Datacom/Telecom Modular Plug

Die set for 8-position 8-contact


Item No.	RJ45	lbs.	Pkg.
43144		1.2	1

43148 PortaCrimp Power Contacts

Item No.	Crimps	AWG	lbs.	Pkg.
43148	6 & 10mm	10-8	1.2	1



Professional Crimping Tools



43158 PortaCrimp Die set for heat shrink connectors: 0.5-1.5mm² red & 1.5-2.5mm² blue.  lbs. 1.2  Pkg. 1

Item	Crimps
No.	0.5-1.5mm ² (22-16AWG) red
43158	1.5-2.5mm ² (16-14 AWG) blue



43162 PortaCrimp Die set for heat shrink connectors: 4-6mm² yellow & 0.32-0.75mm² green.  lbs. 1.2  Pkg. 1

Item	Crimps
No.	4-6mm ² (12-10AWG) yellow
43162	0.32-0.75mm ² (22-18AWG) green



43654 Tool Die D-RJ11

Item no. lbs. Pkg.

43654 1.0 1

Crimps: 6/6, 6/4 RJ11



43655 Tool Die D-RJ22

Item no. lbs. Pkg.

43655 1.0 1

Crimps: 4/4, 4/2 RJ22



43656 Tool Die D-RJ45


Item no. lbs. Pkg.

43656 1.0 1

Crimps: 8/8, 8/6, 8/4 RJ45

(Primary & secondary strain relief punches)

43652 Crimping Tool Frame Parallel action ratchet crimp tool designed to provide the best crimp without compromise on modular plug terminals. Ratchet action to ensure full crimp cycle with safety release.

#43652	mm	Inch	 lbs.	 Pkg.
	200	7.87	.95	1



43657 Crimping Tool Die D-RJ45U (universal)

Item no. lbs. Pkg.

43657 1.0 1

Crimps: 8/8, 8/6, 8/4, Universal RJ45

(Primary strain relief punch only)



43658 Crimping Tool Die D-MMJ (DEC)

Item no. lbs. Pkg.

43658 1.0 1

Crimps: 6 pos. DEC/6



43659 Tool Die D-10POS

Item no. lbs. Pkg.

43659 1.0 1

Crimps: 10 pos.

Professional PortaCrimp Solar Connectors



143164 PortaCrimp Die-Multi-Contact MC3

Item No. lbs. Pkg.

143164 .14 1

Crimps MC3 Solar Connectors: 14-10 AWG



143165 PortaCrimp Die-Multi-Contact MC4

Item No. lbs. Pkg.

143165 .16 1

Crimps MC4 Solar Connectors: 14-10 AWG



143166 PortaCrimp Die For Tyco Solarlok

Item No. lbs. Pkg.

143166 .14 1

SOLARLOK: 14-10 AWG

Crimping Tools

Non-Insulated Crimping Tool



Die Profile



43632 Non-Insulated Crimping Tool


For Non-insulated terminals, lugs, wire splices and solid/standard wires ranging from 0.75 - 6.0mm². Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

↔ lbs. 1.2  Pkg. 1

#43632	mm	Inch	AWG
	255	10.0	22 - 10 (0.75-6.0mm ²)

50,000 Cycle Rated

Ergonomic Coaxial Crimping Tool



Die Profile



43613 Ergonomic Coaxial SMA, SMB, SMC Crimping Tool


Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on SMA, SMB, SMC coaxial connectors RG174, RG179 A/F. Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

↔ lbs. 1.1  Pkg. 1

#43613	mm	Inch	Hex Crimp Dim.
	212	8.35	3.25/4.52/1.69mm (.128"/.178"/.068"hex)

50,000 Cycle Rated

Ergonomic Coaxial Crimping Tool




Die Profile



43687 Ergonomic Coaxial Twinax CATV, F Crimping Tool

Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on Twinax CATV, F coaxial connectors RG6, RG6 Quad, 1695, Twinax. Ratchet action ensures full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

↔ lbs. 1.2  Pkg. 1

#43687	mm	Inch	Hex Crimp Dim.
	261	10.28	8.23/9.14/1.73mm (.360/.324/.068"hex)

50,000 Cycle Rated

Ergo D Sub UnInsulated/Open Barrel Crimping Tool




Die Profile



43617 Ergonomic D Sub UnInsulated/Open Barrel Crimping Tool

Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on UnInsulated/Open Barrel, D Sub wires ranging from 0.08 - 0.5mm². Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

↔ lbs. 1.1  Pkg. 1

#43617	mm	Inch	AWG
	212	8.35	28 - 20 (0.08-0.5mm ²)

50,000 Cycle Rated

Ergo D Sub UnInsulated/Open Barrel Crimping Tool



Crimp Profile Standard




Die Profile



43615 Ergonomic D Sub UnInsulated/Open Barrel Crimping Tool

Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on UnInsulated/Open Barrel, D Sub wires ranging from 0.05 - 0.5mm². Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

↔ lbs. 1.1  Pkg. 1

#43615	mm	Inch	AWG
	212	8.35	30 - 20 (0.05-0.5mm ²)

50,000 Cycle Rated

Soft Grip Crimping Pliers



326 Crimping Pliers DIN ISO 5743

Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening. C70 special tool steel hardened & tempered. Soft vinyl grips.

Item	↔	↔	↔	↔	↔	↔
No.	mm	Inch	mm ²	AWG	lbs.	Pkg.
32604	145	5.75	0.25-2.5	14-32	.29	1
32605	180	7.0	0.25-16	6-32	.57	1

(See other soft vinyl grip pliers & cutters on pages 11-14)

Automatic Stripping Tool



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



34-8 AWG

44212 Self Adjusting Cutting & Stripping

#44212	mm	Inch	AWG	Strip Dim.	lbs.
	191	7.5	34 - 8	0.02-10mm ²	.30

Replaceable Cassette - Straight Blade

34-8
AWG

44214 | **Straight Blade Cassette, PVC**

#44214	AWG	Strip Range	lbs.	Pkg.
	34 - 8	0.02-10mm ²	.02	1

Replaceable Cassette - 4-16mm²

Radius
Blade

44269	Replaceable Cassette, 4-16mm
-------	------------------------------

#44269	AWG	Strip Range	lbs.	Pkg.
	10 - 5	4-16mm ²	.02	1

Replaceable Cassette - "V" Blade



28-12
AWG

44213	Replaceable VBC or PTFE
-------	-------------------------

#44213	AWG	Strip Range	lbs.	Pkg.
	28 - 12	0.1-4mm ²	.02	1

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
10250	8	32615	12	32687	16	32831	6	32988	11	43643	28
11630	8	32616	12	32688	16	32832	5	32995	28	43652	32
11960	8	32617	12	32689	16	32833	6	32996	28	43654	32
11975	8	32618	12	32690	16	32834	5	32999	11	43655	32
11980	8	32621	12	32691	16	32835	5	34610	17	43656	32
29240	8	32623	12	32692	16	32836	5	34611	17	43657	32
29250	8	32625	12	32693	16	32837	6	34612	17	43658	32
30901	18	32626	16	32694	16	32838	5	34615	17	43659	32
30903	18	32627	16	32695	16	32841	4	34616	17	43687	33
30905	18	32628	16	32696	16	32850	7	34617	17	44212	34
30907	18	32629	16	32697	16	32852	7	34620	17	44213	34
30909	18	32630	12	32698	15	32854	7	34621	17	44214	34
30911	19	32631	13	32702	22	32859	7	34622	17	44269	34
30912	18	32633	12	32703	22	32860	4	34625	17	45810	26
30913	19	32636	13	32704	22	32861	5	34626	17	45811	26
30915	19	32638	13	32705	22	32867	7	34627	17	45812	26
30917	19	32639	13	32706	22	32868	7	34697	17	45813	26
30919	19	32640	15	32708	22	32870	5	34698	17	45814	26
30921	19	32642	13	32710	23	32871	6	34699	17	45820	26
30923	18	32644	15	32711	23	32872	6	43127	30	45821	27
30925	18	32645	13	32712	23	32873	6	43128	30	45822	27
30926	18	32646	13	32714	23	32875	6	43129	30	45823	27
30927	18	32648	15	32716	23	32889	7	43132	31	45824	27
30928	18	32649	13	32718	23	32891	7	43136	31	45890	27
30929	18	32652	13	32720	23	32917	9	43138	31	56801	21
30931	18	32653	15	32721	23	32923	9	43139	30	56812	21
30933	18	32654	16	32722	24	32926	9	43140	31	56813	21
30936	18	32655	15	32724	24	32927	9	43141	31	56815	21
30937	20	32656	16	32726	24	32929	9	43143	31	56818	21
30939	19	32657	14	32728	24	32930	9	43144	31	56825	21
30940	19	32658	14	32732	24	32933	9	43146	30	56830	21
30941	20	32659	14	32734	24	32936	10	43147	31	56833	21
30942	19	32660	14	32742	24	32938	9	43148	31	56871	19
30943	20	32661	14	32744	24	32939	9	43149	29	57872	14
30944	20	32662	16	32746	24	32942	10	43150	30	76208	8
30947	19	32663	14	32748	25	32944	10	43151	30	76210	8
30990	20	32664	14	32750	25	32945	9	43153	30	76212	8
30991	20	32665	14	32752	25	32947	10	43154	30	76215	8
30993	20	32666	16	32760	25	32951	8	43158	32	76290	8
30998	20	32667	14	32762	25	32954	10	43162	32	77786	15
32390	11	32668	14	32790	25	32956	10	43190	29	91230	7
32600	13	32669	14	32791	25	32970	28	43192	29	91256	4
32601	14	32670	14	32793	25	32971	28	43612	28	143164	32
32602	13	32671	14	32804	5	32972	28	43613	33	143165	32
32603	12	32672	14	32806	5	32974	28	43615	33	143166	32
32604	13,33	32674	14	32807	5	32975	28	43617	33		
32605	13,33	32676	14	32808	5	32976	28	43618	28		
32606	12	32678	14	32810	5	32978	28	43624	28		
32607	13	32679	15	32814	4	32979	28	43632	33		
32608	15	32680	14	32816	4	32980	28				
32609	12	32681	16	32818	4	32981	10				
32610	20	32682	16	32820	4	32983	10				
32611	20	32683	16	32821	4	32984	10				
32612	12	32684	16	32826	4	32985	11				
32613	13	32685	16	32828	4	32986	11				
32614	13	32686	16	32830	5	32987	11				

CALIFORNIA PROPOSITION 65 WARNING

These products contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm. (California law requires this warning to be given to customers in the state of California.)

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014


WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.



Like Us On
facebook

wiha 

Tools that work for you



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com


Catalog Item No. 99977.wo
version - 4/1/17

Subject to change
without notice

©2017 Willi Hahn Corporation

To:

**SEE OUR
GREAT
WEB
SPECIALS!**




91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog




99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99951.wo - Bits Catalog