



2017



wiha 

Tools that work for you

Professional Tech Tools



Complete Tech Tools Program



Wiha Precision Screwdrivers

Description	Page
Precision Slotted Drivers	4
Precision Phillips Drivers	4
Precision Pozidriv® Drivers	5
Precision Hex Drivers	5
Precision Ball End Drivers	6
Precision Nut Drivers	7
Precision Torx® Drivers	6
Precision Pentalobe Drivers	7
Precision Chip Lifters	4

Wiha Magnetizer/Demagnetizer

Description	Page
Magnetizer/Demagnetizer	11

Wiha Precision Protturn Drivers

Description	Page
Protturn Drivers & Blade Sets	12
Slotted, Phillips, Torx, Chip Lifter	

Wiha TorqueControl Tools

Description	Page
Torque Cable Keys	8
TorqueControl Handle	8

Wiha ESD Safe Precision Handles/Blades

Description	Page
SYSTEM 4 Handles/Blades	13-14
SYSTEM 4 Sets	15-17

Wiha Precision Screwdriver Accessories

Description	Page
Precision Master Tech Sets	8
Precision Pocket Clip	4
Precision Stand	4
Precision Pouch	11

Wiha ESD Safe Precision Handle & Blades

Description	Page
SYSTEM 4 Drive-Loc Handle & Blades	17
SYSTEM 4 Drive-Loc Set	17









Wiha Precision PicoFinish Drivers

Description	Page
PicoFinish Screwdrivers	9-11
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	
Insulated PicoFinish Drivers	12







ESD Safe Micro Bit Handles, Bits & Sets

Description	Page
Micro Bit Handles/Bits/Sets	18-22
Micro Bit Storage Handle Sets	20
ESD Safe Micro Bit Sets	20-22



Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	23
	Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	23
	Electronic Diagonal Cutters Narrow Shap	23
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	23
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	23
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	23
	Electronic Diagonal Cutters Short Nose Precision Pliers	23
	Electronic Stripping Pliers	23

Wiha Stripping Tools

	Description	Page
	Self Adj. Cut & Strip Tools	30
	Adjustable Cable Stripper	31
	Adjustable Stripping Tool	31
	CATV/Satellite Stripper	31
	2 Step Stripping Tools	32
	3 Step Stripping Tools	33

Wiha Professional Tweezers

	Description	Page
	ESD Safe Tweezers	24-26
	Inspection Mirrors	26




Wiha ESD Safe Tech Tools


- ESD Safe Precision Drivers Slotted/Phillips/Torx®/TorxPlus®/Hex/Nut Drivers/Chip Lifter
- ESD Safe Ceramic Drivers
- ESD Safe SYSTEM 4 Handles/Blades/Sets
- ESD Safe Drive-Loc Handles/Blades/Sets
- ESD Safe Pliers & Cutters



Catalog 99945.wo

Stripping & Crimping Tools

	Description	Page
	PortaCrimp Frame	27
	PortaCrimp Dies	28-29
	PortaCrimp Sets	27



Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation








High performance blades
CVM steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface

Wiha Precision Chip Lifter & Accessories



26810 Precision Chip Lifter
Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item							
No.	mm	mm	mm	mm	Inch	lbs.	Pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate





26001 Pocket Clip for Precision Screwdrivers Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	Fits all		lbs.		pkg.
26001	Precision handles	.01		1	











26000 Plastic Precision Tool Rack
Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6		lbs.		Pkg.
26000	Precision screwdrivers	.08		1	

Wiha Precision Slotted/Phillips Drivers




260 Slotted Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.  Pkg. 10

Item No.								
No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.
26008	.80	1/32	40	1.6	0.16	120	4.7	.02
26010	1.0	.039	40	1.6	0.18	120	4.7	.02
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02
26018	1.8	.070	40	1.6	0.30	120	4.7	.02
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07

*Metric dimensions actual - Inch dimensions approximate




26090 6 Piece Precision Slotted Set
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.


Item No.		lbs.
26090	Slotted:	
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	











26099 8 Piece Precision Slotted Set
Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item No.	Slotted:		lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm		
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm		.54




261 Phillips Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.  Pkg. 10

Item No.								
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26102	000	40	1.6	2.0	.08	120	4.7	.02
26100	00	40	1.6	2.0	.08	120	4.7	.02
26101	00	75	3.0	2.0	.08	155	6.1	.02
26105	0	50	2.0	3.0	.12	145	5.7	.02
26108	0	75	3.0	3.0	.12	170	6.7	.03
26107	0	100	3.9	3.0	.12	195	7.6	.05
26109	0	150	5.9	3.0	.12	245	9.6	.06
26110	1	60	2.4	4.0	.16	170	6.7	.05
26113	1	80	3.1	4.0	.16	190	7.5	.05
26114	1	100	3.9	4.0	.16	210	8.2	.06
26115	1	150	5.9	4.0	.16	260	10.2	.07

*Metric dimensions actual - Inch dimensions approximate




26190 8 Piece Precision Slotted & Phillips Screwdrivers & Industrial Long Nose Pliers Set

Item No.	Slotted: 1.5 x 40mm
26190	2.0, 2.5 x 50mm, 3.0 x 60mm
	Phillips: 00 x 40mm
lbs. .72	0 x 50mm, 1 x 60mm
	Industrial Long Nose Pliers
	6.3"/160mm OAL




26190.MC/26197 7 Pc. Precision Slotted & Phillips Set


Item No.	Slotted: 1.5 x 40mm
26197	2.0, 2.5 x 50mm, 3.0 x 60mm
	Phillips: 00 x 40mm
lbs. .31	0 x 50mm, 1 x 60mm



26199 8 Pc. Precision Slotted/Phillips Set

Item No.	Slotted:		lbs.
26199	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm		.55
	Phillips: 000, 00 x 40mm, 0 x 50mm, 1 x 60mm		

Wiha Precision Slotted/Phillips Drivers



26092 7 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26092	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
Phillips:		
	0 x 75mm	



26194 4 Piece Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	lbs.
No.	000, 00 x 40mm	
26194	0 x 50mm, 1 x 60mm	.18



26192 5 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
No.	2.5, 3.0, 4.0 x 150mm	.44
Phillips:		
26192	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26205	0	50	2.0	3.0	.12	145	5.7	.03
26210	1	60	2.4	4.0	.16	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch & Metric Precision Series



263 Inch Inch Hex Driver, With Precision Handle Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Inch	mm	mm	Inch	mm	Inch	lbs.
26307	0.028	0.7	40	1.6	120	4.7	.02
26309	0.035	0.9	40	1.6	120	4.7	.02
26313	0.05	1.3	40	1.6	120	4.7	.02
26316	1/16	-	50	2.0	145	5.7	.03
26320	5/64	2.0	50	2.0	145	5.7	.03
26323	3/32	-	60	2.4	170	6.7	.04
26327	7/64	-	60	2.4	170	6.7	.04
26331	1/8	-	60	2.4	170	6.7	.04
26333	9/64		60	2.4	170	6.7	.05
26336	5/32		60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



263 Metric Metric Hex Driver, With Precision Handle Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	.7	.028	40	1.6	120	4.7	.02	10
26309	.9	.035	40	1.6	120	4.7	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26391	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



26390 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	lbs.
26390	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	




26399 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	lbs.
26399	.028, .035, .050 x 1.6"	.55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	




Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver
With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
	26413	.050	40	1.6	120	4.7	.02	10
	26416	1/16	50	2.0	145	5.7	.03	10
	26419	5/64	50	2.0	145	5.7	.03	10
	26423	3/32	50	2.0	145	5.7	.03	10
	26427	7/64	60	2.4	170	6.7	.03	10
	26431	1/8	60	2.4	170	6.7	.05	10
	26436	9/64	60	2.4	170	6.7	.05	10
	26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver
With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item	No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
	26413	1.3	.050	40	1.6	120	4.7	.02	10
	26415	1.5	-	50	2.0	145	5.7	.03	10
	26420	2.0	-	50	2.0	145	5.7	.03	10
	26425	2.5	-	60	2.4	170	6.7	.04	10
	26430	3.0	-	60	2.4	170	6.7	.05	10
	26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item	No.	Ball End Hex Metric:	lbs.
	26491	1.3 x 40mm 1.5, 2.0 x 50mm 2.5, 3.0 x 60mm	.25



26490 8 Piece Ball End Hex Driver Set - Inch Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Hex Inch:	lbs.
	26490	.050 x 1.6, 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.28



In canvas storage pouch

26499 8 Pc. Ball End Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item	Ball End Hex Inch:	lbs.	
	26499	.050 x 1.6" 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

Wiha TORX® Precision Series



26792 7 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
	26792	T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	26701	T1	40	1.6	120	4.7	.01	10
	26702	T2	40	1.6	120	4.7	.02	10
	26703	T3	40	1.6	120	4.7	.02	10
	26704	T4	40	1.6	120	4.7	.02	10
	26705	T5	40	1.6	120	4.7	.02	10
	26706	T6	40	1.6	120	4.7	.02	10
	26707	T7	40	1.6	120	4.7	.02	10
	26708	T8	40	1.6	120	4.7	.03	10
	26709	T9	50	2.0	145	5.7	.03	10
	26710	T10	50	2.0	145	5.7	.03	10
	26715	T15	60	2.4	170	6.7	.05	10
	26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26790 6 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
	26790	T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No.	T1, T2, T3, T4, 26791	T5, T6, T7, T8
----------	--------------------------	----------------



26799 8 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	No.	TORX®:	lbs.
	26799	T3, T4, T5, T6, T7, T8 x 40mm T9 x T10 x 50mm	.50

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	PL1	40	1.6	120	4.7	.01	1
26762	PL2	40	1.6	120	4.7	.02	1
26763	PL3	40	1.6	120	4.7	.02	1
26764	PL4	40	1.6	120	4.7	.02	1
26765	PL5	40	1.6	120	4.7	.02	1
26766	PL6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate



26794 6 Pc. Precision Pentalobe

Screwdriver Set Blade high alloy CVM steel. Hard chrome finished. Super hardened best wear resistance long life.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision

Handle Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	Pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	Metric Nut Drivers:	lbs.
26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.48

26592 Set 7 Pcs. Nut Driver Metric

Item No.	Metric Nut Drivers:	lbs.
26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm	



26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Metric Nut Drivers:	lbs.
26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.70



265 Inch Inch Nut Driver With Precision

Handle Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	mm	mm	lbs.	Pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	Inch Nut Drivers:	lbs.
26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.47



26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

Wiha Precision Screwdriver Set



92189 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
92189	Phillips: #000, #00, #0, #1
	Pentalobe: PL1, PL2, PL3, PL4
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



92191 51 Pc. Precision Tool Tray Set
Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92191	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



92190 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Torque Cable Keys



286 Torque Cable Key For Threaded Hex Connectors For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	lbs.	Pkg.
28620	8mm	4.0	78	218	1.0	.06	1
28622	9mm	4.0	78	218	1.0	.06	1
28624	11mm	4.0	78	218	1.5	.06	1
28626	12mm	4.0	78	218	1.5	.06	1
28627	13mm	4.0	78	218	1.5	.06	1
28629	14mm	4.0	78	218	1.5	.06	1
28632	17mm	4.0	78	218	1.5	.06	1
28633	18mm	4.0	78	218	1.5	.06	1
28637	22mm	4.0	90	233	2.0	.10	1
28638	24mm	4.0	90	233	2.0	.10	1

28644 Torque Cable Key For Threaded Hex Connectors - Inch

Item No.	Size	mm	mm	mm	Max Nm	lbs.	Pkg.
28644	1/2"	4.0	78	218	1.5	.06	1



+/-6% accuracy tolerance
Certificate of calibration

28552 Adjustable TorqueVario-S Handle - In Newton Meter Scale EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments	mm	lbs.	Pkg.
28552	0.8 - 2.0Nm	.10 Nm	126 - 131	.45	1

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

Item No.	Symbol	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	⊥	0.8	.03	40	1.6	134	5.3	10
26051	⊥	1.0	.04	40	1.6	134	5.3	10
26052	⊥	1.2	.05	40	1.6	134	5.3	10
26053	⊥	1.5	.06	40	1.6	134	5.3	10
26054	⊥	1.5	.06	60	2.4	154	6.1	10
26055	⊥	1.8	.07	40	1.6	134	5.3	10
26056	⊥	1.8	.07	60	2.4	154	6.1	10
26060	⊥	2.0	.08	40	1.6	140	5.5	10
26061	⊥	2.0	.08	60	2.4	160	6.3	10
26063	⊥	2.0	.08	100	3.9	200	7.9	10
26065	⊥	2.5	.09	50	2.0	150	5.9	10
26066	⊥	2.5	.09	75	3.0	175	6.9	10
26068	⊥	2.5	.09	100	3.9	200	7.9	10
26070	⊥	3.0	.13	50	2.0	150	5.9	10
26072	⊥	3.0	.13	100	3.9	200	7.9	10
26073	⊥	3.0	.13	150	5.9	250	9.8	10
26074	⊥	3.5	.14	60	2.4	160	6.3	10
26076	⊥	4.0	.16	60	2.4	160	6.3	10
26079	⊥	4.0	.16	100	3.9	200	7.9	10
26080	⊥	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



26093 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle In storage pouch

Item No.	Slotted:	lbs.
26093	.8, 1.2, 1.5, 2.0 x 40mm	.55
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Symbol	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26130	⊕	000	40	1.6	2.0	.08	134	5.3	10
26132	⊕	00	40	1.6	2.0	.08	134	5.3	10
26133	⊕	00	60	2.4	2.0	.08	154	6.1	10
26135	⊕	0	50	2.0	3.0	.12	150	5.9	10
26136	⊕	0	75	3.0	3.0	.12	175	6.9	10
26140	⊕	1	60	2.4	4.0	.16	160	6.3	10
26142	⊕	1	80	3.1	4.0	.16	180	7.1	10
26145	⊕	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Slotted:	lbs.
26193	1.0, 1.5, 2.0 x 40mm	.55
	2.5 x 50mm, 3.5 x 60mm	.55
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Symbol	Size	mm	Inch	mm	Inch	lbs.	Pkg.
26721	⊕	T6	40	1.6	140	5.5	.03	10
26723	⊕	T7	40	1.6	140	5.5	.03	10
26725	⊕	T8	40	1.6	140	5.5	.03	10
26727	⊕	T9	50	2.0	150	5.9	.04	10
26729	⊕	T10	50	2.0	150	5.9	.04	10
26731	⊕	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX®:	lbs.
26798	T6, T7, T8 x 40mm	.45
	T9, T10, T15 x 50mm	

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Size	mm	Inch	mm	Inch	Pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T1, T2, T3, T4,	lbs.
26793	T5, T6, T7, T8	.50

In storage pouch



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T5, T6, T7, T8 x 40mm	lbs. .57
26796	T9, T10 x 50mm, T15, T20 x 60mm	

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	Pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item	Hex Inch:	
No.	.028, .035, .050 x 1.6"	.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Item						
No.	mm	mm	Inch	mm	Inch	Pkg.
26341	.7(.028)	40	1.6	134	5.3	10
26343	.9(.035)	40	1.6	134	5.3	10
26345	1.3(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	
26393	.7, .9, 1.3 x 40mm	.22
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



26493 7 Pc. Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	
No.	Ball End Hex Inch: .27
26493	1/16, 5/64, 3/32 x 2.0"
	7/64, 1/8, 9/64, 5/32 x 2.4"



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Nut Drivers Inch & Metric



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item	Inch Nut Drivers:		lbs.	.72
No.	3/32, 7/64, 1/8, 9/64,			
26593	5/32, 3/16, 7/32, 1/4" x 2.4"			



26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

Item	Metric Nut Drivers:	
No.	2.0, 2.5, 3.0, 3.5, 4.0,	lbs.
26596	4.5, 5.0, 5.5 x 60mm	.66

Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter Blade CVM steel, hardened, hard chromed.

Item	mm	mm	mm	mm	Inch	lbs.	pkg.
No.	1	3.5	50	150	5.9	.03	1
26815	Standard Soft PicoFinish handle						



91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item	Size	lbs.	pkg.
No.	14 1/2" W x 7 3/4" L	.13	1
91118			

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets

(+) to Magnetize
(-) to Demagnetize

40010 Magnetizer and Demagnetizer
To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:
To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item	Dimensions	lbs.
No.	2.1" x 2.0" x 1.1"	.30
40010		

(Parts under 1" Length or 1/8" Diameter may not demagnetize)



Insulated PicoFinish Precision Screwdrivers



320 Insulated Slotted PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

High quality CV steel, through hardened, black finish. Rotating cap for precise turning and control with fingertip.

Item	⊖	⊕	⊖	⊕	⊖	⊕
No.	mm	Inch	mm	mm	lbs.	Pkg.
32000	1.5	.06	40	154	.05	1
32001	2.0	.08	40	154	.07	1
32002	2.5	.10	60	160	.07	1
32003	3.0	.12	60	160	.08	1
32004	3.5	.14	60	160	.08	1



321 Insulated Phillips PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

Item	⊕	⊖	⊖	⊕	⊖	⊕
No.	Size	mm	mm	lbs.	Pkg.	
32106	00	40	154	.05	1	
32107	0	60	160	.07	1	
32108	1	60	160	.08	1	

1000Volt



Individually Tested Protective Insulation 1000Volt AC, VDE and GS Tested

32088 8 Pc. Slotted/Phillips PicoFinish Set

Item	Slotted: 1.5, 2.0,	⊖
No.	2.5, 3.0, 3.5mm	lbs.
32088	Phillips: #00, #0, #1	.35




1000Volt

32085 5 Pc. Slotted/Phillips PicoFinish Set

Item	Slotted: 1.5,	⊖
No.	2.5, 3.5mm	lbs.
32085	Phillips: #0, #1	.26

Wiha Protturn Precision Screwdrivers



Tip precision ground for exact fit

Molded on ergonomic handle

Rotating cap for precise turning and control with fingertip

Tapered handle allows rapid rotation

Blade CVM steel, black finish blades



95190 6 Pc. Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy CVM tool steel, black finish.

Item	Slotted: 1.5x40mm	⊖
No.	2.5x50mm, 3.5x60mm	lbs.
95190	Phillips: 00x40mm, 0x50mm, 1x60mm	.27



65090 9 Pc. Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. CVM tool steel, black finish blades.

Item	Slotted:
No.	1.5x40mm, 2.0x5.0mm,
65090	2.5, 3.0, 3.5, 4.0x60mm
	Phillips: 00x40mm, 0x50mm, 1x60mm



96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade CVM tool steel, hardened, black finish.

Item	⊖	⊖	⊖	⊖	⊖	⊖
No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

⊖ Slotted: 1.5, 2.0, 3.0, 4.0mm

⊕ Phillips: #000, #00, #0, #1

⊖ lbs. .15



62993 9 Pc. Slotted/Phillips/TORX Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

⊖ Slotted: 1.5, 2.0, 3.0, 4.0mm

⊕ Phillips: #000, #00, #0, #1

⊖ TORX: T6, T7, T8, T9, T10, T15, T20

⊖ lbs. .64



62995 22 Pc. Slotted/Phillips/TORX Ball End Hex Inch & Metric Tech Pack

Wiha Protturn precision ball retainer handle & 21 interchangeable blades. In canvas storage pouch

62995 Set includes the following blades:

⊖ Slotted: 1.5, 2.0, 3.0, 4.0mm

⊕ Phillips: #000, #00, #0, #1

⊖ TORX: T6, T7, T8, T9, T10, T15, T20

⊖ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⊖ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

⊖ lbs. .87

62994 14 Pc. Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

⊖ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⊖ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

⊖ lbs. .66

Set in canvas storage pouch

Wiha SYSTEM 4 Precision Handles and Blades



Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5 + 000		120	4.7	.05
26972	2.0 + 00		120	4.7	.05
26973	3.0 + 0		120	4.7	.05
26974	4.0 + 1		120	4.7	.06



269 SYSTEM 4 Pozidriv® Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1		120	4.7	.03



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0		120	4.7	.05
26904	2.0 + 3.5		120	4.7	.05
26905	2.5 + 4.0		120	4.7	.06



269 SYS 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item				lbs.
No.	Size	Size		
26951	T6 + T8			.03
26952	T7 + T9			.03
26953	T10 + T15			.03
26954	T15 + T20			.03



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00		120	4.7	.03
26912	0 + 1		120	4.7	.03



269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item			lbs.
No.	Size		
26955	T3		.03
26956	T4		.03
26957	T5		.03


Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Inch Hex Sizes,

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



280 SYSTEM 4 Inch Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



269 SYSTEM 4 Nut Driver Inch,

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL


Item				
No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 Metric Hex Sizes,

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 SYSTEM 4 Nut Driver Metric,

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	mm	mm	Inch	lbs.
26940	1.5 + 1.8	.12	.12	.03
26941	2.0 + 2.5	.16	.16	.03
26938	1.5 -	.11	.11	.04
26939	1.8 -	.12	.12	.04
26949	2.0 -	.13	.13	.06
26950	2.5 -	.16	.16	.06
26942	3.0 -	.20	.20	.06
26943	3.2 -	.20	.20	.06
26944	3.5 -	.22	.24	.06
26945	4.0 -	.22	.24	.06
26946	4.5 -	.25	.28	.06
26947	5.0 -	.27	.28	.06
26948	5.5 -	.30	.32	.06




269 SYS 4 Metric Ball End & Standard


Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	




Slotted, Phillips, TORX® Set In Steel Box



28094 11 Pc. Slotted, Phillips & TORX®


Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:


- ↔  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- lbs.  **Phillips:** 000, 00, 0, 1
- 1.51  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15



26996 5 Pc. Slotted & Phillips


Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades.


26996  Phillips: 000, 00, 0, 1

- ↓  **Slotted:** 1.5, 2.0, 3.0, 3.5mm
- ↔ lbs. .54



26995 5 Pc. TORX® Precision Blade Set


Wiha ESD Safe  precision collet lock handle and 4 interchangeable blades.

- 26995  TORX®:** T6, T7, T8, T9, T10, T15, T20
- ↔ lbs. .52



Slotted & Phillips Set In Steel Box




26993 6 Pc. Slotted & Phillips Precision


Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.


26993 Set includes the following blades:



- ↔  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
-  **Phillips:** 000, 00, 0, 1



26997 9 Pc. Slotted, Phillips and TORX®


Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.

26997  Phillips: 000, 00, 0, 1



- ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
-  **TORX®:** T6, T7, T8, T9, T10, T15
- ↔ lbs. .64



26987 8 Pc. TORX® Precision Blade Set


Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

-  **TORX® standard blades:** T3, T4, T5
-  **TORX® reversible blades:** T6, T7, T8, T9, T10, T15, T20
- ↔ lbs. .62



26989 9 Pc. Hex Inch Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.


26989  Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

- ↔ lbs. .64



Wiha Canvas Pouch Sets

Canvas Pouch



26990 4 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.


26990 Set includes the following blades:

Slotted: 2.0, 3.0, 4.0mm

Phillips: 00, 0, 1

lbs. .17

Canvas Pouch



26991 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle & 5 Wiha interchangeable blades. In canvas pouch.


26991 Set includes the following blades:

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

lbs. .29

Canvas Pouch



26992 17 Pc. Slotted, Phillips & Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle & 15 Wiha interchangeable blades.

26992 Set include the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1


Ball End Hex Inch: .050, 1/16, 5/64, 7/64, 3/32, 1/8"

Ball End Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

ESD Safe Precision Chip Lifter

lbs. .63

Canvas Pouch



28080 22 Pc. Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1

TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15

Hex: .028, .035


Ball Hex: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

ESD Safe Precision Chip Lifter

lbs. .33

ESD Anti-Static Vinyl Pouch Set

ESD Safe



28097 9 Pc. Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 Set includes the following blades:


Slotted: 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1

TORX®: T5, T6, T7, T8, T9, T10, T15

lbs. .33

ESD Safe



28084 13 Pc. Slotted, Phillips & Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0mm


Phillips: 000, 00, 0, 1

Ball End Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

lbs. .44

ESD Anti-Static Vinyl Pouch Set

ESD Safe



28091 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

lbs. .25

ESD Safe



28087 8 Pc. TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 Includes the following blades:

TORX® Standard blades: T3, T4, T5

TORX® Reversible blades:


T6, T7, T8, T9, T10, T15, T20

lbs. .29

ESD Technicians Kit


Precision Screwdrivers & Tweezers

Canvas Pouch




44590 12 Pc. Slotted, Phillips & TORX®


Precision Interchangeable Blade Set ESD

Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:

 **Slotted:** 2.0, 3.0, 4.0mm

 **Phillips:** 00, 0, 1

 **TORX®:** T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

Fine Point - AA SA

Extra Fine Point - 5 SA

Flat and Blunt - 2a SA






Curved Fine Point - 7a SA

 lbs. .60

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools






26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	mm	mm	lbs.	
26958	1.5	+	3.0	.02
26959	2.0	+	3.5	.02
26960	2.5	+	4.0	.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	Size	Size	lbs.	
26975	000	+	00	.02
26976	0	+	1	.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	Size	Size	lbs.	
26977	T1	+	T2	.02
26978	T3	+	T4	.02
26979	T5	+	T6	.02
26980	T6	+	T8	.02
26981	T7	+	T9	.02
26982	T10	+	T15	.02



280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	Size	Size	lbs.	
28002	0	+	1	.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	mm	mm	lbs.	
28003	1.3	+	1.3	.02
28004	1.5	+	1.5	.02
28005	2.0	+	2.0	.02
28006	2.5	+	2.5	.02
28007	3.0	+	3.0	.02
28008	4.0	+	4.0	.02




280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item				
No.	mm	mm	lbs.	
28009	1.5	+	1.8	.02
28010	2.0	+	2.5	.02
28011	3.0	+	3.0	.02
28012	3.2	+	3.2	.02
28013	3.5	+	3.5	.02
28014	4.0	+	4.0	.02
28015	4.5	+	4.5	.02
28016	5.0	+	5.0	.02
28017	5.5	+	5.5	.02




26985 12 Pc. SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch

Item No.	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0 lbs. .44
	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Micro Bits Made in Germany

Wiha SYSTEM 4 Micro Bits - 10 Bit Packs

CVM steel, hardened, on 4 mm hex stock.



Bits High alloy CVM steel, hardened

Tips Exact fit, precision machined

Use bits directly in handle or with 4" bit extension



756 SYSTEM 4 Hex Metric Micro Bits

Item	Hex	mm	Inch	lbs.
No.	mm	mm	Inch	lbs.
75616	.7	28	1.1	.06
75617	.9	28	1.1	.06
75618	1.3	28	1.1	.06
75619	1.5	28	1.1	.07
75620	2.0	28	1.1	.07
75621	2.5	28	1.1	.07
75622	3.0	28	1.1	.08
75623	4.0	28	1.1	.08



756 SYSTEM 4 TORX® Micro Bits

Item	TORX	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75660	T1	28	1.1	.06
75661	T2	28	1.1	.06
75662	T3	28	1.1	.06
75663	T4	28	1.1	.06
75664	T5	28	1.1	.06
75665	T6	28	1.1	.06
75666	T7	28	1.1	.06
75667	T8	28	1.1	.07
75668	T9	28	1.1	.07
75669	T10	28	1.1	.07
75670	T15	28	1.1	.08
75671	T20	28	1.1	.08



756 SYSTEM 4 Slotted Micro Bits

Item	Slotted	mm	Inch	lbs.
No.	mm	mm	Inch	lbs.
75602	0.8	28	1.1	.06
75603	1.2	28	1.1	.06
75604	1.5	28	1.1	.06
75605	1.8	28	1.1	.06
75606	2.0	28	1.1	.07
75607	2.5	28	1.1	.07
75608	3.0	28	1.1	.07
75609	3.5	28	1.1	.07
75610	4.0	28	1.1	.08



756 SYSTEM 4 Hex Inch Micro Bits

Item	Hex	Inch	mm	Inch	lbs.
No.	Inch	mm	Inch	lbs.	
75628	.028	28	1.1	.06	
75629	.035	28	1.1	.06	
75630	.050	28	1.1	.06	
75631	1/16	28	1.1	.06	
75632	5/64	28	1.1	.06	
75633	3/32	28	1.1	.07	
75634	7/64	28	1.1	.07	
75635	1/8	28	1.1	.07	
75636	9/64	28	1.1	.08	
75637	5/32	28	1.1	.08	



756 SYSTEM 4 Security TORX® Micro Bits

Item	Security TORX	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75678	T7s	28	1.1	.06
75679	T8s	28	1.1	.06
75680	T9s	28	1.1	.06
75681	T10s	28	1.1	.07
75682	T15s	28	1.1	.07
75683	T20s	28	1.1	.08



756 SYSTEM 4 Phillips Micro Bits

Item	Phillips	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75611	000	28	1.1	.06
75612	00	28	1.1	.06
75613	0	28	1.1	.06
75614	1	28	1.1	.07
75615	2	28	1.1	.07



756 SYS 4 Metric Security Hex Micro Bits

Item	Hex	mm	Inch	lbs.
No.	mm	mm	Inch	lbs.
75624	2.0	28	1.1	.06
75625	2.5	28	1.1	.07
75626	3.0	28	1.1	.07
75627	4.0	28	1.1	.08



756 SYSTEM 4 Inch Nut Setters

Item No.	Inch	mm	Inch	lbs.
75644	5/64	30	1.2	.07
75645	3/32	30	1.2	.07
75646	7/64	30	1.2	.07
75647	1/8	30	1.2	.07
75648	9/64	30	1.2	.08
75649	5/32	30	1.2	.08
75650	3/16	30	1.2	.08
75651	7/32	30	1.2	.09



756 SYSTEM 4 Pentalobe Micro Bits

Item	Pentalobe	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75672	PL1	28	1.1	.06
75673	PL2	28	1.1	.06
75674	PL3	28	1.1	.07
75675	PL4	28	1.1	.07
75676	PL5	28	1.1	.07
75677	PL6	28	1.1	.08



756 SYS 4 Security Hex Inch Micro Bits

Item	Hex	Inch	mm	Inch	lbs.
No.	Inch	mm	Inch	lbs.	
75638	5/64	28	1.1	.06	
75639	3/32	28	1.1	.06	
75640	7/64	28	1.1	.07	
75641	1/8	28	1.1	.07	
75642	9/64	28	1.1	.08	
75643	5/32	28	1.1	.08	



756 SYSTEM 4 Metric Nut Setters

Item No.	Metric	mm	Inch	lbs.
75652	2.0	30	1.2	.07
75653	2.5	30	1.2	.07
75654	3.0	30	1.2	.07
75655	3.5	30	1.2	.07
75656	4.0	30	1.2	.08
75657	4.5	30	1.2	.08
75658	5.0	30	1.2	.08
75659	5.5	30	1.2	.09

Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits



Rotating Cap for precise turning and control





Tips
Exact fit, precision machined


Tapered Handle allows rapid rotation, requires less clearance

Bits High alloy CVM steel, hardened

Use bits directly in handle or with 4" bit extension





75800 SYSTEM 4 Standard Precision Bit Handle Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
75800	4.0	.1574	14.0	.55 .06

75801 SYSTEM 4 ESD Safe  Dissipative Precision Bit Handle 110mm/4.3" OAL





Advantages:

- For working in ESD sensitive applications Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits





Item				
No.	mm	Inch	mm	Inch lbs.
75801	4.0	.1574	14.0	.55 .06

SYSTEM 4 Micro Bit Extension Blades





75900 Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item				
No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07





75901 Magnetic Bit Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item				
No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04





750 SYSTEM 4 Slotted Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01





751 SYSTEM 4 Phillips Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01
75125	2	28	1.1	.02





753 SYSTEM 4 Hex Metric Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01





753 SYSTEM 4 Hex Inch Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01





757 SYSTEM 4 TORX® Micro Bits CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75701	T1	28	1.1	.01
75702	T2	28	1.1	.01
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01





757 SYSTEM 4 Security TORX® Micro Bits

Item				
No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01

753 SYS 4 Metric Security Hex Micro Bits CVM steel, hardened, on 4 mm hex stock.



Item				
No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

753 SYS 4 Security Hex Inch Micro Bits

Item				
No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter For 4mm Bits

75902 Micro Bit 1/4" Drive Power Tool Adapter CVM steel, hardened, corrosion protected.

Item				
No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07



Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 Pentalobe Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75743	PL1	28	1.1	.01
75744	PL2	28	1.1	.01
75745	PL3	28	1.1	.01
75746	PL4	28	1.1	.01
75747	PL5	28	1.1	.01
75748	PL6	28	1.1	.01



758 SYSTEM 4 Metric & Inch Nut Setters CVM steel, hardened, on 4 mm hex stock.

Item No.	Metric	mm	mm	Inch	lbs.
75820	2.0	30	1.2	.01	
75821	2.5	30	1.2	.01	
75822	3.0	30	1.2	.01	
75823	3.5	30	1.2	.01	
75824	4.0	30	1.2	.01	
75825	4.5	30	1.2	.01	
75826	5.0	30	1.2	.01	
75827	5.5	30	1.2	.01	
Inch	Inch	mm	Inch	lbs.	
75810	5/64	30	1.2	.01	
75811	3/32	30	1.2	.01	
75812	7/64	30	1.2	.01	
75813	1/8	30	1.2	.01	
75814	9/64	30	1.2	.01	
75815	5/32	30	1.2	.01	
75816	3/16	30	1.2	.01	
75817	7/32	30	1.2	.01	

1/4" Drive Micro Bit Tool Adapters

#75802



#75803



75802 Micro Bit To 1/4" Drive Insert Bit Adapter magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75802	4.0	25	4.0	.01

75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter Uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75803	4.0	38	4.0	.02

Micro Bit Handle Storage Sets

Micro precision bits on 4mm hex drive

Bits of exclusive CRM-72 tool steel



Storage handle

Bits hardened for extreme durability



75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No.	Set with Micro Bit Precision Storage Handle
75981	↓ ▢ Slotted: 1.2, 1.5, 2.0mm ⊕ Phillips: 000, 00, 0 ↵ lbs. .08



75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No.	Set with Micro Bit Precision Storage Handle
75985	⊕ TORX® T3, T4, T5, T6, T7, T8 ↵ lbs. .08



75805 SYSTEM 4 Micro Bit Storage Handle

Accepts all SYSTEM 4 Series bits.

108mm / 4.25" OAL

Item No.	mm	Inch	lbs.
75805	4.0	.1574	.05



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No.	Set with Micro Bit Precision Storage Handle
75983	⊕ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8" ↵ lbs. .08


Micro Bit 4mm To 1/4" Socket Adapter



75806 Micro Bit 4mm to 1/4" Socket Adapter CVM steel, hardened.

Item No.	mm	Inch	lbs.
75806	28	1.125	.02

Wiha SYS 4 Micro Bits & Compact Bit Sets









26 Pc. Set


75999 **SYS 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box.** Precision handle, bit extension & 24 interchangeable bits.

Item No. Combination Bit Set

75999 Set with Standard Precision Handle

Set includes the following bits:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. .64









26 Pc. Set


75995 **SYSTEM 4 Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box**

Sets includes Wiha precision handle, bit extension & 24 Wiha interchangeable bits.

Item SYSTEM 4 Micro Bit Set

No. Set with ESD Safe Precision Handle

- 75995** and the following bits:
-  **TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
 -  **Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
 - ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
 -  **Phillips:** #000, 00, 0, 1
 -  **100mm Bit Extension**
 -  lbs. .54



27 Pc. Set

75994 **SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.**







Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75994 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **100mm Bit Extension**
-  lbs. .64







18 Pc. Set


75395 **SYS 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No. Combination Bit Set

75395 Set with Standard Precision Handle

Includes the following bits:

-  **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. .58



27 Pcs. Set

759 sets **SYSTEM 4 Slotted/Phillips/Hex Inch/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Sets include your choice of Wiha precision handle, bit extension & 25 Wiha interchangeable bits.







Item Handle Options for SYSTEM 4



No. Combination Bit Sets

75991 Set with Standard Precision Handle

75992 Set with ESD Safe Precision Handle

Sets include the following bits:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. .64



40 Pc. Set








75996 **SYSTEM 4 Interchangeable Bit Set, 40 Pcs.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75996 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. 1.04

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension



Surface resistance of handles is 10⁹ - 10¹⁰ Ohms

Rotation cap

Light weight & compact

Handle tapered for precise control

Bits hardened for extreme durability



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 00, 0, 1

lbs. ● TORX®: T6, T7, T8, T9, T10, T15, T20

.17 ○ 100mm Bit Extension



75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle


↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 00, 0, 1

↶ ● Hex Inch: .035, .050, 1/16, 5/64,

lbs. 3/32, 7/64, 1/8"

.17 ○ 100mm Bit Extension



75095 SYS 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 00, 0, 1

↶ ● Hex Metric: .9, 1.3, 1.5, 2.0, 2.5,

lbs. 3.0, 4.0mm

.17 ○ 100mm Bit Extension



75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75096 Set with ESD Safe Precision Handle

● Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↶ ● Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, lbs. 3.0, 4.0mm

.17 ○ 100mm Bit Extension



75097 SYS 4 Slotted, Phillips, Pentalobe Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set


75097 Set with ESD Safe Precision Handle

↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 00, 0, 1

lbs. ● Pentalobe: PL1, PL2, PL3, PL4


.17 ○ 100mm Bit Extension



91109 Black Cartridge Holder

Holds 14 Micro bits 4mm. 1" OAL

Item No.	mm	mm	lbs.
91109	4.0	25.4	.01



75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pc. In Storage Box. Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No. ↶ lbs. 1.16

75965 Includes the following micro bits:

Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Nut Drivers Metric: 2.0 - 5.5mm

Nut Drivers Inch: 5/64 - 7/32"

Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6

Magnetic 1/4" to 4mm Adapter

SYSTEM 4 Interchangeable Bit Sets



Includes Dust Cover



75968 SYSTEM 4 Micro Bit Set, 68 Pieces Includes ESD handle, Micro bit storage handle, micro bit extension & 65 micro bits.

Item No.

75968 Includes the following micro bits:

↶ ● Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, lbs. 3.0, 3.5, 4.0mm

.70 ● Phillips: 000, 00, 0, 1, 2

● TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

● Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm


● Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

○ Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm

○ Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"

○ Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6 Magnetic 1/4" to 4mm Adapter

* Does not include storage box



75971 SYSTEM 4 Micro Bit Set, 68 Pieces Includes ESD handle, Micro bit storage handle, micro bit extension & 65 micro bits.

Item No. Set In Zipper Case

75971 Includes the following micro bits:

↶ ● Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, lbs. 3.0, 3.5, 4.0mm

.96 ● Phillips: 000, 00, 0, 1, 2

● TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

● Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

● Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

○ Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm

○ Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"

○ Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6 Magnetic 1/4" to 4mm Adapter

The Comfortable Precision Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

Precision ground cutting edges for smooth cuts

Glare free black finish

Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

C70 tool steel HR60 hardness



Electronic Diagonal Cutters


Full Flush



56812 Precision Electronic Diagonal Cutters, Narrow Shape Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. For absolutely flush cutting of copper wires in difficult to access locations. \curvearrowright lbs. .19

Item No.	mm	Inch	Cut Capacity	Pkg.
56812	118	4.5	0.8mm/16AWG	1

Electronic Oblique 48° Cutter




Full Flush

56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56833	138	5.5	1.3mm/16AWG	.22	1

Electronic Diagonal Cutters



Full Flush

56818 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56818	138	5.5	1.3mm/16AWG	.22	1

Electronic Diagonal Cutters

Full Flush




Wire Holding Spring

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56813	128	5.0	1.0mm/16AWG	.19	1

Narrow Front Cutter/Long Nose Pliers




Full Flush

56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56830	118	4.5	0.6mm/16AWG	.19	1

Electronic Diagonal Cutters



Semi Flush

56815 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires. \curvearrowright lbs. .23

Item No.	mm	Inch	Cut Capacity	Hard Wire	Pkg.
56815	138	5.5	2.0mm/16AWG	0.8	1

Electronic Diagonal Cutters

Full Flush




Wire Holding Spring

56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56825	138	5.5	1.3mm/16AWG	.23	1


Electronic Stripping Pliers



56871 Electronic Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	lbs.	Pkg.
	180	7.0	0.81-2.59	20-10	.15	1

Electronic Pointed Pliers



56801 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

Item No.	mm	Inch	Pkg.	lbs.
56801	138	5.5	1	.23



Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

Item No.	Description	wt.
44501	AA SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Fine Round Points Shorter

Item No.	Description	wt.
44507	3c SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
44513	52 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Sturdy Long, Fine Round Points

Item No.	Description	wt.
44502	GG SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Very Fine Points/Tapered To Tip

Item No.	Description	wt.
44508	4 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
44514	53 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Long Narrow Body Low Force

Item No.	Description	wt.
44503	SS SA ESD - 135mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points/Tapered To Tip

Item No.	Description	wt.
44509	5 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.
44515	54 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Reduced Body To Medium Point

Item No.	Description	wt.
44504	2 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine Rounded Tips

Item No.	Description	wt.
44510	7a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	wt.
44518	22 SA ESD - 150mm	.10

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat Round Tip Smooth Sides

Item No.	Description	wt.
44505	2a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 0.8 to 2mm Diameter

Item No.	Description	wt.
44511	50 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Universal Blunt Tip Serrated

Item No.	Description	wt.
44520	40 SA ESD - 145mm	.11

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Fine Round Points For Assembly

Item No.	Description	wt.
44506	3 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 1.5 to 3mm Diameter

Item No.	Description	wt.
44512	51 SA ESD - 130mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip 45° Hook 1x1x2mm

Item No.	Description	wt.
44521	12 SA-SMD ESD-120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

Wiha Professional Quality ESD Safe Tweezers



MicroTip For Chips Angled 1.6 x 1 x 1mm

Item No.	Description	↔	wt.
44522	13 SA ESD - 120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	↔	wt.
44528	5bb SA ESD-107mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip 30° Bend & 0.5mm Slot Milled

Item No.	Description	↔	wt.
55531	11SA-SMD ESD-117mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Long Rounded to 1.0mm Wide No Serration

Item No.	Description	↔	wt.
44523	PSF SA ESD-125mm		.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip Bent 30° 1.6mm

Item No.	Description	↔	wt.
44529	8b SA ESD - 120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Narrow Body, Bent, Long Guide Pin, Serrated

Item No.	Description	↔	wt.
55532	22b SA ESD - 155mm		.10

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat Bent 35°, 3mm Diameter Grip

Item No.	Description	↔	wt.
44524	58 SA-SMD ESD-117mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat Bent 35° - 2mm Diameter Grip Radius

Item No.	Description	↔	wt.
44530	59 SA-SMD ESD-117mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Blunt Tips - 1.0mm Wide Serrated

Item No.	Description	↔	wt.
55533	PSF SA ESD-125mm		.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine, 3mm Long Straight Tip

Item No.	Description	↔	wt.
44525	7abb SA ESD - 120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



ESD Safe General Purpose Fine Point

Item No.	Description	↔	wt.
44531	1 SA ESD - 120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat and Broad Tips 3mm Wide

Item No.	Description	↔	wt.
55534	F SA ESD - 120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Narrow Body Low Force Bent 35° - 3mm Tip

Item No.	Description	↔	wt.
44526	SSbb SA ESD-140mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	↔	wt.
44532	00 SA ESD - 120mm		.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip Straight & 0.5mm Slot Milled

Item No.	Description	↔	wt.
55535	8ab SA-SMD ESD-120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	↔	wt.
44527	5abb SA ESD - 117mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled & Slightly Bent With Extra Fine Tips

Item No.	Description	↔	wt.
44533	7 SA ESD - 120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip 30° Bent & Angled With 0.5 Slot

Item No.	Description	↔	wt.
55536	19 SA-SMD ESD-120mm		.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

Wiha Professional Quality ESD Safe Tweezers



Chip Holding Curved Fine MicroTip

Item No.	Description	↕↔ wt.
55537	R10 SA SMD ESD - 117mm	.07

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Very Fine Points 40° Tapered To Tip

Item No.	Description	↕↔ wt.
55539	4b SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Wafer Tweezer

Item No.	Description	↕↔ wt.
55538	72a SA ESD -	.07

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



9mm Wide With Back Stop Pins - Wafer

Item No.	Description	↕↔ wt.
55546	89 SA ESD - 125mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled 12mm Wide Flat, Back Stop - Wafer

Item No.	Description	↕↔ wt.
55547	91 SA ESD - 125mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

Inspection Mirrors All Stainless Detachable & Boilable

Inspection Mirrors - Detachable All Stainless

For Visual Checks and Fault Finding at Inaccessible Locations

Natural Finish, Stainless Steel



Inspection Mirror - Stainless 10mm

Item No.	Description	↕↔ wt.
40410	#0 IM - 216mm	.09



Inspection Mirror - Stainless 26mm

Item No.	Description	↕↔ wt.
40426	#6 IM - 229mm	.10



Inspection Mirror - Stainless 14mm

Item No.	Description	↕↔ wt.
40414	#0 IM - 216mm	.09



Inspection Mirror - Stainless 30mm

Item No.	Description	↕↔ wt.
40430	#8 IM - 232mm	.10



Inspection Mirror - Stainless 20mm

Item No.	Description	↕↔ wt.
40420	#3 IM - 224mm	.09



Inspection Mirror - Stainless 22mm Short Stem

Item No.	Description	↕↔ wt.
40422	#4 IM - 224mm	.10



Inspection Mirror - Stainless 24mm Short Stem

Item No.	Description	↕↔ wt.
40424	#5 IM - 225mm	.10



7 Piece Inspection Mirror Set

Item No.	Description	↕↔ wt.
40490	7 P.c. Set Includes: 10mm, 14mm, 20mm, 22mm 24mm, 26mm, 30mm	.67



Disposable Inspection Mirrors

Item No.	Description	↕↔ wt.
40425	5 Pack - Plastic	.10

Set includes: White disposable inspection mirror #5 Inspection Mirrors - 24mm x 146mm

PortaCrimp Dies, Frame & Sets

PortaCrimp Tools



One piece dies - held together to prevent mix up and loss



Tested to 50,000 Crimps

Reliable, ratchet controlled, ensures consistent & accurate crimp

Parallel action mimics applicator type performance



- **Top Quality:** 50,000 cycle tested frame for longest life & consistent performance
- **Reliable:** Parallel, full cycle, ratchet controlled action ensures consistent accurate crimps
- **Easy To Use:** Designed to give user full visibility of the crimping process
- **Versatile:** Quickly and easily inter-change crimp dies on the job
- **No More Lost Die Parts!** Practical design uses guide pin to keeps die components together
- **Practical:** Pocket size dies are compact & easy to carry
- **Ergonomic:** Reduced effort ratchet assisted crimping use one hand or two with extended grip
- **Economical:** One tool frame to do the job of many, select only the dies you need

PortaCrimp Tool Sets

PortaCrimp Tool Frame



43149 **PortaCrimp Tool Frame** Parallel action frame gives better performance. Symmetrical pressure with equal force mimics applicator performance. One piece die held together to prevent mix up and loss.

#43149	mm	Inch	↕↔ lbs.	Pkg.
	234	9.75	1.1	1



43190 **4 Pc. PortaCrimp Die Set Electrical** Reliable, ratchet controlled, ensures consistent & accurate crimp.

Item No.	Set includes:	↕↔ lbs.	Pkg.
43190	43129, 43128, 43142	5.0	1



43192 **4 Piece PortaCrimp Die Set Data Com Telco** Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes:	↕↔ lbs.	Pkg.
43192	43144, 43136, 43132	5.0	1



43191 **4 Piece PortaCrimp Die Set Industrial** Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes:	↕↔ lbs.	Pkg.
43191	43129, 43127, 43147	5.0	1



Each die includes storage clip

PortaCrimp Dies

One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent and accurate with a parallel action stroke, good to 50,000 cycles.



43137 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices


Item No.	Crimps	Awg	lbs.	Pkg.
43137	2.5/1.5/0.75mm ²	22-14	1.2	1



43154 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 2-1/0 AWG (35-50mm)

Item No.	Crimps	AWG	lbs.	Pkg.
43154	50 & 35mm ²	1/0 & 2	1.2	1



43128 PortaCrimp Die Set For Green & Yellow Insulated Terminals & Splices

Item No.	Crimps	AWG	lbs.	Pkg.
43128	4-6 & 0.1-0.4mm ²	26-22 & 12-10	1.2	1



43139 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item No.	Crimps	AWG	lbs.	Pkg.
43139	10/6/4mm ²	8/10/12	1.2	1



43146 PortaCrimp Open Barrel, Non-Insulated Standard Commercial Terminals & Lugs - .250" (6.3mm) Push On Terminals


Item No.	Crimps	AWG	lbs.	Pkg.
43146	4-6/1.5-2.5/0.5-1.0mm ²	22-10	1.2	1



43129 PortaCrimp Die Set For Red & Blue Insulated Terminals & Splices

Die set for 22-16 AWG (0.5 - 1.5mm)

Item No.	Crimps	AWG	lbs.	Pkg.
43129	1.5-2.5 & 0.5-1.5mm ²	22-16	1.2	1



43127 PortaCrimp Wire Ferrules - Insulated & Non-Insulated


Die set for 24-8 AWG (0.25-10mm)

Item No.	Crimps	AWG	lbs.	Pkg.
43127	10/6/4/2.5/1-1.5/0.25-.75mm ²	8-24	1.2	1




43150 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-1 .110" (2.8mm) Tab

Item No.	Crimps	AWG	lbs.	Pkg.
43150	0.5-1.0/0.25-0.5/0.1-0.25mm ²	26-18	1.2	1



43142 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item No.	Crimps	AWG	lbs.	Pkg.
43142	4-6 & 0.5-2.5mm ²	12-10 & 22-14	1.2	1



43153 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 6-4 AWG (16-25mm)

Item No.	Crimps	AWG	lbs.	Pkg.
43153	25 & 16mm ²	6 & 4	1.2	1



43151 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-2 .187" (4.8mm) Tab

Item No.	Crimps	AWG	lbs.	Pkg.
43151	1.5-2.5 & 0.5-1.5mm ²	22-14	1.2	1



43143 PortaCrimp Weather Pack Open Barrel Terminals

Item			↔	▬
No.	Crimps	AWG	lbs.	Pkg.
43143	3.0-0.5mm ²	12-20	1.2	1



43140 PortaCrimp Coaxial Network & Communications Die set for RG174, RG179 BNC/TNC Coaxial Connectors (.178"/.128"/.068" Hex), .028"(0.7mm)Sq.

Item	Crimps	↔	▬
No.	4.52/3.25/1.69mm hex 0.7mm sq.	↔	▬
43140	(.178"/.128"/.068" hex, .028"	↔	▬



43141 PortaCrimp Fiber Optic Die set for SMA, SMB, SFR, ST, SC fiber optic connectors (.178"/.213"/.151"/.128" hex)

Item	Crimps	↔	▬
No.	4.52/5.41/3.84/3.25mm	↔	▬
43141	(.178"/.213"/.151"/.128")	↔	▬



43144 PortaCrimp Datacom/Telecom Modular Plug Die set for 8-position 8-contact

Item No.	RJ45	↔	▬
43144		↔	▬
		1.2	1



43136 PortaCrimp Coaxial Network & Communications Die set for RG58, RG59, RG62AU BNC/TNC Coaxial Connectors (.213"/.255"/.068" hex).

Item	Crimps	↔	▬
No.	1.69/5.41/6.48mm	↔	▬
43136	(.213"/.255"/.068"hex)	↔	▬



43132 PortaCrimp Datacom/Telecom Modular Plug Die set for 6-position 6-contact

Item No.	RJ11	↔	▬
43132		↔	▬
		1.2	1



43138 PortaCrimp Coaxial Network & Communications, CATV, HDTV, Video Die set for RG6, Belden 1694A, Twinax BNC, CATV F Coaxial Connectors (.360"/.324" Hex)

Item	Crimps	↔	▬
No.	9.14 & 8.23mm	↔	▬
43138	(.360"/.324")	↔	▬



43147 PortaCrimp Power Contacts

Item	Crimps	↔	▬
No.	4/.14-1/	↔	▬
43147	2.5/1.5mm 26-12	↔	▬

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



43148 PortaCrimp Power Contacts

Item No.	Crimps	AWG	lbs.	Pkg.
43148	6 & 10mm	10-8	1.2	1



43158 PortaCrimp Die set for heat shrink connectors: 0.5-1.5mm² red & 1.5-2.5mm² blue.

Item	Crimps	↔	▬
No.	0.5-1.5mm ² (22-16AWG) red	↔	▬
43158	1.5-25mm ² (16-14 AWG) blue	↔	▬



43162 PortaCrimp Die set for heat shrink connectors: 4-6mm² yellow & 0.32-0.75mm² green.

Item	Crimps	↔	▬
No.	4-6mm ² (12-10AWG) yellow	↔	▬
43162	0.32-0.75mm ² (22-18AWG) green	↔	▬



Wiha Ratchet Crimpers

Ratchet End Sleeve Crimper



5 die nests side entry crimp

Factory set auto release at end of crimp cycle

43612 Ratchet End Sleeve Crimper

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper For Standard Connectors



Crimp Profile Factory set auto release at end of crimp cycle


Soft grip non-slip

43618 Ratchet Crimper For Standard Connectors

Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-18 red, 16-14 blue, 12-10 yellow.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper Push On Terminals



Crimp Profile "F"/"B" Factory set auto release at end of crimp cycle


Soft grip non-slip

43624 Ratchet Crimper Push On Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 24-20, 20-18, 16-14, 12-10. Soft grip non-slip handles.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43624	220mm/8.6"	24-10	1.06	1

Ratchet Crimper For Eye Terminals



Self adjusting side entry crimp Factory set auto release at end of crimp cycle

Soft grip non-slip

43643 Ratchet Crimper For Eye Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 26-22, 20-18, 12-10, 8-6.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43643	220mm/8.6"	26-6	1.02	1

Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²



Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

44212 Self Adjusting Cutting & Stripping Tool

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

#44212	mm	Inch	AWG	Strip Dim.	lbs.
	191	7.5	34 - 8	0.02-10mm ²	.30

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²



Straight

34-8 AWG

44214 Straight Blade Cassette, PVC Insulations

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44214	AWG	Strip Range	lbs.	Pkg.
	34 - 8	0.02-10mm ²	.02	1

Replaceable Cassette - 4-16mm²



Stripping Range 4-16mm²

10-5 AWG




Radius Blade

44269 Replaceable Cassette, 4-16mm Stripping Range

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44269	AWG	Strip Range	lbs.	Pkg.
	10 - 5	4-16mm ²	.02	1

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range 0.1 - 4mm²

VBC for PTFE

28-12 AWG



44213 Replaceable VBC or PTFE Cassette, "V" Blade

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.


#44213	AWG	Strip Range	lbs.	Pkg.
	28 - 12	0.1-4mm ²	.02	1



Adjustable Screw For Precise Blade Positioning



4 Cable V-blocks



Reversible Cassettes Long Life



Stepped Stripping Depth For Reduced Friction

2 Step

	44237	44238	44239	44240
	Blue	Red	Yellow	Orange
"B" mm	6.8	6.0	12.0	9.2
"B" Inch	0.27"	0.24"	0.47"	0.36"
"A"	User adjusted			

Blue Cassette Stripping Tool Kit



Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281



44227 Blue Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use. lbs. .09 Pkg. 1

Item No.	mm	Inch	Strip Range	Strip Dim.
44227	90	3.54	1.87-7.6mm	6.8mm
			0.10"-0.30"	0.27"

2 Step Yellow Cassette Stripping Tool Kit



Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281



44224 2 Step Yellow Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 12.0mm/.47". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use. lbs. .09 Pkg. 1

Item No.	mm	Inch	Strip Range	Strip Dim.
44224	90	3.54	1.87-7.6mm	12.0mm
			0.10"-0.30"	0.47"

Stripping Tool - No Cassette



44200 Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool. Holds all 2 or 3 step cassettes.

Item No.	lbs.	Pkg.
44200	.07	1

2 Step Red Cassette Stripping Tool Kit



Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281




44222 2 Step Red Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 6.0mm/.24". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use. lbs. .09 Pkg. 1

Item No.	mm	Inch	Strip Range	Strip Dim.
44222	90	3.54	1.87-7.6mm	6.0mm
			0.10"-0.30"	0.24"

2 Step Replacement Stripping Cassettes




Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281

442 2 Step Replacement Stripping Cassettes

High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip Range	Strip Dim.	lbs.	Pkg.
44237	Blue	1.87-7.6mm	6.8(0.27")	.01	1
44238	Red	1.87-7.6mm	6.0(0.24")	.01	1
44239	Yellow	1.87-7.6mm	12.0(0.47")	.01	1
44240	Orange	1.87-7.6mm	9.2(0.36")	.01	1

Stripping Tool Set



44290 10 Piece Set, Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Universal tool body accepts all cassettes. lbs. .10 Pkg. 1

Item No.	Stripping Tool, L-key, 4 Cable V-blocks & 4 Stripping Cassettes
44290	



Adjustable Screw For Precise Blade Positioning



4 Cable V-blocks



Reversible Cassettes Long Life



Stepped Stripping Depth For Reduce Friction

3 Step Brown Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8282




3 Step White Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8284




3 Step




	44251	44255	44259	44260	44261
	Brown	Green	White	Dk. Brown	Black
"C" mm	8.3	6.0	6.8	7.5	5.5
"B" mm	2.7	6.0	2.5	3.5	5.5
"A"	User adjusted				

44241 3 Step Brown Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.  lbs. .08 Pkg. 1

Item No.	mm	Inch	Strip Range	Strip Dim.
44241	90	3.54	1.87-7.6mm	8.3mm(B) 0.10"-0.30" 2.7mm(C)

44249 3 Step White Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.  lbs. .08 Pkg. 1

Item No.	mm	Inch	Strip Range	Strip Dim.
44249	90	3.54	1.87-7.6mm	6.8mm(B) 0.10"-0.30" 2.5mm(C)


3 Step Green Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8283




44245 3 Step Green Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.  lbs. .08 Pkg. 1

Item No.	mm	Inch	Strip Range	Strip Dim.
44245	90	3.54	1.87-7.6mm	6.0mm(B) 0.10"-0.30" 6.0mm(C)

3 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/188/
195/316/6

442 3 Step Replacement Stripping Cassettes

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. High quality steel blade cassettes with razor sharp edges for long, effective use. Pkg. 1

Item No.	Color	Strip B	Strip C	lbs.
44251	Brown	2.7mm/.11"	8.3mm/.33"	.01
44255	Green	6.0mm/.24"	6.0mm/.24"	.01
44259	White	2.5mm/.10"	6.8mm/.27"	.01
44260	Dk.Brown	3.5mm/.14"	7.5mm/.30"	.01

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
26000	4	26136	9	26455	10	26704	6	26924	14	26992	16
26001	4	26140	9	26457	10	26705	6	26925	14	26993	15
26008	4	26142	9	26459	10	26706	6	26926	14	26995	15
26010	4	26145	9	26461	10	26707	6	26927	14	26996	15
26012	4	26190	4	26463	10	26708	6	26928	14	26997	15
26015	4	26192	5	26465	10	26709	6	26929	14	28000	13
26018	4	26193	9	26467	10	26710	6	26932	14	28001	13
26020	4	26194	5	26490	6	26715	6	26934	14	28002	17
26022	4	26197	4	26491	6	26720	6	26935	14	28003	17
26023	4	26199	4	26493	10	26721	9	26936	14	28004	17
26025	4	26205	5	26499	6	26723	9	26937	14	28005	17
26027	4	26210	5	26510	7	26725	9	26938	14	28006	17
26028	4	26307	5	26515	7	26727	9	26939	14	28007	17
26030	4	26309	5	26520	7	26729	9	26940	14	28008	17
26032	4	26313	5	26523	7	26731	9	26941	14	28009	17
26033	4	26315	5	26525	7	26732	10	26942	14	28010	17
26034	4	26316	5	26527	7	26733	10	26943	14	28011	17
26035	4	26320	5	26530	7	26735	10	26944	14	28012	17
26040	4	26323	5	26531	7	26736	10	26945	14	28013	17
26041	4	26325	5	26532	7	26737	10	26946	14	28014	17
26042	4	26327	5	26535	7	26739	10	26947	14	28015	17
26050	9	26330	5	26536	7	26741	10	26948	14	28016	17
26051	9	26331	5	26539	7	26743	10	26949	14	28017	17
26052	9	26333	5	26540	7	26745	10	26950	14	28021	14
26053	9	26336	5	26545	7	26747	10	26951	13	28023	14
26054	9	26340	5	26547	7	26749	10	26952	13	28024	14
26055	9	26341	10	26550	7	26751	10	26953	13	28025	14
26056	9	26343	10	26555	7	26761	7	26954	13	28026	14
26060	9	26345	10	26556	7	26762	7	26955	13	28027	14
26061	9	26347	10	26560	7	26763	7	26956	13	28028	14
26063	9	26349	10	26563	7	26764	7	26957	13	28029	14
26065	9	26351	10	26570	7	26765	7	26958	17	28033	14
26066	9	26353	10	26571	11	26766	7	26959	17	28034	14
26068	9	26363	10	26572	11	26790	6	26960	17	28035	14
26070	9	26367	10	26573	11	26791	6	26961	17	28036	14
26072	9	26369	10	26574	11	26792	6	26962	14	28037	14
26073	9	26371	10	26575	11	26793	10	26963	14	28080	16
26074	9	26390	5	26576	11	26794	7	26964	14	28084	16
26076	9	26391	5	26577	11	26796	10	26965	14	28087	16
26079	9	26392	10	26578	11	26798	9	26966	14	28091	16
26080	9	26393	10	26579	11	26799	6	26967	14	28094	15
26090	4	26399	5	26581	11	26810	4	26968	14	28097	16
26092	5	26413	6	26582	11	26815	11	26969	14	28552	8
26093	9	26415	6	26583	11	26900	13	26971	13	28620	8
26099	4	26416	6	26584	11	26901	13	26972	13	28622	8
26100	4	26419	6	26585	11	26903	13	26973	13	28624	8
26101	4	26420	6	26586	11	26904	13	26974	13	28626	8
26102	4	26423	6	26587	11	26905	13	26975	17	28627	8
26105	4	26425	6	26588	11	26911	13	26976	17	28629	8
26107	4	26427	6	26589	11	26912	13	26977	17	28632	8
26108	4	26430	6	26590	7	26913	14	26978	17	28633	8
26109	4	26431	6	26591	7	26914	14	26979	17	28637	8
26110	4	26436	6	26592	7	26916	14	26980	17	28638	8
26113	4	26439	6	26593	11	26917	14	26981	17	28644	8
26114	4	26440	6	26596	11	26918	14	26982	17	32000	12
26115	4	26441	10	26598	7	26919	14	26985	17	32001	12
26130	9	26443	10	26599	7	26920	14	26987	15	32002	12
26132	9	26445	10	26701	6	26921	14	26989	15	32003	12
26133	9	26447	10	26702	6	26922	13	26990	16	32004	12
26135	9	26449	10	26703	6	26923	14	26991	16	32085	12

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
32088	12	44245	33	62993	12	75614	18	75675	18	75900	19
32106	12	44249	33	62994	12	75615	18	75676	18	75901	19
32107	12	44251	33	62995	12	75616	18	75677	18	75902	19
32108	12	44255	33	65090	12	75617	18	75678	18	75965	22
40010	11	44259	33	75008	19	75618	18	75679	18	75968	22
40410	26	44260	33	75012	19	75619	18	75680	18	75971	22
40414	26	44269	30	75015	19	75620	18	75681	18	75981	20
40420	26	44290	32	75018	19	75621	18	75682	18	75983	20
40422	26	44501	24	75020	19	75622	18	75683	18	75985	20
40424	26	44502	24	75025	19	75623	18	75701	19	75991	21
40425	26	44503	24	75030	19	75624	18	75702	19	75992	21
40426	26	44504	24	75035	19	75625	18	75703	19	75994	21
40430	26	44505	24	75040	19	75626	18	75704	19	75995	21
40490	26	44506	24	75093	22	75627	18	75705	19	75996	21
43127	28	44507	24	75094	22	75628	18	75706	19	75999	21
43128	28	44508	24	75095	22	75629	18	75707	19	91109	22
43129	28	44509	24	75096	22	75630	18	75708	19	91118	11
43132	29	44510	24	75097	22	75631	18	75709	19	92189	8
43136	29	44511	24	75105	19	75632	18	75710	19	92190	8
43137	28	44512	24	75110	19	75633	18	75715	19	92191	8
43138	29	44513	24	75115	19	75634	18	75720	19	95190	12
43139	28	44514	24	75120	19	75635	18	75727	19	96800	12
43140	29	44515	24	75125	19	75636	18	75728	19		
43141	29	44518	24	75307	19	75637	18	75729	19		
43142	28	44520	24	75309	19	75638	18	75735	19		
43143	29	44521	24	75313	19	75639	18	75739	19		
43144	29	44522	25	75315	19	75640	18	75742	19		
43146	28	44523	25	75320	19	75641	18	75743	20		
43147	29	44524	25	75322	19	75642	18	75744	20		
43148	29	44525	25	75325	19	75643	18	75745	20		
43149	27	44526	25	75327	19	75644	18	75746	20		
43150	28	44527	25	75330	19	75645	18	75747	20		
43151	28	44528	25	75332	19	75646	18	75748	20		
43153	28	44529	25	75340	19	75647	18	75800	19		
43154	28	44530	25	75342	19	75648	18	75801	19		
43158	29	44531	25	75350	19	75649	18	75802	20		
43162	29	44532	25	75352	19	75650	18	75803	20		
43190	27	44533	25	75354	19	75651	18	75805	20		
43191	27	44590	17	75356	19	75652	18	75806	20		
43192	27	55531	25	75358	19	75653	18	75810	20		
43612	30	55532	25	75360	19	75654	18	75811	20		
43618	30	55533	25	75362	19	75655	18	75812	20		
43624	30	55534	25	75364	19	75657	18	75813	20		
43643	30	55535	25	75366	19	75658	18	75814	20		
44200	32	55536	25	75368	19	75659	18	75815	20		
44206	31	55537	26	75370	19	75660	18	75816	20		
44212	30	55538	26	75372	19	75661	18	75817	20		
44213	30	55539	26	75395	21	75662	18	75820	20		
44214	30	55546	26	75602	18	75663	18	75821	20		
44216	31	55547	26	75603	18	75664	18	75822	20		
44220	31	56801	23	75604	18	75665	18	75823	20		
44221	31	56812	23	75605	18	75666	18	75824	20		
44222	32	56813	23	75606	18	75667	18	75825	20		
44224	32	56815	23	75607	18	75668	18	75826	20		
44227	32	56818	23	75608	18	75669	18	75827	20		
44237	32	56825	23	75609	18	75670	18				
44238	32	56830	23	75610	18	75671	18				
44239	32	56833	23	75611	18	75672	18				
44240	32	56871	23	75612	18	75673	18				
44241	33	62990	12	75613	18	75674	18				

CALIFORNIA PROPOSITION 65 WARNING

These products contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm. (California law requires this warning to be given to customers in the state of California.)

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.



wiha

Tools that work for you



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:


**SEE OUR GREAT
WEB SPECIALS!**

Catalog Item No. 99006.w0
version - 4/1/17

Subject to change without notice

©2017 Willi Hahn Corporation

®Torx is a registered trademark of
Aument Intellectual Properties LLC.




91330.w0 - Tooling Catalog



99004.w0 - Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog




99919.w0 - Insulated Catalog




99001.w0 - TorqueControl Catalog



99934.w0 - Hex Tools Catalog



99951.w0 - Bits Catalog



99945.w0 - ESD Catalog



99977.w0 - Pliers/Crimpers Catalog