



Wireless Power Transfer

Rx (recieving) coil modules

WRM483245-15F5-5V-G2



Wireless Power Transfer

Product compatible with RoHS directive Halogen-free

Rx (recieving) coil modules

Overview of WRM483245-15F5-5V-G2


FEATURES

- This is Rx turnkey solution including receiving coil with attractor and modul for Wireless Power Transfer
- To achieve 5V x 1A output and operating fully WPC compliant
- OPre cracked ferrite is available for durable construction
- OF lexible sheet type is available
- Overy thinner total module product. Available as thin as 1.0mm



■SHAPE & DIMENSIONS

(1.0MM MAX. THICKNESS MODULE)



I/O configuration	Pin1 Pin2 Pin3
•	Pin1: Vchar IN Pin2: GND Pin3: WC-EN

W, L1, L2 dimensions	Efficiency	Thickness
(mm)	(%)Ref.	(mm)*
W1: 32		1.00mm max. (Coil)
L1: 48	72	` '
L2: 28		1.00mm max. (Module)

^{*}Contact us for more information.

ELECTRICAL CHARACTERISTICS

CHARACTERISTICS SPECIFICATION TABLES

Rx coil units		Rx modules				Part No.
Inductance	DC resistance	Output voltage	Output current	Efficiency	IC information	
[100kHz, 1Vrms]	[25°C]					
(μH)	(Ω)max.	(V)	(A)	(%)Ref.		
13	0.27	4.95 to 5.05	0.3 to 1.0	72	TC7763WBG (Toshiba IC)	WRM483245-15F5-5V-G2

^{*} Contact us for more information.

RoHS Directive Compliant Product: See the following for more details.https://product.tdk.com/info/en/environment/rohs/index.html

O Halogen-free: Indicates that CI content is less than 900ppm, Br content is less than 900ppm, and that the total CI and Br content is less than 1500ppm.



Reminders

- On not use or store in locations where there are conditions such as gas corrosion (salt, acid, alkali, etc.).
- Oself heating (temperature increase) occurs when the power is turned ON, so the tolerance should be sufficient for the set thermal design.
- O Fully caution, if metal piece contacted with top of coil surface then it could be danger of generated heat.
- O Do not use for a purpose outside of the contents regulated in the delivery specifications.
- The products listed on this catalog are intended for use in general electronic equipment (AV equipment, telecommunications equipment, home appliances, amusement equipment, computer equipment, personal equipment, office equipment, measurement equipment, industrial robots) under a normal operation and use condition.

The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require a more stringent level of safety or reliability, or whose failure, malfunction or trouble could cause serious damage to society, person or property.

If you intend to use the products in the applications listed below or if you have special requirements exceeding the range or conditions set forth in the each catalog, please contact us.

- (1) Aerospace/aviation equipment
- (2) Transportation equipment (cars, electric trains, ships, etc.)
- (3) Medical equipment
- (4) Power-generation control equipment
- (5) Atomic energy-related equipment
- (6) Seabed equipment
- (7) Transportation control equipment

- (8) Public information-processing equipment
- (9) Military equipment
- (10) Electric heating apparatus, burning equipment
- (11) Disaster prevention/crime prevention equipment
- (12) Safety equipment
- (13) Other applications that are not considered general-purpose applications

■ CONTACT WINDOWS FOR MORE INFORMATION

Country	Person in charge	Web
US	Chris Burket	chris.burket@us.tdk.com
EU	Andre Carranque	Carranque@eu.tdk.com
Japan	Takeshi Ishibashi	tishiba@jp.tdk.com
TTW	ChienHung Lin	ChienHung_Lin@tw.tdk.com
China	ChienHung Lin	ChienHung_Lin@tw.tdk.com
Korea	Youngsoo m Kim	youngsoo_kim@kr.tdk.com
ASEAN	ChienHung Lin	ChienHung_Lin@tw.tdk.com